## SERVICE REPORT PREVENTIVE MAINTENANCE PRECISION AIR CONDITIONING (PAC)

FORM NO.

		PT					KOREJO PL	•			Tipe Form PM04
Loka	si :	Model Unit :					Team Engine	er List :	Date :		
Code	e unit :	No. Seri :				1		Start PM:			
Nom	or Unit :	Periode :									
	CKLIST TEAM BRIEFING INSIVE SAFETY BRIEFING TEA	M							? OK	?	P NOT OK
Α	Filter Section										
	Item Checked	Spec. Range / Cond. Std.		Actual Ch	ecked		Item Che		Spec. Range	Actu	al Checked
	1. Check/Replace filters	Clean or Dirty pa		5. Clean conc pan	densate	Clean or Dirty					
	2. Grille area unrestricted			6. Clean trap condensate of	drain	Clean or Dirty					
	3. Wipe section clean	Clean or Dirty					7. Check/Test filter- clog switch operation		Ok or No		
	4. Coil clean	Clean or Dirty									
В	Blower Section										
	Item Checked	Spec. Range / Cond. Std.	Blower 1 Before After		Blower 2 Before After		Blower		Keterangan		
	1. Mounting bolts tight	Ok or No		Бетоге	AIT	er	Бегоге	After	Бетоге	After	
	2. Fan-guard bolts tight	Ok or No					-			<u> </u>	
	3. Impeller spins freely	Ok or No									
	4. Check/Test air sail switch	Ok or No									
	5. Motor amp draw	FLA L1 = A	L1		L1		L1	L1	L1	L1	
	Compare to nameplate	FLA L2 = A	L2		L2		L2	L2	L2	L2	
	amps	FLA L3 = A	L3		L3		L3	L3	L3	L3	
	6. Check belt tension and condition	Ok or No									
	7. Check sheave/pulley	Ok or No									
С	Reheat										
	Item Checked	Spec. Range / Cond. Std.		Heater Before	1 Afte	er	Heater Before	2 After	Heater Before	3 After	- Keterangan
	1. Reheat amp draw	FLA = A									
	2. Check Heater Resistance	18-22 ohm									
	3. Inspect elements	Ok or No									
	4. Check wire connections	Ok or No									

D	Steam Generating Humidifier								
	Item Checked	Spec. Range	Actual Checked	Item	n Checked	Spec. Range	Actual Checked		
	1. Humidifier amp draw	A	,	4. Check cor	ndition of steam hose	Ok or No			
	2. Check drain valve/drain lines/trap for damage/clogs/leaks	Ok or No		5. Clean stra	iner	Ok or No			
	3. Check water fill valve and all supply lines/connection for leaks	Ok or No		6. Check hun tank)	nidifier bottle (Boiler	Ok or No			
		OK OF INO		7. Check operation of humidifier		Ok or No			
E	Electrical Panel								
	Item Checked	Spec. Range /		Actual (	Checked		Keterangan		
	item checked	Cond. Std.	Before		After		Reterangan		
	1. Check fuses	Ok or No							
	2. Check contactors for pitting (Replace if pitted)	Ok or No							
	3. Check/Re-torque wire connections	Ok or No							

E	Electrical Panel						
	Item Checked		Keterangan				
İ		Cond. Std.	Before		After		ŭ
	4. Voltage Line to Neutral Ground	220 + 10%	L1/L2/L3 =	V	L1/L2/L3 =	V	
	5. Voltage Line to Line	380 + 10%	L1L2/L2L3/L1L3 =	V	L1L2/L2L3/L1L3 =	V	
	6. Frequency	50 + 10%	F =	Hz	F =	Hz	
F	Controls						
	Item Checked Spec. Range		Actual Checked	Actual Checked Item Checked			Actual Checked
		Cond. Std.				J	
	1. Check/Verify control operation	Ok or No		3. Check/ device	Test water-detection	Ok or No	
	2. Check/Test changeover device	Ok or No			Test CAN connection ndoor and units	Ok or No	
G	<b>Refrigeration Piping</b>						
	Item Checked	Spec. Range	Actual Checked	ŀ	tem Checked	Spec. Range	Actual Checked
	1. Check refrigerant lines (clamps secure/no rubbing/no leaks)	Ok or No		3. Check for restriction temperature drop across filter drier		Ok or No	

2. Check for moisture (sight glass) Ok or No

	(signt glass)								
Н	<b>Compressor Section</b>								
	Item Checked	Spec. Range	Con	ıp. 1	Comp. 2		Comp. 3		Keterangan
	nom onconcu	/ Cond. Std.	Before	After	Before	After	Before	After	Neterangan
	4 Amarana disam	OAA							
	1. Ampere draw								
	2. Check oil level	55 - 90 PsiG							
	3. Check for oil leaks	200 - 300 PsiG							
	4. Check compressor mounts (springs/bushings)	Ok or No							
	5. Cap tubes (not rubbing)	Ok or No							
	6. Check/Re-torque wire connections (inside compressor box)	Ok or No							
	7. Compressor operation	Hz dB							
	(vibration/noise)  8. Check crank-case heater fuses/operation	Ok or No							
	9. Check for refrigerant leaks	Ok or No							
	10. Suction pressure Circuit	55 - 90 PsiG							
	11. Discharge Pressure Circuit	200 - 300 PsiG							
	12. Superheat Circuit	?C							
	13. Low-pressure switch cut out Circuit	Ok or No							
	14. Low pressure cut in Circuit	Ok or No							
	15. High pressure cut out Circuit	Ok or No							
	16. Sight Glass	Ok or No							

Condensor Section				
Item Checked	Spec. Range	Before	After	Keterangan

2. Fans free of debris 3. Fans securely mount	ed ed	Clean or Dirty				
4. Motor bearings in go						
5. Check all refrigerant						
vibration isolation. Support as ne		Ok or No				
6. Check for refrigerant	leaks	Ok or No				
7. Check surge-protecti device (if installed) sta indicator lights	tus-	Ok or No				
8. Check/Re-torque wire	connections	Ok or No				
9. Check contactors for (replace if pitted)	pitting	Ok or No				
10. Verify operation seq points						
11. Charge verification:						
a. Outdoor Ambient Ter	nperature					
b. Subcooling						
c. Indoor-unit Return-air	<u> </u>					
d. Sight-glass level (if L Temp or pumped refrig						
12. Motor amp draw	12 Mater annu draw				2/L3 =	
-		FLA = A	Amp		Amp	
J General Function						
Item Checked	Spec. Range	Actual Checked	Item Check		Spec. Range	Actual Checked
1. Cooling Test	Ok or No		4. Dehumidification	Test	Ok or No	
2. Heating Test	Ok or No		5. Alarm Test		Ok or No	
3. Humidification Test	Ok or No					
Room Condition						
Item Checked	Spec. Range	Actual Checked	Item Check	ed	Spec. Range	Actual Checked
1. Temperature	?C		2. Humidity		%	
		NOT	ES			

Rekomendasi :		
	RESUME	
JOB COMPLETED ? ? YES	? NO, please check on NOTES	RUNNING HOURS:
	APPROVAL SIGNING	
Approved by	Verified By	Service By
ISS,	Supervisor,	Team Leader/Staf,
() No. HP.	() No. HP.	() No. HP.

Keterangan : Lembar 1 untuk Teknisi; Lembar 2 untuk User; Lembar 3 Arsip Kantor