SERVICE REPORT PREVENTIVE **MAINTENANCE**

FORM NO.

PRECISION AIR CONDITIONING (PAC)

			M SAMPO T			`	C)		Tipe Form PM04
Lok	asi : LT3	Model Unit :			Team Engineer List: tes		es	Date : 2024- 08-03	
Coc	le unit : 12	No. Seri }: 12						Start PM : 0	06:10
Noı	nor Unit : 83	Periode :				Close PM : 08:10			
CE	ECKLIST TEAM BRIE	FING			-			-	1
	TENSIVE SAFETY BRIEF					?	OK	?	NOT OK
_	AM								
A	Filter Section								
	Item Checked	Item Checked Spec. Range / Cond. Std.		Checked	5. Clean condensate pan Clean or Clean or Clean or Condensate drain Dirty			tual Checked	
	1. Check/Replace filters	Clean or Dirty	Ok				Dirty		
	2. Grille area unrestricted	OK / Not OK						Clean	
	3. Wipe section clean	Clean or Dirty	Clean		7. Check/T	Test filter-		Ok	
	4. Coil clean	Clean or Dirty	Clean		clog switcl	h operation	Ok or No		
В	Blower Section	-						•	
	Item Checked	Spec. Range /	Blo	wer 1	Blo	wer 2	Blo	wer 3	Keterangan
		Cond. Std.	Before	After	Before	After	Before	After	, , ,
	1. Mounting bolts tight	Ok or No	OK	OK	OK	OK	OK	OK	OK
	2. Fan-guard bolts tight	Ok or No	OK	OK	OK	OK	OK	OK	OK
ł	3. Impeller spins freely	Ok or No	OK OK	OK OK	OK OK	OK OK	OK OK	OK OK	OK OK
	4. Check/Test air sail switch	Ok or No							OK .
	5. Motor amp draw	FLA L1 =···· A	L1	L1	L1	L1	L1	L1	1
	Compare to nameplate	FLA L2 =···· A	L2	L2	L2	L2	L2	L2	1
	amps	FLA L3 =···· A	L3	L3	L3	L3	L3	L3	l or
	6. Check belt tension and condition	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
<u> </u>	7. Check sheave/pulley	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
C	Reheat	Spec. Range /	Heater 1		Heater 2		Нос	ater 3	
	Item Checked	Cond. Std.	Before	After	Before	After	Before	After	Keterangan
ı	1. Reheat amp draw	FLA =····· A	1	1	1	1	1	1	1
	2. Check Heater		1	1	1	1	1	1	1
	Resistance	18-22 ohm							
	3. Inspect elements	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	4. Check wire connections	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
D	Steam Generating Hum	idifier							
	Item Checked	Spec. Range	Actual	Checked		Item Check	ed	Spec. Range	Actual Checked
	1. Humidifier amp draw	A	1		4. Check of hose	condition of	steam	Ok or No	Clean
	2. Check drain		Ok						Clean
	valve/drain lines/trap fordamage/clogs/leaks	Ok or No					Ok or No		
	3. Check water fill valve and all supply lines/connection for leaks	Ok or No	Clean		6. Check humidifier bottle (Boiler tank)			Ok or No	Clean
מו	Electrical Panel			7. Check operation of humidif			humidifier	Ok or No	Ok
V		Spec. Range /		Actual Chec			Checked		
l	Item Checked	Cond. Std.		Before			After		Keterangan
İ	1. Check fuses	Ok or No	Ok			Ok			Ok
	2. Check contactors for	Ok or No	Ok			Ok			Ok
	pitting (Replace if pitted)	OK 01 1NO	1						
	3 Check/Re-torque wire		Ok			Ok			Ok

connections

Ok or No

E	Electrical Panel								
	Item Checked	Spec. Range / Cond. Std.			Actual Checked				Keterangan
				Before		After			
	4. Voltage Line to Neutral Ground	220 + 10%	L1/L2/L3 =1		V	L1/L2/L3 =1		V	1
	5. Voltage Line to Line	380 + 10%	L1L2/L2L3/L	1L3 = 1		L1L2/L2L3/L1L3 = 1 V			1
	6. Frequency	50 + 10%	F = 1		Hz	F=1		Hz	1
F	Controls								
	Item Checked	Spec. Range / Cond. Std.	Actual Checked		Item Checked			Spec. Range	Actual Checked
	1. Check/Verify control operation	Ok or No			3. Check/Test water- detectiondevice			Ok or No	Ok
	2. Check/Test changeover device	Ok or No	Ok		4. Check/Test CAN connection between indoor and outdoor units			Ok or No	Ok
G	Refrigeration Piping				1			~	
	Item Checked	Spec. Range	Actual	Checked]	Item Check	ed	Spec. Range	Actual Checked
	1. Check refrigerant lines (clamps secure/no rubbing/no leaks)	Ok or No	Ok		3. Check for restriction temperature drop across			Ok or No	Clean
	2. Check for moisture	Ok or No	Ok		filterdrier				
101	(sight glass) Compressor Section								
	·	Spec. Range /	Cor	np. 1	Cor	Comp. 2 Cor		np. 3	
ı	Item Checked	Cond. Std.	Before	After	Before	After	Before	After	Keterangan
	1. Ampere draw	OA··· A	1	1	1	1	1	1	1
	2. Check oil level	55 - 90 PsiG	1	1	1	1	1	1	1
	3. Check for oil leaks	200 - 300 PsiG	1	1	1	1	1	1	1
	4. Check compressormounts (springs/bushings)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	5. Cap tubes (not rubbing)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	6. Check/Re-torque wireconnections (inside compressor box)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	7. Compressor operation (vibration/noise)	Hz dB	1	1	1	1	1	1	1
	8. Check crank-case heater fuses/operation	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	9. Check for refrigerantleaks	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	10. Suction pressure Circuit	55 - 90 PsiG	1	1	1	1	1	1	1
	11. Discharge PressureCircuit	200 - 300 PsiG	1	1	1	11	1	1	1
	12. Superheat Circuit	?C		1	1	1	1	1	1
	13. Low-pressure switchcut out Circuit	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	14. Low pressure cut in Circuit	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	15. High pressure cut out Circuit	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
L	16. Sight Glass	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
				-		-	•		

Ι	Condensor Section				
	Item	Spec. Range	Before	After	Keterangan
Ш	Checked				

	1. Coil clean of debris (Cle ifrequired)	ean coil	Clean or Dirty	Clean	Clean					
	2. Fans free of debris		Clean or Dirty	Clean	Clean					
	3. Fans securely mounted		1	1	1					
	4. Motor bearings in good		1	1	1					
H	5. Check all refrigerant lin		1	Ok	Ok					
	vibration	101	Ok or No	OK .						
	isolation. Support as neces	ssary								
	6. Check for refrigerant le		Ok or No	Ok	Ok					
	7. Check surge-protection	device		Ok	Ok					
	(ifinstalled) status-indicat		Ok or No			Ol-				
	8. Check/Re-torque wire c		Ok or No	Ok	Ok					
	9. Check contactors for pi ifpitted)	tting (replace	Ok or No	Ok	Ok	Ok				
	10. Verify operation seque	ence/set points	1	1	1					
	11. Charge verification:	ALCO, SCO POINTS	1	1	1	1				
	a. Outdoor Ambient Temp	nerature	1	1	1					
	b. Subcooling	<u></u>	1	1	1					
	c. Indoor-unit Return-air	Temperature	1	1	1					
	d. Sight-glass level (if Lee-		1	1	1					
	orpumped refrigerant)			11/12/12	T 1/T 0	ул 2 — I				
	12. Motor amp draw		FLA = 1 A	L1/L2/L3 =	L1/L2/L3 = 1 Amp					
Ţ	_			1 Amp	1 A	лпр				
J	General Function					Snoo				
	Item Checked	Spec. Range	Actual Checked	Item Check	ced	Spec. Range	Actual Checked			
	1. Cooling Test	Ok or No	Ok	4. Dehumidification T	est .	Ok or No	Ok			
	2. Heating Test	Ok or No	Ok	5. Alarm Test		Ok or No	Ok			
	3. Humidification Test	Ok or No	Ok							
K	Room Condition									
	Item Checked	Spec. Range	Actual	Item Check	æd	Spec. Range	Actual Checked			
	\	<u> </u>	Checked				CHECKEU			
	1. Temperature	1 C		2. Humidity		1 %	1			
	1. Temperature	1 C				1 %	1			
Ten	1. Temperature muan : tes	1 C	1			1 %	1			
		1 C	1			1 %	1			
	muan : tes	1 C	1	TES		1 %	1			
	muan : tes komendasi : tes JOB COMPLETED		NOT	UME	RUNNING	1 % G HOURS:	1			
	muan : tes komendasi : tes		NOT RESU please check on NOTI	UME ES	RUNNING		1			
	muan : tes komendasi : tes JOB COMPLETED		RESU please check on NOTI	UME ES DVAL	RUNNING		1			
	muan : tes komendasi : tes JOB COMPLETED ?		RESU please check on NOTI	JME ES OVAL ING	RUNNING	S HOURS :				
	nuan : tes komendasi : tes JOB COMPLETED ? Approved by		Please check on NOTE APPRO SIGN Verified B	UME ES DVAL ING	RUNNING	GHOURS:	Service By			
	muan : tes komendasi : tes JOB COMPLETED ?		RESU please check on NOTI	UME ES DVAL ING	RUNNING	GHOURS:				
	nuan : tes komendasi : tes JOB COMPLETED ? Approved by		Please check on NOTE APPRO SIGN Verified B	UME ES DVAL ING	RUNNING	GHOURS:	Service By			
	nuan : tes komendasi : tes JOB COMPLETED ? Approved by		Please check on NOTE APPRO SIGN Verified B	UME ES DVAL ING	RUNNING	GHOURS:	Service By			
	nuan : tes komendasi : tes JOB COMPLETED ? Approved by		Please check on NOTE APPRO SIGN Verified B	UME ES DVAL ING	RUNNING	GHOURS:	Service By			

Keterangan: Lembar 1 untuk Teknisi; Lembar 2 untuk User; Lembar 3 Arsip Kantor