SERVICE REPORT PREVENTIVE MAINTENANCE PRECISION AIR CONDITIONING (PAC)

FORM NO.

		PT					KOREJO PL	•			Tipe Form PM04
Loka	si :	Model Unit :					Team Engine	er List :	·	Date :	
Code	e unit :	No. Seri :			1		Start PM				
Nom	or Unit :	Periode :							Close PM:		
	CKLIST TEAM BRIEFING INSIVE SAFETY BRIEFING TEA	M							? OK	?	P NOT OK
Α	Filter Section										
	Item Checked	Spec. Range / Cond. Std.		Actual Ch	ecked		Item Che		Spec. Range	Actu	al Checked
	1. Check/Replace filters	Clean or Dirty					5. Clean conc pan	densate	Clean or Dirty		
	2. Grille area unrestricted OK / Not OK					6. Clean trap condensate of	drain	Clean or Dirty			
	3. Wipe section clean	Clean or Dirty					7. Check/Tes switch opera		Ok or No		
	4. Coil clean	Clean or Dirty					Switch opera	lion			
В	Blower Section										
	Item Checked	Spec. Range / Cond. Std.		Blower Before	1 Afte		Blower Before		Blower		Keterangan
	1. Mounting bolts tight	Ok or No		Бетоге	AIT	er	Бегоге	After	Бетоге	After	
	2. Fan-guard bolts tight	Ok or No					-			 	
	3. Impeller spins freely	Ok or No									
	4. Check/Test air sail switch	Ok or No									
	5. Motor amp draw	FLA L1 = A	L1		L1		L1	L1	L1	L1	
	Compare to nameplate	FLA L2 = A	L2		L2		L2	L2	L2	L2	
	amps	FLA L3 = A	L3		L3		L3	L3	L3	L3	
	6. Check belt tension and condition	Ok or No									
	7. Check sheave/pulley	Ok or No									
С	Reheat										
	Item Checked	Spec. Range / Cond. Std.		Heater Before	1 Afte	er	Heater Before	2 After	Heater Before	3 After	- Keterangan
	1. Reheat amp draw	FLA = A									
	2. Check Heater Resistance	18-22 ohm									
	3. Inspect elements	Ok or No									
	4. Check wire connections	Ok or No									

D	Steam Generating Humidifier						
	Item Checked	Spec. Range	Actual Checked	4. Check condition of steam hose 5. Clean strainer		Spec. Range	Actual Checked
	1. Humidifier amp draw	A				Ok or No	
	2. Check drain valve/drain lines/trap for damage/clogs/leaks	Ok or No				Ok or No	
	3. Check water fill valve and all supply lines/connection for leaks	Ok or No		6. Check humidifier bottle (Boiler tank)		Ok or No	
				7. Check operation of humidifier		Ok or No	
Е	Electrical Panel						
	Item Checked	Spec. Range / Actual Checked					Votorongon
	item Checked	Cond. Std.	Before		After		Keterangan
	1. Check fuses	Ok or No					
	2. Check contactors for pitting (Replace if pitted)	Ok or No					
	3. Check/Re-torque wire connections	Ok or No					

	Item Checked		Votorongon				
	item Checked	Cond. Std.	Before	e			Keterangan
	4. Voltage Line to Neutral						
	Ground	220 + 10%	L1/L2/L3 =	V	L1/L2/L3 =	V	
	5. Voltage Line to Line	380 + 10%	L1L2/L2L3/L1L3 =	V	L1L2/L2L3/L1L3 =	V	
	6. Frequency	50 + 10%	F = Hz		F = Hz		
F	Controls						
	Item Checked	Spec. Range / Cond. Std.	Actual Checked	Item	Checked	Spec. Range	Actual Checked
	1. Check/Verify control operation	Ok or No		3. Check/Test	water-detection device	Ok or No	
	2. Check/Test changeover device	Ok or No			CAN connection or and outdoor units	Ok or No	
G	Refrigeration Piping						
	Item Checked	Spec. Range	Actual Checked	Item	Checked	Spec. Range	Actual Checked
	Check refrigerant lines (clamps secure/no rubbing/no leaks)	Ok or No		3. Check for r	restriction temperature ilter drier	Ok or No	
	2. Check for moisture (sight glass)	Ok or No					

Item Checked	Spec. Range /	Comp.	1	Comp	. 2	Comp	. 3	Keterangan
item Checked	Cond. Std.	Before	After	Before	After	Before	After	Reterangan
1. Ampere draw	OA A							
2. Check oil level	55 - 90 PsiG							
3. Check for oil leaks	200 - 300 PsiG							
4. Check compressor mounts (springs/bushings)	Ok or No							
5. Cap tubes (not rubbing)	Ok or No							
6. Check/Re-torque wire connections (inside compressor box)	Ok or No							
7. Compressor operation (vibration/noise)	Hz dB							
8. Check crank-case heater fuses/operation	Ok or No							
9. Check for refrigerant leaks	Ok or No							
10. Suction pressure Circuit	55 - 90 PsiG							
11. Discharge Pressure Circuit	200 - 300 PsiG							
12. Superheat Circuit	?C							
13. Low-pressure switch cut out Circuit	Ok or No							
14. Low pressure cut in Circuit	Ok or No							
15. High pressure cut out Circuit	Ok or No							
16. Sight Glass	Ok or No							

I	Condensor Section				
	Item Checked	Spec. Range	Before	After	Keterangan
	Coil clean of debris (Clean coil if required)	Clean or Dirty			
	2. Fans free of debris	Clean or Dirty			
	3. Fans securely mounted			,	
	4. Motor bearings in good condition			,	
	5. Check all refrigerant lines for vibration isolation. Support as necessary	Ok or No			

	6. Check for refrigerant leaks		Ok or No				
	7. Check surge-protection devi installed) status-indicator light	ce (if	Ok or No				
	8. Check/Re-torque wire connection	ctions	Ok or No		,		
	9. Check contactors for pitting	(replace if pitted)	Ok or No				
	10. Verify operation sequence/s	set points					
	11. Charge verification:						
	a. Outdoor Ambient Temperatu	re					
	b. Subcooling				,		
	c. Indoor-unit Return-air Tempe	erature					
	d. Sight-glass level (if Lee-Tem pumped refrigerant)	p or					
	12. Motor amp draw		FLA = A	L1/L2/L3 =	L1/L2/	-	
	12. Motor amp draw		rLA = A	Amp		Amp	
J	General Function			_		_	
	Item Checked	Spec. Range	Actual Checked	Item Check	ed	Spec. Range	Actual Checked
	1. Cooling Test	Ok or No		4. Dehumidification	Test	Ok or No	
	2. Heating Test	Ok or No		5. Alarm Test		Ok or No	
	3. Humidification Test	Ok or No					
K	Room Condition						
	Item Checked	Spec. Range	Actual Checked	Item Check	ed	Spec. Range	Actual Checked
	1. Temperature	?C		2. Humidity		%	
			NOTES				
	uan :						
	uan : omendasi :						
			RESUME				
Reko		? YES	RESUME ? NO, please check		RUNNING HOL	JRS :	

Approved by ISS,	Verified By Supervisor,	Service By Team Leader/Staf,		
() No. HP.	() No. HP.	() No. HP.		

Keterangan : Lembar 1 untuk Teknisi; Lembar 2 untuk User; Lembar 3 Arsip Kantor