

- 文

繁體

简体

English


日本語


○ 文繁體


○ 文简体

○ 文English

○ 文日本語

- 

 About

○  About

- 

 Import

 Life

 Tech

-  Import
-  Life

-  [Tech](#)

- 

Search

- [Search](#)

-  [All](#)

- 

Give a try to Pelican 

It seems in one night all geeks have their own Github User Page and Octopress Blog. Like everyone posted in their blogs, Static Blog is

indeed more convenient than traditional Blog systems such as WordPress. I have been wanting my own Octopress since then.

But it seems that Octopress isn't for me

At first I was confused by Setup Steps of Octopress . What is this RVM thing? And what is that rbenv thing? It seems the high pace of Ruby community has beyond my imagination to a degree that they need a version manager to ensure the compatibility of different versions of Ruby. Although the same compatibility issue also troubles Python community [1] , but at least Python don't need a version manager (yet) to control this mass [2] .

Real problem for me is that I haven't yet a Linux box that I can play around freely. (I really want one ...) Both RVM and rbenv needs to run on Unix/Linux/MacOSX. One can not be a geek if he

use Windows ? (Maybe it's true...)

Remaining problem is the battle between Ruby and Python campaign. I haven't tried Markdown , and I rather like ReST . It seems that both sides depend on Pygments as code block highlighter so Rubyists need Python environment anyway. I simply don't want to depend on any Ruby component. It is better when it is in pure Python, no C extensions so that I can debug into it and make minor modifications.

So I started searching for Static Blog Engine in Python on Github. The author of the great framework Flask , mitsuhiko , wrote a rstblog , but it's not well developed. Hyde seems to be complete enough, but it use MarkDown as its default markup language, and the design of its homepage is too fashion to be used as blog. Finally I found Pelican .

[1]

Such as the difference between Python 2.x and 3.x , and also difference in C-API of implementations of PyPy , CPython , Stackless , Cython .

[2]

Yes, we have `easy_install` and `pip` , but all these are package manager, running in a particular Python implementation. Python implementation itself don't need a manager. Version issue of Python largely have been solved by lightweight converters such as `2to3.py` and `3to2.py` , you don't need to store multiple implementations of Python in your disk for different packages. Yes you can use `virtualenv` if you need to preserve stability but this is another story.

Let it be Pelican

For my own use, Pelican offers me some advantages over Octopress:

1. Implemented in **pure Python**.

This means that I can use different implementation of Python other than CPython easily. I use PyPy myself.

2. Translation of multi-languages.

The original author of Pelican is a France. This is unnecessary for most people, but I will post my blog mainly in three languages: English, Japanese and Chinese.

3. ReST . So that I can use the

@auto-rst feature of Leo . And also I don't need to switch between my blog and documentation of my projects.

But it seems that Pelican was less contributed than Octopress . Some minor issues remains in latest version:

1. Support of pelican-import from WordPress for Chinese and

Japanese articles are buggy.

2. Datetime format, timezone, and locale support for multi-language blogs are not so natural. **I will work on this in these days**
3. There are not so many templates compared to Octopress.
4. And less plugins.

I hope more people from Python community can contribute to this excellent project, then all these issues will be fixed soon.

My settings

To install Pelican is simple:

```
1 $ pip install pelican
```

Write posts in ReST, with

rst

extensions, and put them in

pages

folder. (Re)Build all pages is simply:

```
1 $ pelican -s settings.py
```

Push to Github:

```
1 $ git commit -am "Commit message"
2 $ git push
```

And following is my

settings.py

:

```
1 # -*- coding: utf-8 -*-
2
3 TIMEZONE = 'Asia/Tokyo'
4
5 DATE_FORMATS = {
6     'en': ('usa', '%a, %d %b %Y'),
7     'zh': ('chs', '%Y-%m-%d, %a'),
8     'jpn': ('jpn', '%Y/%m/%d (%a)'),
9 }
10 # windows locale: http://msdn.microsoft.c
11 LOCALE = ['usa', 'chs', 'jpn', # w
```



```
12         'en_US', 'zh_CN', 'ja_JP'] # U
13 DEFAULT_LANG = 'zh'
14
15 SITENAME = 'Farseerfc Blog'
16 AUTHOR = 'Jiachen Yang'
17
18 DISQUS_SITENAME = 'farseerfcgithub'
19 GITHUB_URL = 'https://github.com/farseerf
20 SITEURL = 'http://farseerfc.github.com'
21 TAG_FEED = 'feeds/%s.atom.xml'
22
23 SOCIAL = (('twitter', 'http://twitter.com
24           ('github', 'https://github.com/
25           ('facebook', 'http://www.facebo
26           ('weibo', 'http://weibo.com/far
27           ('renren', 'http://www.renren.c
28           )
29
30
31 TWITTER_USERNAME = 'farseerfc'
32
33 THEME='notmyidea'
34 CSS_FILE = "wide.css"
35
36 DEFAULT_CATEGORY = 'Others'
37 OUTPUT_PATH = '.'
38 PATH = 'posts'
```

