

- - [\\_](#)
  - [\\_](#)
  - [English](#)
  - [\\_](#)
  - [\\_](#)
  - [\\_](#)
  - [English](#)
  - [\\_](#)
- - [About](#)
  - [Links](#)
  - [About](#)
  - [Links](#)
- - [Import](#)
  - [Life](#)
  - [Tech](#)
- [Import](#)
- [Life](#)
- [Tech](#)
- -
- 
- [\\_](#)
- 

- 1.
2. [tech](#)
3. [Travis-CI](#) [Github Pages](#)

Travis-CI Github Pages

2015 02 20 ( )

- [\\_](#)
- [\\_](#)

[pelican](#) [github pages](#) [travis](#) [travis-ci](#) [ubuntu](#)  Loading...

- [\\_Travis-CI](#)
- [\\_Travis-CI](#)
- [\\_Travis-CI Github](#)
- [\\_Web](#)

Github Pages

Pages

Github Pages

Pages

HTML

push

Github

Pelican

pelican

Windows

Linux/OSX/Unix-like

python

pelican

wordpress

web

pelican

python

Android

SL4A

Continuous integration

Travis-CI

## Travis-CI

Agile Development

Extreme Programming

git commit

Travis-CI

github

repo

github

## Travis-CI

<https://travis-ci.org/>

Github

<https://travis-ci.org/repositories>

repo

Travis-CI

repo

push

push

Travis-CI

Github Repo

repo

.travis.yml

.travis.yml

language: python

python:

- "2.7"

before\_install:

- sudo apt-add-repository ppa:chris-lea/node.js -y

- sudo apt-get update

- sudo apt-get install nodejs ditaa doxygen parallel

install:

- sudo pip install pelican

- sudo pip install jinja2

- sudo pip install babel

- sudo pip install BeautifulSoup4

- sudo pip install markdown

- sudo npm install -g less

- wget "http://downloads.sourceforge.net/project/plantuml/plantuml.jar?r=&ts=1424308684&use\_mirror=jaist" -O plantuml.jar

- sudo mkdir -p /opt/plantuml

- sudo cp plantuml.jar /opt/plantuml

- echo "#! /bin/sh" > plantuml

- echo 'exec java -jar /opt/plantuml/plantuml.jar "\$@"' >> plantuml

- sudo install -m 755 -D plantuml /usr/bin/plantuml

- wget https://bintray.com/artifact/download/byvoid/opencoc/opencoc-1.0.2.tar.gz

- tar xf opencoc-1.0.2.tar.gz

- cd opencoc-1.0.2 && make && sudo make install && cd ..

- sudo locale-gen zh\_CN.UTF-8

- sudo locale-gen zh\_HK.UTF-8

- sudo locale-gen en\_US.UTF-8

- sudo locale-gen ja\_JP.UTF-8

script:

- git clone --depth 1 https://github.com/farseerfc/pelican-plugins plugins
- git clone --depth 1 https://github.com/farseerfc/pelican-bootstrap3 theme
- mkdir output
- env SITEURL="farseerfc.me" make publish

Travis-CI      Ubuntu 12.04 LTS      python      python 2.7      pip  
before\_install    install      build    errored    build fail    script    build fail

less.js    ppa    nodejs    less    opencv 1.0.2    Ubuntu    opencv    (0.4)    doxygen  
opencv    pelican    4    locale    4    locale-gen    Ubuntu    Ubuntu    Linux

Ubuntu

.travis.yml    push    github    travis    clone    travis      build    passing    [\\_build](#)

[Travis-CI](#)    [Github](#)

travis-ci    Github Pages      Github    Github      ssh key    github      github repo  
travis      key

Github    Personal Access Token

Github    [Personal Access Token](#)    App Token      Travis-CI

[Personal Access Token](#)    Token    public\_repo      Token

travis

2015 2 21

travis encrypt      ruby      [travis api](#)

repo pubkey

curl -H "Accept: application/vnd.travis-ci.2+json" https://api.travis-ci.org/repos/<github-id/repo>/key | python2 -m json.tool | grep key | sed 's/.\*"key": "(.\*)"/1/' | xargs -0 echo -en | sed 's/ RSA/' > travis.pem

<github-id/repo>    github    /repo    farseerfc/farseer    travis api    json    python    json    key  
grep    sed    key    xargs -0 echo -en    "< >RSA"    openssl    travis.pem

pubkey    openssl      base64

echo -n "GIT\_NAME="Jiachen Yang" GIT\_EMAIL=farseerfc@gmail.com GH\_TOKEN=<Personal Access Token>" | openssl rsautl -encrypt -pubin -inkey travis.pem | base64 -w0

token      secure

travis    token    archlinux    aur/ruby-travis    gems

\$ gem install travis

Travis-CI repo    travis status    Travis-CI repo    build    repo

\$ travis encrypt "GIT\_NAME="Jiachen Yang" GIT\_EMAIL=farseerfc@gmail.com GH\_TOKEN=<Personal Access Token>"

.travis.yml

env:  
- secure: "long secure base64 string"

Travis-CI

script:  
- git config --global user.email "\$GIT\_EMAIL"  
- git config --global user.name "\$GIT\_NAME"

```
- git config --global push.default simple
- git clone --depth 1 https://github.com/farseerfc/pelican-plugins plugins
- git clone --depth 1 https://github.com/farseerfc/pelican-bootstrap3 theme
- git clone --depth 1 https://$GH_TOKEN@github.com/farseerfc/farseerfc.github.io output
- env SITEURL="farseerfc.me" make publish
```

```
after_success:
- cd output
- git add -A
- git commit -m "update from travis"
- git push --quiet
```

```
git push --quiet $GH_TOKEN URL .....
travis after_success script push after_success build make github
__git push make github github
```

Web

repo Travis-CI build error Readme.md

Github Web Github commit Travis-CI

Github Web

Github Android/iPhone github

That is all, happy blogging ~

- "pelican" 5
- [Pelican](#)
  - [Material Design CSS](#)
  - [Pelican](#)
  - [farseerfc.me](#)
  - [Travis-CI Github Pages](#)

[comments powered by Disqus](#)


[farseerfc](#)

- [termcap](#)<sup>1</sup>
- [tty](#)<sup>1</sup>
- [ugh](#)<sup>1</sup>
- [pelican](#)<sup>4</sup>
- [domain](#)<sup>1</sup>
- [icse](#)<sup>2</sup>
- [travis](#)<sup>1</sup>
- [unix](#)<sup>1</sup>


- [paper](#)<sup>1</sup>
- [gnome3](#)<sup>1</sup>
- [zz](#)<sup>1</sup>
- [linux](#)<sup>4</sup>
- [japan](#)<sup>1</sup>
- [kde5](#)<sup>1</sup>
- [creationism](#)<sup>1</sup>
- [Java](#)<sup>2</sup>
- [academic](#)<sup>1</sup>
- [chrome](#)<sup>1</sup>
- [ruby](#)<sup>1</sup>
- [msr](#)<sup>1</sup>
- [desktop](#)<sup>1</sup>
- [python](#)<sup>4</sup>
- [archlinux](#)<sup>1</sup>
- [marry](#)<sup>1</sup>
- [template](#)<sup>1</sup>
- [you](#)<sup>1</sup>
- [cloudflare](#)<sup>1</sup>
- [plasma](#)<sup>1</sup>
- [acpi](#)<sup>1</sup>
- [css](#)<sup>1</sup>
- [mining](#)<sup>1</sup>
- [sjtu](#)<sup>1</sup>
- [repository](#)<sup>1</sup>
- [ncurses](#)<sup>1</sup>
- [material](#)<sup>2</sup>
- [yssy](#)<sup>1</sup>
- [oop](#)<sup>1</sup>
- [ubuntu](#)<sup>1</sup>
- [arch](#)<sup>1</sup>
- [pages](#)<sup>1</sup>
- [me](#)<sup>1</sup>
- [C++](#)<sup>14</sup>
- [github](#)<sup>2</sup>
- [remote](#)<sup>1</sup>
- [stdio](#)<sup>1</sup>
- [bootstrap](#)<sup>1</sup>
- [will](#)<sup>1</sup>
- [travis-ci](#)<sup>1</sup>
- [terminfo](#)<sup>1</sup>
- [subsite](#)<sup>1</sup>
- [microsoft](#)<sup>2</sup>
- [software](#)<sup>2</sup>

GitHub














































Status updating...



farseerfc





ETOTODOge//@V: →\_~//@"....."







柴静雾霾调查  
“穹顶之下”

11:28



13:30

Tweets by farseerfc

- [\\_Travis-CI\\_](#)
- [\\_Travis-CI\\_](#)
- [\\_Travis-CI\\_ Github](#)
- [\\_Web\\_](#)

© 2015 farseerfc · [Pelican](#)