

НРАР	173	UNOS			
Recovery OPO	One legacy (California (CAOP))	Allocation Via	UPENN □	DOD ⊠	
•					
Age (years)	22	DCD	YES 🗆 No	0 🗵	
Race	White/Hispanic or Latino	DBD	YES 🗵 N	0 🗆	
	origin				
Sex	M ⊠ F□	Admission to	163 Hou	rs 03 Mins.	
		Cross Clamp			
ABO (Rh)	A +	Cross Clamp Time	04/07/24 18		
			04/07/24 2		
BMI (Kg/m²)	29.76	Cold Ischemia	23 Hours	08 Mins.	
Weight (kg)	84.00	Time*			
Height (cm)	168.00				
Cause of Death	Head Trauma	Preservation	UW □ HTK□		
		Solution	NA		
Mechanism of	Blunt Injury	Organs Recovered	Heart \square	Kidney 🗵	
Injury			Lung 🗆	Pancreas 🗵	
			Liver 🗵	Intestine	
Cardiac	Yes ⊠	Intraoperative			
Arrest/Downtime	No □	time lapse from	Hours	Mins.	
	Traumatic arrest at the scene with ROSC after 16 minutes	liver to pancreas			
	Nose arter 10 minutes	removal from the	NA		
CDD / T'	. 57	peritoneal cavity:			
CPR / Time	Yes ⊠	Organs Discarded	Heart 🗆	Kidney 🗆	
	No Larrest at the scene with		Lung 🗆	Pancreas \square	
	ROSC after 16 minutes		Liver 🗆	Intestine \square	
Total Est.	16 min.	Blood Culture	Positive: Gran	n positive cocci in	
Downtime			clusters present in anaerobic bottle only. Staphylococcus hominis. Sensitivity		
			in report.		
Date /Time of	03/31/24 23:01 PT	PHS High Risk	YES 🗆 NO	$\supset \boxtimes$	
Admission	04/01/24 02:01 ET		B'1	1 . 60	
		Acute Lung Injury	Bilateral scatte	ered infiltrates solidation in the	
			lower lung lobe		
	I	1		· -	

^{*}Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



Medical History:

		Duration	Medications	Compliance		
Type of Diabetes						
History of cancer						
CAD						
Hypertension						
Hyperlipidemia						
Autoimmune disease						
Family History	CAD □	Diabetes □	Auto immune disease	Others:		
Surgical History:	None					
Comments:	Social Hx: He did smoke cigarettes for a year about 1 cigarette every couple of months. He continued smoking within the last 6months and did not quit. He drank beer socially 1 beer every couple of months for about a year.					

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	128/76	
Average Low BP During Hospitalization	92/58	Duration: NA
Average BP in OR (mmHg)	NA	
Average Low BP in OR (mmHg)	NA	Duration: NA
Average HR in OR (bpm)	NA	
ABG-pH range	6.98 – 7.51	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)	
Fresh Frozen Plasma	250	5 1250		
PRBCs	300	11 3300		
Platelets	270	1	270	
Norepinephrine (Levophed)		0.030-5.900 mcg/min started 6 days before organ		
		recovery		
Vasopressin		2.400 units/hr starte	ed 6 days before organ recovery	
Neo-Synephrine				
Epinephrine				
Phenylephrine				
Dopamine				

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	NA	NA	NA
PRBCs	NA	NA	NA
Platelets	NA	NA	NA
Norepinephrine (Levophed)	NA	NA	NA
Vasopressin	NA	NA	NA
Neo-Synephrine (phenylephrine)	NA	NA	NA
Epinephrine	NA	NA	NA
Dopamine	NA	NA	NA
Heparin	NA	NA	NA

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
GADA positive- index 3.7	Offered as: Aab+

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	6	0	-0.001	-0.001
Cut-off values	20	5	0.01	0.02

^{*}Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	0.56	ND

^{*}Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	Α	2	32	Class II	DR	4	11
0.033 2	В	7	44		DR51	N-Negative	N-Negative
	С	05	07		DR52	52	N-Negative
	Bw4	Positive			DR53	N-Negative	53
	Bw6	Positive			DQB1	7	8
					DQA1	03	05
					DPB1	02:01	04:01
					DPA1	01	01
Comment:							



Confirmatory HLA (UPENN)*

Class 1	Α	02:01	32:01	Class II	DRB1	04:02	11:02
	В	07:02	44:02		DRB3	02:02	
	С	05:01	07:02		DRB4		01:03
					DRB5		
					DQB1	03:01	03:02
					DQA1	03:01	05:05
					DPB1	02:01	04:01
					DPA1	01:03	

^{*}HLA typing performed using NGS

Infectious Disease Serology

		Hemo/Plasma	a Dilution Status
Test	Result	Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	1	-
CMV IgG	Positive	1	-
CMV IgM	Negative	✓	-
HBcAb	Negative	√	-
HBsAg	Negative	1	-
HCV Ab	Negative	1	-
HIV I/II	Negative	1	-
Syphilis	Negative	✓	-
Procleix Ultrio	ND	-	-
Ultrio HBV (HBV NAT)	Negative	1	-
Ultrio HCV (HCV NAT)	Negative	✓	-
Ultrio HIV (HIV NAT)	Negative	1	-
Toxoplasma Ab	Negative	√	-
SARS-CoV-2	Negative	√	-
WNV NAT, T. Cruzi	Negative	✓	-



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	137	150	147
Creatinine (<1.5)	1.10	1.10	0.80
Glucose (mg/dL) (60-150)	395	395	107
HbA1C%	5.7		
Total bilirubin (0-1.0)	0.7	8.0	8.0
SGOT (AST) (0-40)	223	223	37
SGPT (ALT) (5-35)	120	120	49
Alkaline phosphatase (45-110)	85	85	70
Serum Amylase (23-851)	60	146	128
Serum Lipase (0-80)	39	58	58
WBC (THO/uL) (4.5-11.0)	13.5	17.9	17.9
Hgb (g/dL) (12-16)	10.5	17.3	11.6
Platelets (THO/uL) (150-350)	219	219	218
INR (<2.0)	1.40	1.60	1.30

Urinalysis

	1 st	2 nd	3 rd	4 th - 13 th
Glucose	Negative	Negative	Negative	Negative

Medications During Hospitalization

Steroids**	Solumedrol 500.00 mg /10.00ml started 47:04 hrs. before organ recovery for the duration of 40:00hrs.		
Diuretics	Lasix 10 mg/ ml started 88:04 hrs. before organ recovery for the		
	duration of 73:00 hrs.		
T3 Protocol			
T4 Protocol*			
Insulin**	5.00 unit/5ml started 75:04 hrs. before organ recovery for the duration		
	of 68:00 hrs.		
Antihypertensive			
Vasodilators			
DDAVP**			
Total parenteral nutrition			
Other	Thiamine 100 mg, Zosyn3.37 g, NS, Specify		
	Diamox 500 mg, KCL, Pepcid 20 mg		

^{*}T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015:7 17-27.

^{**} Excluding T4 Protocol