

Machine Learning

Course syllabus. ML Paradigms. ML History

Aleksandr Petiushko

ML Research



Content

① Course syllabus

Content

- ① Course syllabus
- ② ML Paradigms

Content

- ① Course syllabus
- ② ML Paradigms
- ③ Historic reference

What is Artificial Intelligence?

Natural Intelligence (human)

- Able to perceive the information, analyze it, make decisions based on this analysis

What is Artificial Intelligence?

Natural Intelligence (human)

- Able to perceive the information, analyze it, make decisions based on this analysis

Artificial Intelligence

- (**Super**) The type of intelligence that vastly exceeds human cognitive abilities across essentially all domains

What is Artificial Intelligence?

Natural Intelligence (human)

- Able to perceive the information, analyze it, make decisions based on this analysis

Artificial Intelligence

- (**Super**) The type of intelligence that vastly exceeds human cognitive abilities across essentially all domains
- (**General**) The same as natural intelligence, but computer is instead of human

What is Artificial Intelligence?


Natural Intelligence (human)

- Able to perceive the information, analyze it, make decisions based on this analysis

Artificial Intelligence

- (**Super**) The type of intelligence that vastly exceeds human cognitive abilities across essentially all domains
- (**General**) The same as natural intelligence, but computer is instead of human
- (**Weak**) Algorithm which is able to be trained using the input data in order to do tasks afterward — instead of human

Scikit-Learn¹ Roadmap



¹https://scikit-learn.org/stable/tutorial/machine_learning_map/

(Tentative) future content

Theoretic part

- Quality metrics
 - Precision / Recall, TPR / FPR, ROC, AUC, Cross-Validation, ...

(Tentative) future content

Theoretic part

- Quality metrics
 - Precision / Recall, TPR / FPR, ROC, AUC, Cross-Validation, ...
- Classification task and optimization
 - kNN

(Tentative) future content

Theoretic part

- Quality metrics
 - Precision / Recall, TPR / FPR, ROC, AUC, Cross-Validation, ...
- Classification task and optimization
 - kNN
- Regression task
 - kNN, Linear Regression, Elastic Net, Ridge Regression, LASSO, ...

(Tentative) future content

Theoretic part

- Quality metrics
 - Precision / Recall, TPR / FPR, ROC, AUC, Cross-Validation, ...
- Classification task and optimization
 - kNN
- Regression task
 - kNN, Linear Regression, Elastic Net, Ridge Regression, LASSO, ...

Practice part

- Data processing and analysis by Python
 - Scikit-Learn, Numpy, ...

What is Machine Learning

In 1959 Arthur Samuel introduced the term “machine learning” into scientific use.

General definition

Machine Learning — the process leading computers to gain ability to show the behavior that wasn't explicitly programmed.

What is Machine Learning

In 1959 Arthur Samuel introduced the term “machine learning” into scientific use.

General definition

Machine Learning — the process leading computers to gain ability to show the behavior that wasn't explicitly programmed.

In 1997 Tom M. Mitchell introduced more formal definition of a machine learning algorithm.

Formal definition

A **computer program** is said **to learn** from examples E for some set of problems T and a quality metric P if its performance on problems from T , as measured by P , is improved by using examples E .

Forerunner of Machine Learning

- People have been trying to predict the future based on their experience since time immemorial.

Forerunner of Machine Learning

- People have been trying to predict the future based on their experience since time immemorial.
- However, the scientific basis was laid by probability theory (statistics in particular) and linear algebra (as a tool).

Forerunner of Machine Learning

- People have been trying to predict the future based on their experience since time immemorial.
- However, the scientific basis was laid by probability theory (statistics in particular) and linear algebra (as a tool).
- **1795**: Gauss first uses the least squares method (LSQ) to analyze astronomical observations. In **1805** Legendre first published this method for analyzing the shape of the Earth. At present, LSQ is the simplest way to solve an overdetermined system of linear equations.

Forerunner of Machine Learning

- People have been trying to predict the future based on their experience since time immemorial.
- However, the scientific basis was laid by probability theory (statistics in particular) and linear algebra (as a tool).
- **1795**: Gauss first uses the least squares method (LSQ) to analyze astronomical observations. In **1805** Legendre first published this method for analyzing the shape of the Earth. At present, LSQ is the simplest way to solve an overdetermined system of linear equations.
- **1901**: Karl Pearson invented the Principal Component Analysis (PCA) — a master method for data dimensionality reduction.

Forerunner of Machine Learning

- People have been trying to predict the future based on their experience since time immemorial.
- However, the scientific basis was laid by probability theory (statistics in particular) and linear algebra (as a tool).
- **1795**: Gauss first uses the least squares method (LSQ) to analyze astronomical observations. In **1805** Legendre first published this method for analyzing the shape of the Earth. At present, LSQ is the simplest way to solve an overdetermined system of linear equations.
- **1901**: Karl Pearson invented the Principal Component Analysis (PCA) — a master method for data dimensionality reduction.
- **1906**: Andrey Andreyevich Markov develops the apparatus of Markov chains, which in **1913** he uses to study the text “Eugene Onegin”. Markov chains are used to generate and recognize signals.

Historic reference

- **1950:** Alan Turing creates the Turing test to evaluate the intelligence of a computer.

Historic reference

- **1950**: Alan Turing creates the Turing test to evaluate the intelligence of a computer.
- **1951**: Marvin Minsky created the first SNARC learning machine with a randomly connected neural network. In **1959**, he co-founded the Artificial Intelligence Laboratory at MIT.

Historic reference

- **1950:** Alan Turing creates the Turing test to evaluate the intelligence of a computer.
- **1951:** Marvin Minsky created the first SNARC learning machine with a randomly connected neural network. In **1959**, he co-founded the Artificial Intelligence Laboratory at MIT.
- **1952:** Arthur Samuel creates the first checkers program for the IBM 701. In **1955** Samuel adds self-learning capability to the program.

Historic reference

- **1950:** Alan Turing creates the Turing test to evaluate the intelligence of a computer.
- **1951:** Marvin Minsky created the first SNARC learning machine with a randomly connected neural network. In **1959**, he co-founded the Artificial Intelligence Laboratory at MIT.
- **1952:** Arthur Samuel creates the first checkers program for the IBM 701. In **1955** Samuel adds self-learning capability to the program.
- **1958:** Frank Rosenblatt invented the Perceptron — the first artificial neural network — and built the first “Mark-1” brain computer. *New York Times: The Perceptron is “the embryo of an electronic computer that [the Navy] expects will be able to walk, talk, see, write, reproduce itself and be conscious of its existence”.*

Historic reference

- **1950:** Alan Turing creates the Turing test to evaluate the intelligence of a computer.
- **1951:** Marvin Minsky created the first SNARC learning machine with a randomly connected neural network. In **1959**, he co-founded the Artificial Intelligence Laboratory at MIT.
- **1952:** Arthur Samuel creates the first checkers program for the IBM 701. In **1955** Samuel adds self-learning capability to the program.
- **1958:** Frank Rosenblatt invented the Perceptron — the first artificial neural network — and built the first “Mark-1” brain computer. *New York Times: The Perceptron is “the embryo of an electronic computer that [the Navy] expects will be able to walk, talk, see, write, reproduce itself and be conscious of its existence”.*
- **1963:** Lawrence Roberts formulated the thesis of computer vision in his dissertation at MIT.

Historic reference

- **1963:** Vladimir Vapnik and Aleksey Chervonenkis invented the SVM algorithm.

Historic reference

- **1963:** Vladimir Vapnik and Aleksey Chervonenkis invented the SVM algorithm.
- **1965:** One of the first books on machine learning (pattern classification) was published — Nilsson N. Learning Machines, McGraw Hill.

Historic reference

- **1963:** Vladimir Vapnik and Aleksey Chervonenkis invented the SVM algorithm.
- **1965:** One of the first books on machine learning (pattern classification) was published — Nilsson N. Learning Machines, McGraw Hill.
- **1966:** Joseph Weizenbaum wrote a computerized conversation simulator ELIZA, able to imitate (or rather parody) a dialogue with a psychotherapist (the program owes its name to the heroine from the play by B. Shaw).

Historic reference

- **1963:** Vladimir Vapnik and Aleksey Chervonenkis invented the SVM algorithm.
- **1965:** One of the first books on machine learning (pattern classification) was published — Nilsson N. Learning Machines, McGraw Hill.
- **1966:** Joseph Weizenbaum wrote a computerized conversation simulator ELIZA, able to imitate (or rather parody) a dialogue with a psychotherapist (the program owes its name to the heroine from the play by B. Shaw).
- **1967:** Alexey Ivakhnenko and Valentin Lapa publish the first general working learning algorithm for deep multilayer perceptrons for supervised learning problems.

Historic reference

- **1963:** Vladimir Vapnik and Aleksey Chervonenkis invented the SVM algorithm.
- **1965:** One of the first books on machine learning (pattern classification) was published — Nilsson N. Learning Machines, McGraw Hill.
- **1966:** Joseph Weizenbaum wrote a computerized conversation simulator ELIZA, able to imitate (or rather parody) a dialogue with a psychotherapist (the program owes its name to the heroine from the play by B. Shaw).
- **1967:** Alexey Ivakhnenko and Valentin Lapa publish the first general working learning algorithm for deep multilayer perceptrons for supervised learning problems.
- **1986:** Rina Dechter introduced the term “Deep Learning” to the machine learning community.

Historic reference

- **1963:** Vladimir Vapnik and Aleksey Chervonenkis invented the SVM algorithm.
- **1965:** One of the first books on machine learning (pattern classification) was published — Nilsson N. Learning Machines, McGraw Hill.
- **1966:** Joseph Weizenbaum wrote a computerized conversation simulator ELIZA, able to imitate (or rather parody) a dialogue with a psychotherapist (the program owes its name to the heroine from the play by B. Shaw).
- **1967:** Alexey Ivakhnenko and Valentin Lapa publish the first general working learning algorithm for deep multilayer perceptrons for supervised learning problems.
- **1986:** Rina Dechter introduced the term “Deep Learning” to the machine learning community.
- **1997:** The Deep Blue computer beat world chess champion Garry Kasparov.

Historic reference

- **2010:** Founding of DeepMind.

²https://en.wikipedia.org/wiki/Perfect_information

Historic reference

- **2010:** Founding of DeepMind.
- **2011:** Andrew Ng, Greg Corrado and Jeff Dean founded Google Brain.

²https://en.wikipedia.org/wiki/Perfect_information

Historic reference

- **2010:** Founding of DeepMind.
- **2011:** Andrew Ng, Greg Corrado and Jeff Dean founded Google Brain.
- **2011:** IBM Watson AI supercomputer wins TV quiz show *Jeopardy!*

²https://en.wikipedia.org/wiki/Perfect_information

Historic reference

- **2010:** Founding of DeepMind.
- **2011:** Andrew Ng, Greg Corrado and Jeff Dean founded Google Brain.
- **2011:** IBM Watson AI supercomputer wins TV quiz show *Jeopardy!*
- **2014:** Facebook invented the DeepFace software algorithm for face recognition. The accuracy of the algorithm was 97%.

²https://en.wikipedia.org/wiki/Perfect_information

Historic reference

- **2010:** Founding of DeepMind.
- **2011:** Andrew Ng, Greg Corrado and Jeff Dean founded Google Brain.
- **2011:** IBM Watson AI supercomputer wins TV quiz show *Jeopardy!*
- **2014:** Facebook invented the DeepFace software algorithm for face recognition. The accuracy of the algorithm was 97%.
- **2016:** AlphaGo, developed by (now) Google's DeepMind, won four out of five games against Korea's world Go champion Lee Se-dol. The computer won the last game with perfect information ² against a human (an example of a game with incomplete information is poker, although robots are already beginning to perform successfully there).

²https://en.wikipedia.org/wiki/Perfect_information

Historic reference

- **2010:** Founding of DeepMind.
- **2011:** Andrew Ng, Greg Corrado and Jeff Dean founded Google Brain.
- **2011:** IBM Watson AI supercomputer wins TV quiz show *Jeopardy!*
- **2014:** Facebook invented the DeepFace software algorithm for face recognition. The accuracy of the algorithm was 97%.
- **2016:** AlphaGo, developed by (now) Google's DeepMind, won four out of five games against Korea's world Go champion Lee Se-dol. The computer won the last game with perfect information ² against a human (an example of a game with incomplete information is poker, although robots are already beginning to perform successfully there).
- **2016:** OpenAI, a non-profit research company, is launched with the support of Elon Musk.

²https://en.wikipedia.org/wiki/Perfect_information

Historic reference

- **2010:** Founding of DeepMind.
- **2011:** Andrew Ng, Greg Corrado and Jeff Dean founded Google Brain.
- **2011:** IBM Watson AI supercomputer wins TV quiz show *Jeopardy!*
- **2014:** Facebook invented the DeepFace software algorithm for face recognition. The accuracy of the algorithm was 97%.
- **2016:** AlphaGo, developed by (now) Google's DeepMind, won four out of five games against Korea's world Go champion Lee Se-dol. The computer won the last game with perfect information ² against a human (an example of a game with incomplete information is poker, although robots are already beginning to perform successfully there).
- **2016:** OpenAI, a non-profit research company, is launched with the support of Elon Musk.
- **2022:** OpenAI, a (not so) non-profit research company, provided the breakthrough in LLMs: ChatGPT.

²https://en.wikipedia.org/wiki/Perfect_information

Machine Learning Paradigms

Definitions

- X — set of objects
- Y — set of (correct) answers/labels
- $y : X \rightarrow Y$ — the unknown dependency

Machine Learning Paradigms

Definitions

- X — set of objects
- Y — set of (correct) answers/labels
- $y : X \rightarrow Y$ — the unknown dependency

Machine learning paradigms

- **Supervised** (now)
 - Sufficient amount of training material, i.e. pairs (x_i, y_i)

Machine Learning Paradigms

Definitions

- X — set of objects
- Y — set of (correct) answers/labels
- $y : X \rightarrow Y$ — the unknown dependency

Machine learning paradigms

- **Supervised** (now)
 - Sufficient amount of training material, i.e. pairs (x_i, y_i)
- Semi-supervised
 - Few labeled data (x_i, y_i) and many unlabeled examples x_j

Machine Learning Paradigms

Definitions

- X — set of objects
- Y — set of (correct) answers/labels
- $y : X \rightarrow Y$ — the unknown dependency

Machine learning paradigms

- **Supervised** (now)
 - Sufficient amount of training material, i.e. pairs (x_i, y_i)
- Semi-supervised
 - Few labeled data (x_i, y_i) and many unlabeled examples x_j
- *Unsupervised* (in future lectures?)
 - No labeled pairs, only x_i examples

Machine Learning Paradigms

Definitions

- X — set of objects
- Y — set of (correct) answers/labels
- $y : X \rightarrow Y$ — the unknown dependency

Machine learning paradigms

- **Supervised** (now)
 - Sufficient amount of training material, i.e. pairs (x_i, y_i)
- Semi-supervised
 - Few labeled data (x_i, y_i) and many unlabeled examples x_j
- *Unsupervised* (in future lectures?)
 - No labeled pairs, only x_i examples
- Reinforcement
 - Action generation based on interaction with the environment

Mandatory external links to read

- 1 Please read the entire IBM booklet on the Introduction to Machine Learning. This is a quick and basic introduction but really gives a solid overview of the field of machine learning to help you understand the scope of practice or machine learning as related to Artificial Intelligence.

Mandatory external links to read

- 1 Please read the entire IBM booklet on the Introduction to Machine Learning. This is a quick and basic introduction but really gives a solid overview of the field of machine learning to help you understand the scope of practice or machine learning as related to Artificial Intelligence.
- 2 Read the brief explanation of Occam's Razor

Mandatory external links to read

- 1 Please read the entire IBM booklet on the Introduction to Machine Learning. This is a quick and basic introduction but really gives a solid overview of the field of machine learning to help you understand the scope of practice or machine learning as related to Artificial Intelligence.
- 2 Read the brief explanation of Occam's Razor
- 3 Read the wiki pages on Weak artificial intelligence, Artificial general intelligence, and the article named Weak AI vs Strong AI: Exploring Key Differences and Future Potential of AI (need either LinkedIn or Google account to read the full text)

Mandatory external links to read

- 1 Please read the entire IBM booklet on the Introduction to Machine Learning. This is a quick and basic introduction but really gives a solid overview of the field of machine learning to help you understand the scope of practice or machine learning as related to Artificial Intelligence.
- 2 Read the brief explanation of Occam's Razor
- 3 Read the wiki pages on Weak artificial intelligence, Artificial general intelligence, and the article named Weak AI vs Strong AI: Exploring Key Differences and Future Potential of AI (need either LinkedIn or Google account to read the full text)
- 4 Read History and evolution of machine learning: A timeline and the Timeline of Machine Learning pages

Takeaway notes

- 1 Please complete the **Assignment 1** and discuss the question inside “**Module 1 DQ**”

Takeaway notes

- 1 Please complete the **Assignment 1** and discuss the question inside “**Module 1 DQ**”
- 2 We are going to cover the most important things needed for ML, and will have small optional programming tasks

Takeaway notes

- 1 Please complete the **Assignment 1** and discuss the question inside “**Module 1 DQ**”
- 2 We are going to cover the most important things needed for ML, and will have small optional programming tasks
- 3 ML History is intriguing!

Thank you!