


# Fox News shifts rhetoric about Covid in 3/2020



# Hydroxychloroquine for Covid Treatment (4/2020)




# Hydroxychloroquine for Covid Treatment (6/2020)

## MUST READ!! Hydroxychloroquine: Study Shows Hydroxychloroquine Fails As A Prophylaxis Against COVID-19

Source: Hydroxychloroquine Jun 04, 2020 5 months ago

**Hydroxychloroquine**: The drug that has been used to treat malaria and has been publicly touted by some as a drug that can be used as a prophylaxis to prevent getting infected with COVID-19, has in a rigorous and detailed study been proven to be ineffective. The research by medical experts from the University of Minnesota is the first large, high-quality study to test the drug's effectiveness in health workers and others closely exposed to people with the disease.



# Fox News shifts rhetoric about Covid in 3/2020



# Trump about Masks (15/10/2020)



but i was in great shape for the debate

**“... 85 % of the people that wear masks catch it (COVID) ...”**



## Community and Close Contact Exposures Associated with COVID-19 Among Symptomatic Adults ≥18 Years in 11 Outpatient Health Care Facilities —

TABLE. Characteristics of symptomatic adults ≥18 years who were outpatients in 11 academic health care facilities and who received positive and negative SARS-CoV-2 test results (N = 314)\* — United States, July 1–29, 2020

Characteristic	No. (%)		P-value
	Case-patients (n = 154)	Control participants (n = 160)	
<b>Age group, yrs</b>			
18–29	44 (28.6)	39 (24.4)	0.18
30–44	46 (29.9)	62 (38.7)	
45–59	46 (29.9)	35 (21.9)	
≥60	18 (11.7)	24 (15.0)	
<b>Sex</b>			
Men	75 (48.7)	72 (45.0)	0.51
Women	79 (51.3)	88 (55.0)	
<b>Race/Ethnicity†</b>			
White, non-Hispanic	92 (59.7)	124 (77.5)	<0.01
Hispanic/Latino	29 (18.8)	12 (7.5)	
Black, non-Hispanic	27 (17.5)	19 (11.9)	
Other, non-Hispanic	6 (3.9)	5 (3.1)	
<b>Education (missing = 3)</b>			
Less than high school	16 (10.5)	3 (1.9)	<0.01
High school degree or some college	60 (39.2)	48 (30.4)	
College degree or more	77 (50.3)	107 (67.7)	
<b>At least one underlying chronic medical condition§</b>	<b>75 (48.7)</b>	<b>98 (61.2)</b>	<b>0.01</b>
<b>Community exposure 14 days before illness onset¶</b>			
Shopping	131 (85.6)	141 (88.1)	0.51
Home, ≤10 persons	79 (51.3)	84 (52.5)	0.83
Restaurant	63 (40.9)	44 (27.7)	0.01
Office setting	37 (24.0)	47 (29.6)	0.27
Salon	24 (15.6)	28 (17.6)	0.63
Home, >10 persons	21 (13.6)	24 (15.0)	0.73
Gym	12 (7.8)	10 (6.3)	0.60
Public transportation	8 (5.2)	10 (6.3)	0.68
Bar/Coffee shop	13 (8.5)	8 (5.0)	0.22
Church/Religious gathering	12 (7.8)	8 (5.0)	0.32
<b>Restaurant: others following recommendations such as wearing a face covering or mask of any kind or social distancing (n = 107)</b>			
None/A few	12 (19.0)	1 (2.3)	0.03
About half/Most	25 (39.7)	21 (47.7)	
Almost all	26 (41.3)	22 (50.0)	
<b>Bar: others following recommendations such as wearing a face covering or mask of any kind or social distancing (n = 21)</b>			
None/A few	4 (31.8)	2 (25.0)	0.01
About half/Most	7 (53.8)	0 (0.0)	
Almost all	2 (15.4)	6 (75.0)	

See table footnotes on the next page.

# Hydroxychloroquine for Covid Treatment (4/2020)



# Hydroxychloroquine for Covid Treatment (5/2020)

## MUST READ!! Hydroxychloroquine: Study Shows Hydroxychloroquine Fails As A Prophylaxis Against COVID-19

Source: Hydroxychloroquine Jun 04, 2020 5 months ago

**Hydroxychloroquine**: The drug that has been used to treat malaria and has been publicly touted by some as a drug that can be used as a prophylaxis to prevent getting infected with COVID-19, has in a rigorous and detailed study been proven to be ineffective. The research by medical experts from the University of Minnesota is the first large, high-quality study to test the drug's effectiveness in health workers and others closely exposed to people with the disease.

