

M1J2 Summary Notes (JMC Year 1, 2017/2018 syllabus)

Fawaz Shah

STILL UNDER CONSTRUCTION

Dr Lawn refers to propositions, theorems, corollaries and lemmas. In this document I will refer to them all as 'theorems'.

This document only contains a list of definitions and a list of theorems.

Contents

I	Abstract Linear Algebra	2
1	Definitions	2
2	Theorems	2
II	Group Theory	3
3	Definitions	3
4	Theorems	3
III	Analysis	4
5	Definitions	4
6	Theorems	7

Part I

Abstract Linear Algebra

1 Definitions

Vector space

2 Theorems

Part II

Group Theory

3 Definitions

4 Theorems

Part III

Analysis

5 Definitions

Sequence A sequence is simply a map $f : \mathbb{N} \rightarrow \mathbb{R}$, denoted by a_n

Convergence (as $n \rightarrow \infty$) A sequence a_n converges to a limit L if for all real numbers $\epsilon > 0$, there exists an $N \in \mathbb{N}$ such that for all $n > N$ we have $|a_n - L| < \epsilon$.

$$\forall \epsilon > 0 \quad \exists N \in \mathbb{N} \quad \text{s.t.} \quad \forall n > N \quad |a_n - L| < \epsilon \quad (1)$$

Tends to infinity (sequence) We say a sequence tends to infinity if for all $R \in \mathbb{R}$, the sequence a_n is eventually bigger than R .

$$\forall R \in \mathbb{R} \quad \exists N \in \mathbb{N} \quad \text{s.t.} \quad \forall n > N \quad a_n > R \quad (2)$$

Shift The shift of a sequence by say, k , is the sequence $b_n = a_{n+k}$

Triangle inequality The general triangle inequality is:

$$|x - y| < |x - z| + |z - y| \quad (3)$$

Setting $z = 0$ gives us:

$$|x - y| > |x| - |y| \quad (4)$$

Then setting $y = -y$ gives us the familiar case:

$$|x + y| < |x| + |y| \quad (5)$$

Bounded above A sequence a_n is bounded above if there's a real number A such that $a_n < A$ for all n .

Bounded below A sequence a_n is bounded below if there's a real number A such that $a_n > A$ for all n .

Bounded A sequence a_n is bounded if there's a real number A such that $|a_n| < A$ for all n .

Increasing A sequence is increasing if $a_{n+1} \geq a_n$ for all n .

Strictly increasing A sequence is strictly increasing if $a_{n+1} > a_n$ for all n .

Decreasing A sequence is decreasing if $a_{n+1} \leq a_n$ for all n .

Strictly decreasing A sequence is strictly decreasing if $a_{n+1} < a_n$ for all n .

Monotonic A sequence is monotonic if it is increasing or decreasing.

Supremum The supremum A of a set S is the least upper bound of that set i.e. the smallest number such that $\forall s \in S \quad s \leq A$

Infimum The infimum B of a set S is the greatest lower bound of that set i.e. the largest number such that $\forall s \in S \quad s \geq B$

Subsequence A subsequence of a_n is a sequence $a_{f(n)}$, where $f(n)$ is a strictly increasing function.

Cauchy sequence A sequence is Cauchy if the terms get arbitrarily close to one another. To put it mathematically:

$$\forall \epsilon > 0 \quad \exists N \in \mathbb{N} \quad s.t. \quad \forall m, n \geq N \quad |a_n - a_m| < \epsilon \quad (6)$$

Partial sum The n^{th} partial sum S_n of a sequence a_n is the sum of terms up to that point:

$$S_n = \sum_{i=1}^n a_n \quad (7)$$

Summable A sequence is summable if the sequence of its partial sums converges. The limit of the sequence of partial sums will be:

$$L = \sum_{i=1}^{\infty} a_n \quad (8)$$

Absolutely summable A sequence a_n is absolutely summable if $|a_n|$ is summable.

Conditionally summable A sequence is conditionally summable if it is summable but not absolutely summable.

Power series The power series associated with a sequence a_n is the sequence of partial sums:

$$\sum_{i=1}^n a_i x^i \quad (9)$$

Radius of convergence The radius of convergence R of a power series $P(x)$ is defined as the largest x for which $P(x)$ is convergent.

Limit as $x \rightarrow \infty$ (function) A function $f(x)$ tends to a limit L as $x \rightarrow \infty$ if for all real numbers $\epsilon > 0$, there exists an $R \in \mathbb{R}$ such that for all $x \geq R$ we have $|f(x) - L| < \epsilon$.

$$\forall \epsilon > 0 \quad \exists R \in \mathbb{R} \quad s.t. \quad \forall x > R \quad |f(x) - L| < \epsilon \quad (10)$$

Tends to infinity (function) A function $f(x)$ tends to infinity as $x \rightarrow \infty$ if for any $M \in \mathbb{R}$ there exists an $R \in \mathbb{R}$ such that if $x > M$ then $f(x) > R$.

$$\forall M \in \mathbb{R} \quad \exists R \in \mathbb{R} \quad s.t. \quad x > M \implies f(x) > R \quad (11)$$

One-sided limit (function) A function $f(x)$ tends to a limit L as $x \rightarrow a^-$ if for any $\epsilon > 0$ there exists a $\delta > 0$ such that if $x \in (a, a - \delta)$ then $|f(x) - L| < \epsilon$

Same format for the other sided limit ($x \rightarrow a^+$)

(Note that $\epsilon - \delta$ definition is only used for limits as x tends to a finite number a , not infinity)

Continuous (simple def.)

Continuous (complicated def.)

6 Theorems