


1.20 dB Bandwidth

Test Mode	Test Channel	EBW[MHz]	Limit[MHz]	Verdict
DH5	2402	0.9724		PASS
DH5	2441	1.020		PASS
DH5	2480	0.9693		PASS
2DH5	2402	1.289		PASS
2DH5	2441	1.285		PASS
2DH5	2480	1.288		PASS











2.Occupied Bandwidth


Test Mode	Test Channel	OBW[MHz]	Limit[MHz]	Verdict

3.Conducted Peak Output Power

Test Mode	Test Channel	Power[dBm]	Limit[dBm]	Verdict
DH5	2402	2.734	30	PASS
DH5	2441	3.175	30	PASS
DH5	2480	3.306	30	PASS
2DH5	2402	2.919	30	PASS
2DH5	2441	3.039	30	PASS
2DH5	2480	3.144	30	PASS












4. Carrier Frequency Separation

Test Mode	Test Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	2402	1.124	0.65	PASS
DH5	2441	1.34	0.68	PASS
DH5	2480	1.118	0.65	PASS
2DH5	2402	1.038	0.86	PASS
2DH5	2441	1.202	0.86	PASS
2DH5	2480	1.134	0.86	PASS











5.Dwell Time


Test Mode	Test Channel	Burst Width[ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit[s]	Verdict
DH5	2402	2.88	106.7	0.307	0.4	PASS
DH5	2441	2.88	106.7	0.307	0.4	PASS
DH5	2480	2.88	106.7	0.307	0.4	PASS
2DH5	2402	2.88	106.7	0.307	0.4	PASS
2DH5	2441	2.88	106.7	0.307	0.4	PASS
2DH5	2480	2.88	106.7	0.307	0.4	PASS


















6.Hopping Channel Number

Test Mode	Test Channel	Number of Hopping Channel[N]	Limit[N]	Verdict
DH5	2402	79	>=15	PASS
2DH5	2402	79	>=15	PASS











7.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Hopping	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit[dBm]	Verdict
DH5	2402	On	2.739	-49.091	-17.26	PASS
DH5	2402	Off	2.300	-47.718	-17.7	PASS
DH5	2480	On	2.738	-49.778	-17.26	PASS
DH5	2480	Off	3.092	-47.136	-16.91	PASS
2DH5	2402	On	4.175	-45.131	-15.83	PASS
2DH5	2402	Off	1.623	-49.927	-18.38	PASS
2DH5	2480	On	1.788	-49.761	-18.21	PASS
2DH5	2480	Off	2.131	-49.977	-17.87	PASS













8.RF Conducted Spurious Emissions


Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
DH5	2402	30	25000	100	300	2.456	-45.092	<- 17.544	PASS
DH5	2441	30	25000	100	300	2.589	-44.248	<- 17.411	PASS
DH5	2480	30	25000	100	300	2.669	-43.472	<- 17.331	PASS
2DH5	2402	30	25000	100	300	1.567	-45.109	<- 18.433	PASS
2DH5	2441	30	25000	100	300	1.8	-44.805	<-18.2	PASS
2DH5	2480	30	25000	100	300	2.018	-44.840	<- 17.982	PASS


























9.Restrict-band band-edge measurements

Test Hopping	Freq. Power	Gain Ground	Е	Detector	Limit	Verdict
--------------	-------------	-------------	---	----------	-------	---------



Mode			[dBm]		Factor	[dBuV/m]		[dBuV/m]	
DH5	On	2310.0	-44.38	2	0	52.88	PEAK	74	PASS
DH5	On	2310.0	-54.28	2	0	42.98	AV	54	PASS
DH5	On	2390.0	-42.48	2	0	54.78	PEAK	74	PASS
DH5	On	2390.0	-53.99	2	0	43.26	AV	54	PASS
DH5	On	2483.5	-35.51	2	0	61.75	PEAK	74	PASS
DH5	On	2483.5	-53.69	2	0	43.57	AV	54	PASS
DH5	On	2500.0	-43.56	2	0	53.70	PEAK	74	PASS
DH5	On	2500.0	-53.65	2	0	43.61	AV	54	PASS
2DH5	On	2310.0	-44.31	2	0	52.94	PEAK	74	PASS
2DH5	On	2310.0	-54.27	2	0	42.98	AV	54	PASS
2DH5	On	2390.0	-43.46	2	0	53.80	PEAK	74	PASS
2DH5	On	2390.0	-54.02	2	0	43.24	AV	54	PASS
2DH5	On	2483.5	-36.30	2	0	60.96	PEAK	74	PASS
2DH5	On	2483.5	-53.66	2	0	43.59	AV	54	PASS
2DH5	On	2500.0	-42.92	2	0	54.34	PEAK	74	PASS
2DH5	On	2500.0	-53.66	2	0	43.60	AV	54	PASS

