



802.11n HT20 CH 11 2462MHz	*	2462	108.78	-	-	94.17	32.12	17.55	35.06	352	32	P	H
	*	2462	101.25	-	-	86.64	32.12	17.55	35.06	352	32	A	H
		2483.72	62.55	-11.45	74	47.91	32.16	17.55	35.07	352	32	P	H
		2483.52	50.65	-3.35	54	36.01	32.16	17.55	35.07	352	32	A	H
													H
													H
	*	2462	110.1	-	-	95.49	32.12	17.55	35.06	197	353	P	V
	*	2462	102.34	-	-	87.73	32.12	17.55	35.06	197	353	A	V
		2483.52	63.88	-10.12	74	49.24	32.16	17.55	35.07	197	353	P	V
		2483.68	52.34	-1.66	54	37.7	32.16	17.55	35.07	197	353	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	43.96	-30.04	74	57.95	34.23	11.12	59.34	100	0	P	H
													H
													H
													H
		4824	46.36	-27.64	74	60.35	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11n HT20 CH 06 2437MHz		4874	42	-32	74	55.86	34.22	11.16	59.24	100	0	P	H
		7311	46.67	-27.33	74	55.48	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	45.34	-28.66	74	59.2	34.22	11.16	59.24	100	0	P	V
		7311	46.47	-27.53	74	55.28	35.71	13.61	58.13	100	0	P	V
													V
													V
802.11n HT20 CH 11 2462MHz		4924	44.22	-29.78	74	57.93	34.21	11.22	59.14	100	0	P	H
		7386	47.3	-26.7	74	56.21	35.66	13.69	58.26	100	0	P	H
													H
													H
		4924	49.11	-24.89	74	62.82	34.21	11.22	59.14	100	0	P	V
		7386	46.51	-27.49	74	55.42	35.66	13.69	58.26	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 03 2422MHz		2389.52	56.42	-17.58	74	42.08	31.95	17.43	35.04	363	35	P	H
		2389.38	48.1	-5.9	54	33.76	31.95	17.43	35.04	363	35	A	H
	*	2422	104.29	-	-	89.83	32.03	17.49	35.06	363	35	P	H
	*	2422	96.17	-	-	81.71	32.03	17.49	35.06	363	35	A	H
		2492.79	54.86	-19.14	74	40.19	32.2	17.55	35.08	363	35	P	H
		2489.85	45.4	-8.6	54	30.72	32.2	17.55	35.07	363	35	A	H
		2389.94	59.49	-14.51	74	45.16	31.95	17.43	35.05	211	274	P	V
		2389.52	52.32	-1.68	54	37.98	31.95	17.43	35.04	211	274	A	V
	*	2422	106.45	-	-	91.99	32.03	17.49	35.06	211	274	P	V
	*	2422	99.03	-	-	84.57	32.03	17.49	35.06	211	274	A	V
802.11n HT40 CH 06 2437MHz		2484.74	54.29	-19.71	74	39.65	32.16	17.55	35.07	211	274	P	V
		2483.76	45.82	-8.18	54	31.18	32.16	17.55	35.07	211	274	A	V
		2389.66	55.5	-18.5	74	41.16	31.95	17.43	35.04	364	34	P	H
		2388.96	47.56	-6.44	54	33.22	31.95	17.43	35.04	364	34	A	H
	*	2437	107.07	-	-	92.56	32.08	17.49	35.06	364	34	P	H
	*	2437	99.76	-	-	85.25	32.08	17.49	35.06	364	34	A	H
		2483.97	56.11	-17.89	74	41.47	32.16	17.55	35.07	364	34	P	H
		2483.55	47.98	-6.02	54	33.34	32.16	17.55	35.07	364	34	A	H
		2389.52	57.98	-16.02	74	43.64	31.95	17.43	35.04	213	275	P	V
		2388.26	49.97	-4.03	54	35.63	31.95	17.43	35.04	213	275	A	V
2437MHz	*	2437	109.84	-	-	95.33	32.08	17.49	35.06	213	275	P	V
	*	2437	102.59	-	-	88.08	32.08	17.49	35.06	213	275	A	V
		2483.5	59.51	-14.49	74	44.87	32.16	17.55	35.07	213	275	P	V
		2483.5	52.78	-1.22	54	38.14	32.16	17.55	35.07	213	275	A	V



802.11n		2342.48	53.98	-20.02	74	39.81	31.83	17.37	35.03	358	33	P	H
		2349.9	45.17	-8.83	54	31	31.83	17.37	35.03	358	33	A	H
	*	2452	104.61	-	-	90.1	32.08	17.49	35.06	358	33	P	H
	*	2452	97.09	-	-	82.58	32.08	17.49	35.06	358	33	A	H
		2483.69	57.1	-16.9	74	42.46	32.16	17.55	35.07	358	33	P	H
	HT40	2483.5	48.63	-5.37	54	33.99	32.16	17.55	35.07	358	33	A	H
	CH 09	2389.1	54.76	-19.24	74	40.42	31.95	17.43	35.04	210	272	P	V
	2452MHz	2389.1	45.71	-8.29	54	31.37	31.95	17.43	35.04	210	272	A	V
	*	2452	108.36	-	-	93.85	32.08	17.49	35.06	210	272	P	V
	*	2452	100.79	-	-	86.28	32.08	17.49	35.06	210	272	A	V
		2484.46	60.51	-13.49	74	45.87	32.16	17.55	35.07	210	272	P	V
		2483.55	52.64	-1.36	54	38	32.16	17.55	35.07	210	272	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 03 2422MHz		4844	41.21	-32.79	74	55.17	34.23	11.12	59.31	100	0	P	H
		7266	42.32	-31.68	74	51.1	35.73	13.58	58.09	100	0	P	H
													H
													H
		4844	41.75	-32.25	74	55.71	34.23	11.12	59.31	100	0	P	V
		7266	42.07	-31.93	74	50.85	35.73	13.58	58.09	100	0	P	V
													V
802.11n HT40 CH 06 2437MHz		4874	41.71	-32.29	74	55.57	34.22	11.16	59.24	100	0	P	H
		7311	41.81	-32.19	74	50.62	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	42.56	-31.44	74	56.42	34.22	11.16	59.24	100	0	P	V
		7311	41.92	-32.08	74	50.73	35.71	13.61	58.13	100	0	P	V
													V
802.11n HT40 CH 09 2452MHz		4904	41.55	-32.45	74	55.28	34.22	11.22	59.17	100	0	P	H
		7356	41.88	-32.12	74	50.76	35.68	13.65	58.21	100	0	P	H
													H
													H
		4904	43.61	-30.39	74	57.34	34.22	11.22	59.17	100	0	P	V
		7356	44.03	-29.97	74	52.91	35.68	13.65	58.21	100	0	P	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

2.4GHz WIFI 802.11n HT40 (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1		(MHz)	(dB μ V/m)	(dB)	(dB μ V/m)	(dB μ V)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11n HT40 LF		30	27.8	-12.2	40	33.22	24.6	1.33	31.35	100	0	P	H
		175.53	24.57	-18.93	43.5	38.58	15.22	2.25	31.48	-	-	P	H
		279.75	21.38	-24.62	46	31.07	18.78	2.86	31.33	-	-	P	H
		559	25.56	-20.44	46	26.84	25.8	3.81	30.89	-	-	P	H
		734.7	28.62	-17.38	46	27.49	27.41	4.37	30.65	-	-	P	H
		962.9	31.8	-22.2	54	26.36	30.89	5.06	30.51	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
Remark	1.	No other spurious found.											
	2.	All results are PASS against limit line.											



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
2		(MHz)	(dB μ V/m)	(dB)	(dB μ V/m)	(dB μ V)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2387.91	58.98	-15.02	74	44.64	31.95	17.43	35.04	103	191	P	H
		2388.12	52.82	-1.18	54	38.48	31.95	17.43	35.04	103	191	A	H
	*	2412	110.08	-	-	95.71	31.99	17.43	35.05	103	191	P	H
	*	2412	106.99	-	-	92.62	31.99	17.43	35.05	103	191	A	H
													H
													H
		2388.225	57.24	-16.76	74	42.9	31.95	17.43	35.04	369	63	P	V
		2388.015	51.36	-2.64	54	37.02	31.95	17.43	35.04	369	63	A	V
	*	2412	108.1	-	-	93.73	31.99	17.43	35.05	369	63	P	V
	*	2412	104.96	-	-	90.59	31.99	17.43	35.05	369	63	A	V
802.11b CH 06 2437MHz		2388.82	56.46	-17.54	74	42.12	31.95	17.43	35.04	150	191	P	H
		2389.94	48.83	-5.17	54	34.5	31.95	17.43	35.05	150	191	A	H
	*	2437	111.27	-	-	96.76	32.08	17.49	35.06	150	191	P	H
	*	2437	108.17	-	-	93.66	32.08	17.49	35.06	150	191	A	H
		2483.69	55.58	-18.42	74	40.94	32.16	17.55	35.07	150	191	P	H
		2483.5	47.24	-6.76	54	32.6	32.16	17.55	35.07	150	191	A	H
		2388.82	56.46	-17.54	74	42.12	31.95	17.43	35.04	326	71	P	V
		2388.96	49.2	-4.8	54	34.86	31.95	17.43	35.04	326	71	A	V
	*	2437	109.86	-	-	95.35	32.08	17.49	35.06	326	71	P	V
	*	2437	106.67	-	-	92.16	32.08	17.49	35.06	326	71	A	V
		2484.95	55	-19	74	40.36	32.16	17.55	35.07	326	71	P	V
		2483.5	47.44	-6.56	54	32.8	32.16	17.55	35.07	326	71	A	V



802.11b CH 11 2462MHz	*	2462	108.91	-	-	94.3	32.12	17.55	35.06	142	278	P	H
	*	2462	105.79	-	-	91.18	32.12	17.55	35.06	142	278	A	H
		2484.56	57.28	-16.72	74	42.64	32.16	17.55	35.07	142	278	P	H
		2484.44	51.24	-2.76	54	36.6	32.16	17.55	35.07	142	278	A	H
													H
													H
	*	2462	110.37	-	-	95.76	32.12	17.55	35.06	361	77	P	V
	*	2462	105.97	-	-	91.36	32.12	17.55	35.06	361	77	A	V
		2484.48	55.98	-18.02	74	41.34	32.16	17.55	35.07	361	77	P	V
		2484.48	48.35	-5.65	54	33.71	32.16	17.55	35.07	361	77	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	52.19	-21.81	74	66.18	34.23	11.12	59.34	202	122	P	H
		4824	50.57	-3.43	54	64.56	34.23	11.12	59.34	202	122	A	H
													H
													H
		4824	47.8	-26.2	74	61.79	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11b CH 06 2437MHz		4874	41.86	-32.14	74	55.72	34.22	11.16	59.24	100	0	P	H
		7311	43.57	-30.43	74	52.38	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	41.51	-32.49	74	55.37	34.22	11.16	59.24	100	0	P	V
		7311	43.2	-30.8	74	52.01	35.71	13.61	58.13	100	0	P	V
													V
													V
802.11b CH 11 2462MHz		4924	45.33	-28.67	74	59.04	34.21	11.22	59.14	100	0	P	H
		7386	44.28	-29.72	74	53.19	35.66	13.69	58.26	100	0	P	H
													H
													H
		4924	44.11	-29.89	74	57.82	34.21	11.22	59.14	100	0	P	V
		7386	44.22	-29.78	74	53.13	35.66	13.69	58.26	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2388.645	64.73	-9.27	74	50.39	31.95	17.43	35.04	126	245	P	H
		2390	51.56	-2.44	54	37.23	31.95	17.43	35.05	126	245	A	H
	*	2412	109.68	-	-	95.31	31.99	17.43	35.05	126	245	P	H
	*	2412	102.18	-	-	87.81	31.99	17.43	35.05	126	245	A	H
													H
													H
		2389.38	63.19	-10.81	74	48.85	31.95	17.43	35.04	362	144	P	V
		2390	52.97	-1.03	54	38.64	31.95	17.43	35.05	362	144	A	V
	*	2412	111.22	-	-	96.85	31.99	17.43	35.05	362	144	P	V
	*	2412	102.84	-	-	88.47	31.99	17.43	35.05	362	144	A	V
													V
													V
802.11g CH 06 2437MHz		2389.24	56.8	-17.2	74	42.46	31.95	17.43	35.04	119	241	P	H
		2389.66	47.66	-6.34	54	33.32	31.95	17.43	35.04	119	241	A	H
	*	2437	113.4	-	-	98.89	32.08	17.49	35.06	119	241	P	H
	*	2437	105.73	-	-	91.22	32.08	17.49	35.06	119	241	A	H
		2483.5	58.72	-15.28	74	44.08	32.16	17.55	35.07	119	241	P	H
		2483.62	48.38	-5.62	54	33.74	32.16	17.55	35.07	119	241	A	H
		2389.94	55.9	-18.1	74	41.57	31.95	17.43	35.05	317	142	P	V
		2389.94	47.17	-6.83	54	32.84	31.95	17.43	35.05	317	142	A	V
	*	2437	113.98	-	-	99.47	32.08	17.49	35.06	317	142	P	V
	*	2437	106.05	-	-	91.54	32.08	17.49	35.06	317	142	A	V
		2483.62	54.97	-19.03	74	40.33	32.16	17.55	35.07	317	142	P	V
		2483.83	46.46	-7.54	54	31.82	32.16	17.55	35.07	317	142	A	V



802.11g CH 11 2462MHz	*	2462	109.93	-	-	95.32	32.12	17.55	35.06	164	234	P	H
	*	2462	102.31	-	-	87.7	32.12	17.55	35.06	164	234	A	H
		2483.68	59.42	-14.58	74	44.78	32.16	17.55	35.07	164	234	P	H
		2483.56	49.91	-4.09	54	35.27	32.16	17.55	35.07	164	234	A	H
													H
													H
	*	2462	109.33	-	-	94.72	32.12	17.55	35.06	356	62	P	V
	*	2462	101.65	-	-	87.04	32.12	17.55	35.06	356	62	A	V
		2483.56	62.85	-11.15	74	48.21	32.16	17.55	35.07	356	62	P	V
		2483.56	51.43	-2.57	54	36.79	32.16	17.55	35.07	356	62	A	V
													V
													V
	Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.											



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	45.15	-28.85	74	59.14	34.23	11.12	59.34	100	0	P	H
													H
													H
													H
		4824	43.65	-30.35	74	57.64	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11g CH 06 2437MHz		4874	41.93	-32.07	74	55.79	34.22	11.16	59.24	100	0	P	H
		7311	43.22	-30.78	74	52.03	35.71	13.61	58.13	100	0	P	H
													H
		4874	41.6	-32.4	74	55.46	34.22	11.16	59.24	100	0	P	V
		7311	42.83	-31.17	74	51.64	35.71	13.61	58.13	100	0	P	V
													V
													V
													V
802.11g CH 11 2462MHz		4924	42.59	-31.41	74	56.3	34.21	11.22	59.14	100	0	P	H
		7386	43.36	-30.64	74	52.27	35.66	13.69	58.26	100	0	P	H
													H
		4924	42.59	-31.41	74	56.3	34.21	11.22	59.14	100	0	P	V
		7386	43.45	-30.55	74	52.36	35.66	13.69	58.26	100	0	P	V
													V
													V
	Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.											



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2390	64.17	-9.83	74	49.84	31.95	17.43	35.05	126	246	P	H
		2390	50.31	-3.69	54	35.98	31.95	17.43	35.05	126	246	A	H
	*	2412	108.01	-	-	93.64	31.99	17.43	35.05	126	246	P	H
	*	2412	100.07	-	-	85.7	31.99	17.43	35.05	126	246	A	H
													H
													H
		2389.695	67.21	-6.79	74	52.87	31.95	17.43	35.04	363	145	P	V
		2389.905	52.75	-1.25	54	38.42	31.95	17.43	35.05	363	145	A	V
	*	2412	109.68	-	-	95.31	31.99	17.43	35.05	363	145	P	V
	*	2412	101.97	-	-	87.6	31.99	17.43	35.05	363	145	A	V
													V
													V
802.11n HT20 CH 06 2437MHz		2389.8	55.05	-18.95	74	40.72	31.95	17.43	35.05	164	278	P	H
		2389.94	45.98	-8.02	54	31.65	31.95	17.43	35.05	164	278	A	H
	*	2437	110.74	-	-	96.23	32.08	17.49	35.06	164	278	P	H
	*	2437	103.6	-	-	89.09	32.08	17.49	35.06	164	278	A	H
		2484.32	59.5	-14.5	74	44.86	32.16	17.55	35.07	164	278	P	H
		2483.5	48.47	-5.53	54	33.83	32.16	17.55	35.07	164	278	A	H
		2389.24	56.35	-17.65	74	42.01	31.95	17.43	35.04	317	146	P	V
		2389.52	47.6	-6.4	54	33.26	31.95	17.43	35.04	317	146	A	V
	*	2437	112.24	-	-	97.73	32.08	17.49	35.06	317	146	P	V
	*	2437	104.86	-	-	90.35	32.08	17.49	35.06	317	146	A	V
		2483.5	56.12	-17.88	74	41.48	32.16	17.55	35.07	317	146	P	V
		2483.83	46.52	-7.48	54	31.88	32.16	17.55	35.07	317	146	A	V



802.11n HT20 CH 11 2462MHz	*	2462	110.54	-	-	95.93	32.12	17.55	35.06	143	280	P	H
	*	2462	102.84	-	-	88.23	32.12	17.55	35.06	143	280	A	H
		2484.52	63.75	-10.25	74	49.11	32.16	17.55	35.07	143	280	P	H
		2483.6	52.66	-1.34	54	38.02	32.16	17.55	35.07	143	280	A	H
													H
													H
	*	2462	109.97	-	-	95.36	32.12	17.55	35.06	362	77	P	V
	*	2462	102.32	-	-	87.71	32.12	17.55	35.06	362	77	A	V
		2483.6	62.58	-11.42	74	47.94	32.16	17.55	35.07	362	77	P	V
		2483.56	50.58	-3.42	54	35.94	32.16	17.55	35.07	362	77	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	44.73	-29.27	74	58.72	34.23	11.12	59.34	100	0	P	H
													H
													H
													H
		4824	42.79	-31.21	74	56.78	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11n HT20 CH 06 2437MHz		4874	43.05	-30.95	74	56.91	34.22	11.16	59.24	100	0	P	H
		7311	44.34	-29.66	74	53.15	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	41.37	-32.63	74	55.23	34.22	11.16	59.24	100	0	P	V
		7311	42.56	-31.44	74	51.37	35.71	13.61	58.13	100	0	P	V
													V
													V
802.11n HT20 CH 11 2462MHz		4924	42.13	-31.87	74	55.84	34.21	11.22	59.14	100	0	P	H
		7386	43.03	-30.97	74	51.94	35.66	13.69	58.26	100	0	P	H
													H
													H
		4924	42.44	-31.56	74	56.15	34.21	11.22	59.14	100	0	P	V
		7386	43.7	-30.3	74	52.61	35.66	13.69	58.26	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 03 2422MHz		2389.94	61.08	-12.92	74	46.75	31.95	17.43	35.05	162	281	P	H
		2389.38	52.71	-1.29	54	38.37	31.95	17.43	35.04	162	281	A	H
	*	2422	108.12	-	-	93.66	32.03	17.49	35.06	162	281	P	H
	*	2422	100.87	-	-	86.41	32.03	17.49	35.06	162	281	A	H
		2483.83	55.62	-18.38	74	40.98	32.16	17.55	35.07	162	281	P	H
		2483.55	47.38	-6.62	54	32.74	32.16	17.55	35.07	162	281	A	H
		2387.28	54.47	-19.53	74	40.13	31.95	17.43	35.04	400	24	P	V
		2389.66	46.01	-7.99	54	31.67	31.95	17.43	35.04	400	24	A	V
	*	2422	106.49	-	-	92.03	32.03	17.49	35.06	400	24	P	V
	*	2422	98.64	-	-	84.18	32.03	17.49	35.06	400	24	A	V
802.11n HT40 CH 06 2437MHz		2493.84	54.36	-19.64	74	39.69	32.2	17.55	35.08	400	24	P	V
		2490.69	45.56	-8.44	54	30.88	32.2	17.55	35.07	400	24	A	V
		2388.26	56.48	-17.52	74	42.14	31.95	17.43	35.04	100	317	P	H
		2388.12	48.25	-5.75	54	33.91	31.95	17.43	35.04	100	317	A	H
	*	2437	108.2	-	-	93.69	32.08	17.49	35.06	100	317	P	H
	*	2437	100.84	-	-	86.33	32.08	17.49	35.06	100	317	A	H
		2483.97	61.2	-12.8	74	46.56	32.16	17.55	35.07	100	317	P	H
		2483.55	52.65	-1.35	54	38.01	32.16	17.55	35.07	100	317	A	H
		2377.34	54.43	-19.57	74	40.19	31.91	17.37	35.04	400	23	P	V
		2383.78	45.34	-8.66	54	31.04	31.91	17.43	35.04	400	23	A	V
2437MHz	*	2437	106.8	-	-	92.29	32.08	17.49	35.06	400	23	P	V
	*	2437	99.04	-	-	84.53	32.08	17.49	35.06	400	23	A	V
		2484.53	54.58	-19.42	74	39.94	32.16	17.55	35.07	400	23	P	V
		2483.62	46.95	-7.05	54	32.31	32.16	17.55	35.07	400	23	A	V



FCC RADIO TEST REPORT

Report No. : FR860615C

		2333.24	55.25	-18.75	74	41.17	31.79	17.31	35.02	146	193	P	H
		2385.74	45.46	-8.54	54	31.12	31.95	17.43	35.04	146	193	A	H
	*	2452	106.64	-	-	92.13	32.08	17.49	35.06	146	193	P	H
	*	2452	98.89	-	-	84.38	32.08	17.49	35.06	146	193	A	H
802.11n		2485.37	61.89	-12.11	74	47.25	32.16	17.55	35.07	146	193	P	H
HT40		2483.55	52.96	-1.04	54	38.32	32.16	17.55	35.07	146	193	A	H
CH 09		2387.42	55.09	-18.91	74	40.75	31.95	17.43	35.04	362	75	P	V
2452MHz		2370.9	45.39	-8.61	54	31.15	31.91	17.37	35.04	362	75	A	V
	*	2452	105.96	-	-	91.45	32.08	17.49	35.06	362	75	P	V
	*	2452	97.71	-	-	83.2	32.08	17.49	35.06	362	75	A	V
		2483.69	59.83	-14.17	74	45.19	32.16	17.55	35.07	362	75	P	V
		2483.76	52.19	-1.81	54	37.55	32.16	17.55	35.07	362	75	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 03 2422MHz		4844	41.77	-32.23	74	55.73	34.23	11.12	59.31	100	0	P	H
		7266	43.24	-30.76	74	52.02	35.73	13.58	58.09	100	0	P	H
													H
													H
		4844	41.94	-32.06	74	55.9	34.23	11.12	59.31	100	0	P	V
		7266	43.3	-30.7	74	52.08	35.73	13.58	58.09	100	0	P	V
													V
													V
802.11n HT40 CH 06 2437MHz		4874	42	-32	74	55.86	34.22	11.16	59.24	100	0	P	H
		7311	42.96	-31.04	74	51.77	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	41.13	-32.87	74	54.99	34.22	11.16	59.24	100	0	P	V
		7311	42.41	-31.59	74	51.22	35.71	13.61	58.13	100	0	P	V
													V
													V
802.11n HT40 CH 09 2452MHz		4904	41.12	-32.88	74	54.85	34.22	11.22	59.17	100	0	P	H
		7386	43.13	-30.87	74	52.04	35.66	13.69	58.26	100	0	P	H
													H
													H
		4904	41.32	-32.68	74	55.05	34.22	11.22	59.17	100	0	P	V
		7386	44.01	-29.99	74	52.92	35.66	13.69	58.26	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
2		(MHz)	(dB μ V/m)	(dB)	(dB μ V/m)	(dB μ V)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11g LF		30.27	27.81	-12.19	40	33.23	24.6	1.33	31.35	100	0	P	H
		174.45	24.61	-18.89	43.5	38.58	15.26	2.25	31.48	-	-	P	H
		292.98	22.76	-23.24	46	32.2	19.01	2.86	31.31	-	-	P	H
		649.3	26.59	-19.41	46	27.01	26.2	4.14	30.76	-	-	P	H
		709.5	27.16	-18.84	46	26.98	26.49	4.36	30.67	-	-	P	H
		962.9	33.38	-20.62	54	27.94	30.89	5.06	30.51	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
Remark	1.	No other spurious found.											
	2.	All results are PASS against limit line.											



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dB μ V/m)	(dB)	(dB μ V/m)	(dB μ V)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2342.13	54.7	-19.3	74	40.53	31.83	17.37	35.03	334	76	P	H
		2390	45.75	-8.25	54	31.42	31.95	17.43	35.05	334	76	A	H
	*	2412	109.74	-	-	95.37	31.99	17.43	35.05	334	76	P	H
	*	2412	106.86	-	-	92.49	31.99	17.43	35.05	334	76	A	H
													H
													H
		2387.595	55.97	-18.03	74	41.63	31.95	17.43	35.04	338	88	P	V
		2387.595	46.96	-7.04	54	32.62	31.95	17.43	35.04	338	88	A	V
	*	2412	109.51	-	-	95.14	31.99	17.43	35.05	338	88	P	V
	*	2412	106.38	-	-	92.01	31.99	17.43	35.05	338	88	A	V
802.11b CH 06 2437MHz													V
		2388.4	55.74	-18.26	74	41.4	31.95	17.43	35.04	289	83	P	H
		2388.82	48.61	-5.39	54	34.27	31.95	17.43	35.04	289	83	A	H
	*	2437	115.62	-	-	101.11	32.08	17.49	35.06	289	83	P	H
	*	2437	112.38	-	-	97.87	32.08	17.49	35.06	289	83	A	H
		2485.37	56.43	-17.57	74	41.79	32.16	17.55	35.07	289	83	P	H
		2485.72	46.1	-7.9	54	31.46	32.16	17.55	35.07	289	83	A	H
		2388.54	55.37	-18.63	74	41.03	31.95	17.43	35.04	366	77	P	V
		2389.94	47.49	-6.51	54	33.16	31.95	17.43	35.05	366	77	A	V
	*	2437	112.46	-	-	97.95	32.08	17.49	35.06	366	77	P	V
	*	2437	109.39	-	-	94.88	32.08	17.49	35.06	366	77	A	V
		2486.07	55.1	-18.9	74	40.46	32.16	17.55	35.07	366	77	P	V
		2485.79	46.13	-7.87	54	31.49	32.16	17.55	35.07	366	77	A	V



FCC RADIO TEST REPORT

Report No. : FR860615C

802.11b CH 11 2462MHz	*	2462	110.91	-	-	96.3	32.12	17.55	35.06	318	92	P	H
	*	2462	107.9	-	-	93.29	32.12	17.55	35.06	318	92	A	H
		2484.56	55.25	-18.75	74	40.61	32.16	17.55	35.07	318	92	P	H
		2483.52	46.54	-7.46	54	31.9	32.16	17.55	35.07	318	92	A	H
													H
													H
	*	2462	108.79	-	-	94.18	32.12	17.55	35.06	363	80	P	V
	*	2462	105.81	-	-	91.2	32.12	17.55	35.06	363	80	A	V
		2494.56	54.89	-19.11	74	40.22	32.2	17.55	35.08	363	80	P	V
		2483.52	44.58	-9.42	54	29.94	32.16	17.55	35.07	363	80	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	52.86	-21.14	74	66.85	34.23	11.12	59.34	109	262	P	H
		4824	50.87	-3.13	54	64.86	34.23	11.12	59.34	109	262	A	H
													H
													H
		4824	47.88	-26.12	74	61.87	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11b CH 06 2437MHz		4874	42.4	-31.6	74	56.26	34.22	11.16	59.24	100	0	P	H
		7311	48.38	-25.62	74	57.19	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	42.45	-31.55	74	56.31	34.22	11.16	59.24	100	0	P	V
		7311	50.06	-23.94	74	58.87	35.71	13.61	58.13	353	319	P	V
		7311	44.7	-9.3	54	53.51	35.71	13.61	58.13	353	319	A	V
													V
802.11b CH 11 2462MHz		4924	52.49	-21.51	74	66.2	34.21	11.22	59.14	108	270	P	H
		4924	50.88	-3.12	54	64.59	34.21	11.22	59.14	108	270	A	H
		7386	45.11	-28.89	74	54.02	35.66	13.69	58.26	100	0	P	H
													H
		4924	48.44	-25.56	74	62.15	34.21	11.22	59.14	100	0	P	V
		7386	43.74	-30.26	74	52.65	35.66	13.69	58.26	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2390	64.8	-9.2	74	50.47	31.95	17.43	35.05	100	271	P	H
		2390	51.61	-2.39	54	37.28	31.95	17.43	35.05	100	271	A	H
	*	2412	114.41	-	-	100.04	31.99	17.43	35.05	100	271	P	H
	*	2412	106.81	-	-	92.44	31.99	17.43	35.05	100	271	A	H
													H
													H
		2389.8	62.16	-11.84	74	47.83	31.95	17.43	35.05	363	156	P	V
		2389.38	48.59	-5.41	54	34.25	31.95	17.43	35.04	363	156	A	V
	*	2412	112.26	-	-	97.89	31.99	17.43	35.05	363	156	P	V
	*	2412	104.79	-	-	90.42	31.99	17.43	35.05	363	156	A	V
													V
													V
802.11g CH 06 2437MHz		2387.14	56.25	-17.75	74	41.91	31.95	17.43	35.04	100	76	P	H
		2389.94	46.58	-7.42	54	32.25	31.95	17.43	35.05	100	76	A	H
	*	2437	116.26	-	-	101.75	32.08	17.49	35.06	100	76	P	H
	*	2437	109.02	-	-	94.51	32.08	17.49	35.06	100	76	A	H
		2484.04	57.77	-16.23	74	43.13	32.16	17.55	35.07	100	76	P	H
		2483.52	47.26	-6.74	54	32.62	32.16	17.55	35.07	100	76	A	H
		2368.24	53.96	-20.04	74	39.76	31.87	17.37	35.04	395	177	P	V
		2385.46	44.37	-9.63	54	30.07	31.91	17.43	35.04	395	177	A	V
	*	2437	115.78	-	-	101.27	32.08	17.49	35.06	395	177	P	V
	*	2437	107.76	-	-	93.25	32.08	17.49	35.06	395	177	A	V
		2486.77	54.95	-19.05	74	40.31	32.16	17.55	35.07	395	177	P	V
		2484.53	45.14	-8.86	54	30.5	32.16	17.55	35.07	395	177	A	V



802.11g CH 11 2462MHz	*	2462	114.44	-	-	99.83	32.12	17.55	35.06	100	280	P	H
	*	2462	107.02	-	-	92.41	32.12	17.55	35.06	100	280	A	H
		2483.72	63.01	-10.99	74	48.37	32.16	17.55	35.07	100	280	P	H
		2483.8	51.77	-2.23	54	37.13	32.16	17.55	35.07	100	280	A	H
													H
													H
	*	2462	113.9	-	-	99.29	32.12	17.55	35.06	390	167	P	V
	*	2462	106.05	-	-	91.44	32.12	17.55	35.06	390	167	A	V
		2483.76	56.35	-17.65	74	41.71	32.16	17.55	35.07	390	167	P	V
		2483.52	47.01	-6.99	54	32.37	32.16	17.55	35.07	390	167	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	47.34	-26.66	74	61.33	34.23	11.12	59.34	100	0	P	H
													H
													H
													H
		4824	45.76	-28.24	74	59.75	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11g CH 06 2437MHz		4874	43.34	-30.66	74	57.2	34.22	11.16	59.24	100	0	P	H
		7311	46.09	-27.91	74	54.9	35.71	13.61	58.13	100	0	P	H
													H
		4874	42.46	-31.54	74	56.32	34.22	11.16	59.24	100	0	P	V
		7311	46.03	-27.97	74	54.84	35.71	13.61	58.13	100	0	P	V
													V
													V
													V
802.11g CH 11 2462MHz		4924	48.03	-25.97	74	61.74	34.21	11.22	59.14	100	0	P	H
		7386	43.68	-30.32	74	52.59	35.66	13.69	58.26	100	0	P	H
													H
		4920	46.4	-27.6	74	60.11	34.21	11.22	59.14	100	0	P	V
		7380	44.42	-29.58	74	53.34	35.67	13.64	58.23	100	0	P	V
													V
													V
	Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.											



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2389.695	65.97	-8.03	74	51.63	31.95	17.43	35.04	100	112	P	H
		2390	52.65	-1.35	54	38.32	31.95	17.43	35.05	100	112	A	H
	*	2412	111.41	-	-	97.04	31.99	17.43	35.05	100	112	P	H
	*	2412	103.73	-	-	89.36	31.99	17.43	35.05	100	112	A	H
													H
													H
													V
		2390	65.01	-8.99	74	50.68	31.95	17.43	35.05	338	87	P	V
		2390	51.92	-2.08	54	37.59	31.95	17.43	35.05	338	87	A	V
	*	2412	109.54	-	-	95.17	31.99	17.43	35.05	338	87	P	V
	*	2412	101.75	-	-	87.38	31.99	17.43	35.05	338	87	A	V
													V
													V
802.11n HT20 CH 06 2437MHz		2388.26	56.65	-17.35	74	42.31	31.95	17.43	35.04	107	259	P	H
		2389.66	47.82	-6.18	54	33.48	31.95	17.43	35.04	107	259	A	H
	*	2437	115.71	-	-	101.2	32.08	17.49	35.06	107	259	P	H
	*	2437	108.47	-	-	93.96	32.08	17.49	35.06	107	259	A	H
		2483.69	59.99	-14.01	74	45.35	32.16	17.55	35.07	107	259	P	H
		2483.52	48.86	-5.14	54	34.22	32.16	17.55	35.07	107	259	A	H
		2389.1	55.83	-18.17	74	41.49	31.95	17.43	35.04	327	66	P	V
		2389.38	46.87	-7.13	54	32.53	31.95	17.43	35.04	327	66	A	V
	*	2437	114.46	-	-	99.95	32.08	17.49	35.06	327	66	P	V
	*	2437	106.95	-	-	92.44	32.08	17.49	35.06	327	66	A	V
		2486.77	55.05	-18.95	74	40.41	32.16	17.55	35.07	327	66	P	V
		2483.83	46.99	-7.01	54	32.35	32.16	17.55	35.07	327	66	A	V



802.11n HT20 CH 11 2462MHz	*	2462	114.52	-	-	99.91	32.12	17.55	35.06	106	259	P	H
	*	2462	106.61	-	-	92	32.12	17.55	35.06	106	259	A	H
		2483.6	66.83	-7.17	74	52.19	32.16	17.55	35.07	106	259	P	H
		2483.52	52.84	-1.16	54	38.2	32.16	17.55	35.07	106	259	A	H
													H
													H
	*	2462	112.06	-	-	97.45	32.12	17.55	35.06	354	69	P	V
	*	2462	104.1	-	-	89.49	32.12	17.55	35.06	354	69	A	V
		2484.28	63.96	-10.04	74	49.32	32.16	17.55	35.07	354	69	P	V
		2483.68	51.74	-2.26	54	37.1	32.16	17.55	35.07	354	69	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	46.27	-27.73	74	60.26	34.23	11.12	59.34	100	0	P	H
													H
													H
													H
		4824	43.38	-30.62	74	57.37	34.23	11.12	59.34	100	0	P	V
													V
													V
													V
802.11n HT20 CH 06 2437MHz		4874	43.76	-30.24	74	57.62	34.22	11.16	59.24	100	0	P	H
		7311	45.26	-28.74	74	54.07	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	41.78	-32.22	74	55.64	34.22	11.16	59.24	100	0	P	V
		7311	47.3	-26.7	74	56.11	35.71	13.61	58.13	100	0	P	V
													V
													V
802.11n HT20 CH 11 2462MHz		4924	46.49	-27.51	74	60.2	34.21	11.22	59.14	100	0	P	H
		7386	44.32	-29.68	74	53.23	35.66	13.69	58.26	100	0	P	H
													H
													H
		4924	45.21	-28.79	74	58.92	34.21	11.22	59.14	100	0	P	V
		7386	45.43	-28.57	74	54.34	35.66	13.69	58.26	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 03 2422MHz		2389.1	59	-15	74	44.66	31.95	17.43	35.04	100	223	P	H
		2389.52	51.32	-2.68	54	36.98	31.95	17.43	35.04	100	223	A	H
	*	2422	107.1	-	-	92.64	32.03	17.49	35.06	100	223	P	H
	*	2422	99.98	-	-	85.52	32.03	17.49	35.06	100	223	A	H
		2496.08	54.37	-19.63	74	39.7	32.2	17.55	35.08	100	223	P	H
		2485.86	45.68	-8.32	54	31.04	32.16	17.55	35.07	100	223	A	H
		2389.94	59.14	-14.86	74	44.81	31.95	17.43	35.05	297	88	P	V
		2389.52	52.83	-1.17	54	38.49	31.95	17.43	35.04	297	88	A	V
	*	2422	106.43	-	-	91.97	32.03	17.49	35.06	297	88	P	V
	*	2422	99.16	-	-	84.7	32.03	17.49	35.06	297	88	A	V
802.11n HT40 CH 06 2437MHz		2486.49	54.6	-19.4	74	39.96	32.16	17.55	35.07	297	88	P	V
		2483.9	45.76	-8.24	54	31.12	32.16	17.55	35.07	297	88	A	V
		2387.98	58.87	-15.13	74	44.53	31.95	17.43	35.04	300	272	P	H
		2388.4	51.53	-2.47	54	37.19	31.95	17.43	35.04	300	272	A	H
	*	2437	112.19	-	-	97.68	32.08	17.49	35.06	300	272	P	H
	*	2437	104.53	-	-	90.02	32.08	17.49	35.06	300	272	A	H
		2483.5	60.07	-13.93	74	45.43	32.16	17.55	35.07	300	272	P	H
		2483.5	51.89	-2.11	54	37.25	32.16	17.55	35.07	300	272	A	H
		2386.44	57.25	-16.75	74	42.91	31.95	17.43	35.04	330	67	P	V
		2389.24	49.59	-4.41	54	35.25	31.95	17.43	35.04	330	67	A	V
2437MHz	*	2437	111.48	-	-	96.97	32.08	17.49	35.06	330	67	P	V
	*	2437	103.24	-	-	88.73	32.08	17.49	35.06	330	67	A	V
		2483.62	57.37	-16.63	74	42.73	32.16	17.55	35.07	330	67	P	V
		2483.55	48.64	-5.36	54	34	32.16	17.55	35.07	330	67	A	V



802.11n HT40 CH 09 2452MHz		2336.32	55.94	-18.06	74	41.82	31.83	17.31	35.02	103	290	P	H
		2389.52	46.14	-7.86	54	31.8	31.95	17.43	35.04	103	290	A	H
	*	2452	110.18	-	-	95.67	32.08	17.49	35.06	103	290	P	H
	*	2452	102.27	-	-	87.76	32.08	17.49	35.06	103	290	A	H
		2484.04	60.01	-13.99	74	45.37	32.16	17.55	35.07	103	290	P	H
		2483.55	51.8	-2.2	54	37.16	32.16	17.55	35.07	103	290	A	H
		2331.14	54.93	-19.07	74	40.85	31.79	17.31	35.02	331	89	P	V
		2386.72	45.84	-8.16	54	31.5	31.95	17.43	35.04	331	89	A	V
	*	2452	108.98	-	-	94.47	32.08	17.49	35.06	331	89	P	V
	*	2452	100.19	-	-	85.68	32.08	17.49	35.06	331	89	A	V
		2484.67	58.58	-15.42	74	43.94	32.16	17.55	35.07	331	89	P	V
		2483.5	50.59	-3.41	54	35.95	32.16	17.55	35.07	331	89	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dB μ V/m)	Over Limit (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT40 CH 03 2422MHz		4844	41.67	-32.33	74	55.63	34.23	11.12	59.31	100	0	P	H
		7266	43.41	-30.59	74	52.19	35.73	13.58	58.09	100	0	P	H
													H
													H
		4844	41.75	-32.25	74	55.71	34.23	11.12	59.31	100	0	P	V
		7266	43.24	-30.76	74	52.02	35.73	13.58	58.09	100	0	P	V
													V
													V
802.11n HT40 CH 06 2437MHz		4874	42.87	-31.13	74	56.73	34.22	11.16	59.24	100	0	P	H
		7311	42.41	-31.59	74	51.22	35.71	13.61	58.13	100	0	P	H
													H
													H
		4874	42.03	-31.97	74	55.89	34.22	11.16	59.24	100	0	P	V
		7311	42.62	-31.38	74	51.43	35.71	13.61	58.13	100	0	P	V
													V
													V
802.11n HT40 CH 09 2452MHz		4904	45.16	-28.84	74	58.89	34.22	11.22	59.17	100	0	P	H
		7356	43.68	-30.32	74	52.56	35.68	13.65	58.21	100	0	P	H
													H
													H
		4904	42.73	-31.27	74	56.46	34.22	11.22	59.17	100	0	P	V
		7356	43.07	-30.93	74	51.95	35.68	13.65	58.21	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

2.4GHz WIFI 802.11n HT20 (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dB μ V/m)	(dB)	(dB μ V/m)	(dB μ V)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11n HT20 LF		30	29.46	-10.54	40	34.88	24.6	1.33	31.35	100	0	P	H
		140.7	25.42	-18.08	43.5	37.3	17.4	2.24	31.52	-	-	P	H
		181.74	23.87	-19.63	43.5	38.01	14.96	2.37	31.47	-	-	P	H
		523.3	24.77	-21.23	46	28.05	23.95	3.72	30.95	-	-	P	H
		848.1	30.63	-15.37	46	27.74	28.71	4.74	30.56	-	-	P	H
		960.1	32.63	-21.37	54	27.19	30.9	5.05	30.51	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
Remark	1. No other spurious found. 2. All results are PASS against limit line.												

**Note symbol**

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1		(MHz)	(dB μ V/m)	(dB)	(dB μ V/m)	(dB μ V)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)

2. Level(dB μ V/m) =

Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dB μ V) - Preamp Factor(dB)

3. Over Limit(dB) = Level(dB μ V/m) – Limit Line(dB μ V/m)

For Peak Limit @ 2390MHz:

1. Level(dB μ V/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dB μ V) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 54.51(dB μ V) – 35.86 (dB)

= 55.45 (dB μ V/m)

2. Over Limit(dB)

= Level(dB μ V/m) – Limit Line(dB μ V/m)

= 55.45(dB μ V/m) – 74(dB μ V/m)

= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dB μ V/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dB μ V) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 42.6(dB μ V) – 35.86 (dB)

= 43.54 (dB μ V/m)

2. Over Limit(dB)

= Level(dB μ V/m) – Limit Line(dB μ V/m)

= 43.54(dB μ V/m) – 54(dB μ V/m)

= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix C. Radiated Spurious Emission Plots

Test Engineer :	Jesse Wang, Stan Hsieh, and Nick Yu	Temperature :	24~26°C
		Relative Humidity :	51~53%


Note symbol


-L	Low channel location
-R	High channel location




2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)












WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 10 Setting : 22</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 10 Setting : 22</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 10 Setting : 22</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 10 Setting : 22</p>	Left blank










2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)













WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 13 Setting : 22</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:1.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 13 Setting : 22</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 13 Setting : 22</p>	Left Blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 13 Setting : 22</p>	Left Blank










2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)












WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	<p>Level (dBuV/m)</p> <p>Date: 2018-06-29</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW: 3000.000KHz SMT: Auto Detector : Peak Project : 860615 Mode : 16</p>	Left blank
Avg.	<p>Level (dBuV/m)</p> <p>Date: 2018-06-29</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW: 1.000KHz SMT: Auto Detector : Peak Project : 860615 Mode : 16</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 16</p>	Left Blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 16</p>	Left Blank









2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)








WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH03 2422MHz - R	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 18</p>	Left Blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 18</p>	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH03 2422MHz - R	
1	Vertical	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 18</p>	Left blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 18</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 19</p>	Left blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 19</p>	Left blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 19</p>	Left blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 19</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - R	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 20</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 20</p>	Left blank








WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW: 1000.000KHz VBW: 3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 20</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW: 1000.000KHz VBW: 3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 20</p>	Left blank




2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
Peak	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL Detector : Peak Project : 0606015 Node : 9</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL Detector : Peak Project : 0606015 Node : 9</p>
Avg.		











2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 HORIZONTAL Detector : Peak Project : 0660015 Node : 12</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 VERTICAL Detector : Peak Project : 0660015 Node : 12</p>
Avg.		









2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Vertical
Peak	 Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 HORIZONTAL Detector : Peak Project : 0660015 Mode : 15	 Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 VERTICAL Detector : Peak Project : 0660015 Mode : 15
Avg.		









2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT40 CH03 2422MHz	
1	Horizontal	Vertical
Peak	 Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 HORIZONTAL Detector : Peak Project : 0600015 Mode : 19	 Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 VERTICAL Detector : Peak Project : 0600015 Mode : 19
Avg.		








Emission below 1GHz

2.4GHz WIFI 802.11n HT40 (LF)







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)


WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 21	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 21
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 21	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 21









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 22</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 22</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 22</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 22</p>	Left blank













2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)


WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 24</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 24</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 24</p>	 <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 24</p>









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 25</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:1.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 25</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 25</p>	Left Blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 25</p>	Left Blank









2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)


WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 27	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 27
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 27	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 27









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Date : 2018-06-30 RBW : 1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 28</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Date : 2018-06-30 RBW : 1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 28</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 28</p>	Left Blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 28</p>	Left Blank











2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH03 2422MHz - R	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 30 Setting : 18</p>	Left Blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 30 Setting : 18</p>	Left Blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH03 2422MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 30 Setting : 18</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 50 Setting : 19</p>	Left blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 31 Setting : 19</p>	Left blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 31 Setting : 19</p>	Left blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 31 Setting : 19</p>	Left blank
Avg.	 <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 31 Setting : 19</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Date : 2018-06-30 Detector : RBW:1000.000KHz VBW:3.000KHz SMT:Auto Project : Peak Mode : 32 Setting : 16</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Date : 2018-06-30 Detector : RBW:1000.000KHz VBW:3.000KHz SMT:Auto Project : Peak Mode : 32 Setting : 16</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 32 Setting : 16</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 32 Setting : 16</p>	Left blank




2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)












2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Vertical
Peak	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 HORIZONTAL Detector : Peak Project : 0606015 Mode : 24</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131829 VERTICAL Detector : Peak Project : 0606015 Mode : 24</p>
Avg.		










2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)












2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)










Emission below 1GHz


2.4GHz WIFI 802.11g (LF)







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)












WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 34</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 34</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 34</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:0.010KHz SMT:Auto Detector : Peak Project : 860615 Mode : 34</p>	Left blank










2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)












WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 37</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 37</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-06-30</p> <p>PEAK_BE_74</p> <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW: 1000.000KHz VBW: 3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 37</p>	Left Blank
Avg.	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-06-30</p> <p>AVG_BE_S4</p> <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW: 1000.000KHz VBW: 1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 37</p>	Left Blank









2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)


WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 39	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 39
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 39	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 39









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-06-30</p> <p>PEAK_BE_74</p> <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 40</p>	Left blank
Avg.	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-06-30</p> <p>AVG_BE_S4</p> <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:1.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 40</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-06-30</p> <p>PEAK_BE_74</p> <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 40</p>	Left Blank
Avg.	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-06-30</p> <p>AVG_BE_S4</p> <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 40</p>	Left Blank









2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH03 2422MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 42</p>	Left Blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 42</p>	Left Blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH03 2422MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 42</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 42</p>	Left blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Level (dBc/Vm)</p> <p>Frequency (MHz)</p> <p>Date: 2018-07-01</p> <p>PEAK_BE_74</p> <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3000.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 43</p>	Left blank
Avg.	<p>Level (dBc/Vm)</p> <p>Frequency (MHz)</p> <p>Date: 2018-07-01</p> <p>AVG_BE_S4</p> <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL Freq : 1000.000KHz RBW:3.000Hz SMT:Auto Detector : Peak Project : 860615 Mode : 43</p>	Left blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 43</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 43</p>	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-07-01</p> <p>PEAK_BE_74</p> <p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 44</p>	Left blank
Avg.	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2018-07-01</p> <p>AVG_BE_S4</p> <p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 44</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07_HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3000.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 44</p>	Left blank
Avg.	<p>Site : 03CH07_HY Condition : AVG_BE_S4 3m HF_ANT_00075962 VERTICAL Freq : 1000.000KHz RBW:3.000KHz SMT:Auto Detector : Peak Project : 860615 Mode : 44</p>	Left blank




2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)









2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

