



The Testcenter facility 'Dosimetric Test Lab' within IMST GmbH is accredited by the German National 'Deutsche Akkreditierungsstelle GmbH (DAkkS)' for testing according to the scope as listed in the accreditation certificate: D-PL-12139-01-00.

### **Appendix for the SAR Test Report**

# Dosimetric Assessment of the INARI5-WLAN-1 from Aava Mobile Oy

(FCC ID: 2ABVH-INARI51) (IC: 11875A-INARI51)

## According to the FCC Requirements Pictures

August 18, 2015

#### **IMST GmbH**

Carl-Friedrich-Gauß-Str. 2 - 4 47475 Kamp-Lintfort Germany

#### Customer

7layers AG Borsigstrasse 11 40880 Ratingen Germany

The test results only relate to the items tested.

This report shall not be reproduced except in full without the written approval of the testing laboratory.

### **Subject of Investigation**



Fig. 1: Pictures of the device under test.

#### 6.9 Pictures of the Device under Test

Figure 14 - 17 show the device under test.




Fig. 14: Antenna locations and defining device sides for testing purpose of INARI5-WLAN-1 from Aava Mobile Oy.



Fig. 15: Front view of the INARI5-WLAN-1.



Fig.16: Back view of the INARI5-WLAN-1.



Fig.17: Side view of the INARI5-WLAN-1 with attached headset.

#### 6.10 Test Positions for the Device under Test

Fig. 18 – 22 show the test positions for the SAR measurements.



Fig. 18: Front side towards the phantom, 5mm distance.



Fig. 19: Back side towards the phantom, 5mm distance.



Fig. 20: Right side towards the phantom, 5mm distance.



Fig. 21: Bottom side towards the phantom, 5mm distance.



Fig. 22: Back side towards the phantom, 5mm distance, headset attached.

Fig. 23-26 show the test positions for the SAR measurements.



Fig. 23: Right Cheek of phantom.



Fig. 25: Left Cheek of phantom.



Fig. 24: Right Tilted towards the phantom.



Fig. 26: Left Tilted towards the phantom.