








Conducted Band Edge
























Conducted Spurious Emission

LTE Band 41 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 25.JUN.2019 07:53:55

Date: 25.JUN.2019 07:55:23


Middle Channel / QPSK


Middle Channel / 16QAM





Date: 25.JUN.2019 07:56:50

Date: 25.JUN.2019 07:58:18













LTE Band 41 / 15MHz

Highest Channel / QPSK



Highest Channel / 16QAM



LTE Band 41 / 20MHz


Lowest Channel / QPSK

Lowest Channel / 16QAM



Date: 26.JUN.2019 01:17:07

Date: 26.JUN.2019 01:18:33





Frequency Stability

Test Conditions		LTE Band 41 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0032	PASS
40	Normal Voltage	0.0016	
30	Normal Voltage	0.0031	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0019	
-10	Normal Voltage	0.0017	
-20	Normal Voltage	0.0020	
-30	Normal Voltage	0.0011	
20	Maximum Voltage	0.0013	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0013	

Note:

1. Normal Voltage =7.7 V. ; Battery End Point (BEP) =6.8 V. ; Maximum Voltage =8.8 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



LTE Band 66

Peak-to-Average Ratio

Mode	LTE Band 66 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.74	4.87	4.67	5.91	PASS
Middle CH	3.77	4.96	4.38	5.94	
Highest CH	4.41	4.84	5.39	5.94	

