

TEST REPORT

APPLICANT : Shenzhen Chainway Information

Technology Co.,Ltd.

PRODUCT NAME: Mobile Data Terminal

MODEL NAME : C75

BRAND NAME: CHAINWAY

FCC ID : 2AC6AC75

47 CFR Part 22, Subpart H

STANDARD(S): 47 CFR Part 24, Subpart E

47 CFR Part 27, Subpart L&M

TEST DATE : 2018-02-02 and 2018-06-14

ISSUE DATE : 2018-06-28

Tested by:

Su Hang (Test Engineer)

Approved by:

Andy Yeh (Technical Director)

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn





DIRECTORY

1. Technical Information······	4
1.1. Applicant and Manufacturer Information	2
1.2. Equipment Under Test (EUT) Description	2
1.3. Test Standards and Results ······	7
1.4. Environmental Conditions	7
2. 47 CFR Part 2, Part 24E & 27 Requirements	8
2.1. Transmitter Conducted Output Power ······	{
2.2. Occupied Bandwidth······	31
2.3. Frequency Stability	63
2.4. Peak to Average Radio ······	67
2.5. Conducted Spurious Emissions	99
2.6. Band Edge	166
2.7. Transmitter Radiated Power (EIRP/ERP)	198
2.8. Radiated Spurious Emissions	209
Annex A Test Uncertainty	242
Annex B Testing Laboratory Information	243



Change History							
Issue	Date	Reason for change					
1.0	2018-06-28	First edition					





1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant:	Shenzhen Chainway Information Technology Co.,Ltd.
Applicant Address:	9/F, Building 2, Daqian Industrial Park, Longchang Rd., District
	67, Bao'an, Shenzhen
Manufacturer:	Shenzhen Chainway Information Technology Co.,Ltd.
Manufacturer Address:	9/F, Building 2, Daqian Industrial Park, Longchang Rd., District
	67, Bao'an, Shenzhen

1.2. Equipment Under Test (EUT) Description

Product Name:	Mobile Data Te	Mobile Data Terminal				
Serial No:	(N/A, marked	(N/A, marked #1 by test site)				
Hardware Version:	C70_MB_V11					
Software Version:	C75A_MT673	7_V1.2_AM_GITe4dc346_201805181532				
Modulation Type:	QPSK, 16QAN	Л				
Operation Band:	Band 2 / 4 / 7	/ 12 / 17				
	LTE Band 2	Tx: 1850MHz -1910MHz				
	LIE Ballu Z	Rx: 1930MHz -1990MHz				
	LTE Band 4	Tx: 1710MHz -1755MHz				
	LIE Ballu 4	Rx: 2110MHz - 2155MHz				
Fraguency Banga	LTE Band 7	Tx: 2500MHz - 2570MHz				
Frequency Range:		Rx: 2500MHz - 2570MHz				
	LTE Band 12	Tx: 699MHz - 716MHz				
	LIE Ballu 12	Rx: 729MHz - 746MHz				
	LTE Band 17	Tx: 704MHz - 716MHz				
	LIE Band 17	Rx: 734MHz- 746MHz				
	LTE Band 2	1.4MHz, 3 MHz, 5 MHz, 10MHz, 15 MHz, 20 MHz				
	LTE Band 4	1.4MHz, 3 MHz, 5 MHz, 10MHz, 15 MHz, 20 MHz				
Channel Bandwidth	LTE Band 7	5 MHz, 10MHz, 15 MHz, 20 MHz				
	LTE Band 12	1.4MHz, 3 MHz, 5 MHz, 10MHz				
	LTE Band 17	5 MHz, 10MHz				



1M10G7D (LTE Band 2, QPSK, BW 1.4MHz) 1M10W7D (LTE Band 2, 16QAM, BW 1.4MHz) 2M71G7D (LTE Band 2, QPSK, BW 3MHz) 2M71 W7D (LTE Band 2, 16QAM, BW 3MHz) 4M53G7D (LTE Band 2, QPSK, BW 5MHz) 4M53W7D (LTE Band 2, 16QAM, BW 5MHz) 9M02G7D (LTE Band 2, QPSK, BW 10MHz) 9M01W7D (LTE Band 2, 16QAM, BW 10MHz) 13M52G7D (LTE Band 2, QPSK, BW 15MHz) 13M52W7D (LTE Band 2, 16QAM, BW 15MHz) 18M04G7D (LTE Band 2, QPSK, BW 20MHz) 18M05W7D (LTE Band 2, 16QAM, BW 20MHz) 1M13G7D (LTE Band 4, QPSK, BW 1.4MHz) 1M11W7D (LTE Band 4, 16QAM, BW 1.4MHz) 2M74G7D (LTE Band 4, QPSK, BW 3MHz) 2M73W7D (LTE Band 4, 16QAM, BW 3MHz) 4M57G7D (LTE Band 4, QPSK, BW 5MHz) 4M58W7D (LTE Band 4, 16QAM, BW 5MHz) 9M11G7D (LTE Band 4, QPSK, BW 10MHz)

Emission Designator:

9M06W7D (LTE Band 4, 16QAM, BW 10MHz) 13M60G7D (LTE Band 4, QPSK, BW 15MHz) 13M62W7D (LTE Band 4, 16QAM, BW 15MHz) 18M04G7D (LTE Band 4, QPSK, BW 20MHz) 18M09W7D (LTE Band 4, 16QAM, BW 20MHz) 4M54G7D (LTE Band 7, QPSK, BW 5MHz) 4M54W7D (LTE Band 7, 16QAM, BW 5MHz) 9M12G7D (LTE Band 7, QPSK, BW 10MHz) 9M01W7D (LTE Band 7, 16QAM, BW 10MHz) 13M54G7D (LTE Band 7, QPSK, BW 15MHz) 13M55W7D (LTE Band 7, 16QAM, BW 15MHz) 18M02G7D (LTE Band 7, QPSK, BW 20MHz) 18M06W7D (LTE Band 7, 16QAM, BW 20MHz) 1M10G7D (LTE Band 12, QPSK, BW 1.4MHz) 1M11W7D (LTE Band 12, 16QAM, BW 1.4MHz) 2M72G7D (LTE Band 12, QPSK, BW 3MHz) 2M71W7D (LTE Band 12, 16QAM, BW 3MHz) 4M54G7D (LTE Band 12, QPSK, BW 5MHz) 4M54W7D (LTE Band 12, 16QAM, BW 5MHz) 9M04G7D (LTE Band 12, QPSK, BW 10MHz)





	9M03W7D (LTE Band 12, 16QAM, BW 10MHz)				
	4M54G7D (LTE Band 17, QPSK, BW 5MHz)				
	4M54W7D (LTE Band 17, 16QAM, BW 5MHz)				
	9M03G7D (LTE Band 17, QPSK, B)	W 10MHz)			
	9M04W7D (LTE Band 17, 16QAM,	BW 10MHz)			
Antenna Type:	PIFA Antenna				
Antenna Gain:	0.38 dBi				
	Normal(NV): 3.8V				
Operating voltage:	Lowest(LV): 3.6V				
	Highest(HV):	4.35V			

Note 1: For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.

Note 2: This test report is updated from report SZ18010063W09, based on the similarity between before, the model name, the software and hardware version, the antenna and the appearance of EUT are changed. And remove the RFID function. The changes only affect the test results of Equivalent Isotropic Radiated Power and Radiated Spurious Emissions.

Tel: 86-755-36698555

Http://www.morlab.cn



1.3. Test Standards and Results

The objective of the report is to perform testing according to Part 2, Part 24 and Part 27 for the EUT FCC ID Certification:

No	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 24	Personal Communications Services
3	47 CFR Part 27	Miscellaneous Wireless Communications Services

Test detailed items/section required by FCC rules and results are as below:

Section	Description	Test Date	Test Engineer	Result
2.1046	Transmitter Conducted Output Power	May 21, 2018	Su Hang	PASS _{Note1}
2.1049	Occupied Bandwidth	Feb 02&05, 2018	Su Hang	PASS _{Note1}
2.1055, 24.235, 27.54	Frequency Stability	Feb 05, 2018	Su Hang	PASS _{Note1}
24.232(d), 27.50(d)(5)	Peak to Average Radio	Feb 05, 2018	Su Hang	PASS _{Note1}
2.1051, 24.238, 27.53(g)(h), 27.53(m)(4)	Conducted Spurious Emissions	Feb 05, 2018	Su Hang	PASS _{Note1}
2.1051, 24.238, 27.53(g)(h), 27.53(m)(4)	Band Edge	Feb 09&24, 2018	Su Hang	PASS _{Note1}
24.232(c), 27.50(c)(10) 27.50(d)(4), 27.50(h)(2)	Equivalent Isotropic Radiated Power	Jun 14, 2018	Wu Zhongwen	PASS
2.1051, 24.238, 27.53(g)(h), 27.53(m)(4)	Radiated Spurious Emissions	Jun 14, 2018	Wu Zhongwen	PASS

Note 1: The test results of these test items in this report refer to the test report (Report No.: SZ18010063W09).

Note 2: The tests were performed according to the method of measurements prescribed in KDB971168 D01 v03 (Oct 27, 2017) and ANSI/TIA-603-E-2016.

1.4. Environmental Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15 - 35
Relative Humidity (%):	30 -60
Atmospheric Pressure (kPa):	86-106






2. 47 CFR Part 2, Part 24E & 27 Requirements

2.1. Transmitter Conducted Output Power

2.1.1. Requirement

According to FCC section 2.1046(a), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in FCC section 2.1033(c)(8).

2.1.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 500hm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.1.3. Test procedure

KDB 971168 D01v03 Section 5.2 and ANSI/TIA-603-E-2016.

2.1.4. Result





Dond	Donal Minish	Chamal	From (MILE)	Madulation	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	23.02
					1	49	22.94
					1	99	22.75
			QPSK	50	0	22.43	
				50	25	22.31	
		L			50	49	22.15
		_	4000		100	0	22.15
			1860		1	0	21.73
		18700			1	49	21.88
					1	99	21.93
				16-QAM	50	0	20.83
					50	25	20.74
					50	49	20.77
					100	0	20.77
					1	0	23.08
		M		QPSK	1	49	23.02
					1	99	22.95
					50	0	23.05
					50	25	22.82
					50	49	22.76
LTE			1880		100	0	22.55
	20MHz	20MHz 18900		16-QAM	1	0	22.21
Band 2					1	49	22.28
					1	99	22.02
					50	0	20.98
					50	25	20.91
					50	49	20.99
				100	0	21.00	
					1	0	23.14
					1	49	23.22
					1	99	23.27
				QPSK	50	0	22.83
					50	25	22.74
		Н			50	49	22.73
			1900		100	0	22.73
	40400	1900		1	0	22.43	
		19100			1	49	22.29
					1	99	22.20
				16-QAM	50	0	21.07
					50	25	21.04
					50	49	21.13
					100	0	21.15





Band	Band Width	Channal	Fra 7 (MILE)	Modulation	RB Cor	figuration	Average Power
Danu	band widin	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.57
					1	37	22.39
					1	74	22.24
			QPSK	36	0	21.99	
				36	18	21.76	
		L			36	35	21.72
		_	1857.5		75	0	21.55
		40075	1007.0		1	0	21.71
		18675			1	37	21.86
					1	74	21.82
				16-QAM	36	0	20.65
					36	18	20.62
					36	35	20.64
					75	0	20.64
					1	0	23.24
					1	37	23.11
					1	74	23.00
			QPSK	36	0	23.11	
		M SMHz 18900	1880		36	18	22.98
LTE					36	35	22.83
LIE					75	0	22.81
	15MHz			16-QAM	1	0	22.26
Band 2					1	37	22.28
					1	74	21.89
					36	0	20.92
					36	18	20.92
					36	35	20.89
					75	0	20.92
					1	0	23.22
					1	37	23.13
					1	74	22.96
				QPSK	36	0	22.96
					36	18	22.76
		н			36	35	22.62
		1902.5		75	0	22.74	
	10105	1002.0		1	0	22.47	
		19125			1	37	22.25
					1	74	22.35
				16-QAM	36	0	20.98
					36	18	21.01
					36	35	21.04
					75	0	21.05





Dond	Donal Minth	Chamal	From (MIII-)	Madulation	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.49
					1	24	22.89
					1	49	22.88
			QPSK	25	0	21.75	
				25	12	21.53	
		L			25	24	21.40
		_	4055		50	0	21.49
			1855		1	0	21.46
		18650			1	24	21.94
					1	49	21.85
				16-QAM	25	0	20.57
					25	12	20.49
					25	24	20.51
					50	0	20.59
					1	0	22.76
		M		QPSK 1880	1	24	22.92
					1	49	23.04
					25	0	23.01
					25	12	22.81
					25	24	22.90
LTE			1000		50	0	22.88
	10MHz	10MHz 18900	1880	16-QAM	1	0	21.64
Band 2					1	24	22.30
					1	49	21.87
					25	0	20.88
					25	12	20.84
					25	24	20.88
					50	0	20.93
					1	0	22.91
					1	24	23.00
					1	49	23.31
				QPSK	25	0	22.36
					25	12	22.21
		Н			25	24	22.19
			1905		50	0	22.05
	10150	1900		1	0	21.83	
		19150			1	24	22.17
					1	49	22.03
				16-QAM	25	0	20.98
					25	12	20.96
					25	24	21.07
					50	0	21.05





David	D 100% 101		- (A411.)	Maria	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.48
					1	12	22.33
					1	24	22.35
				QPSK	12	0	21.12
				12	6	21.31	
		L			12	11	21.37
		_	1050 F		25	0	21.05
			1852.5		1	0	21.36
		18625			1	12	21.80
					1	24	21.45
				16-QAM	12	0	20.62
					12	6	20.50
					12	11	20.55
					25	0	20.48
					1	0	22.81
					1	12	22.85
					1	24	22.72
			QPSK	12	0	22.96	
		5MHz 18900	1880	16-QAM	12	6	22.49
LTE					12	11	22.69
LIL	53411				25	0	22.49
	5MHZ				1	0	21.57
Band 2					1	12	22.08
					1	24	21.81
					12	0	20.83
					12	6	20.82
					12	11	20.86
					25	0	20.86
					1	0	22.92
					1	12	22.79
					1	24	22.80
				QPSK	12	0	22.22
					12	6	22.01
		Н			12	11	22.03
			1907.5		25	0	22.01
		19175			1	0	21.96
		19173			1	12	22.35
					1	24	21.75
				16-QAM	12	0	21.08
					12	6	21.00
					12	11	21.10
					25	0	20.96





Б	5 1145 141	<u> </u>	- (111)		RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	23.21
					1	7	23.30
					1	14	23.05
				QPSK	8	0	22.65
					8	4	22.63
		L			8	7	22.51
		_	10E1 E		15	0	22.19
		18615	1851.5		1	0	21.88
					1	7	21.52
					1	14	21.54
				16-QAM	8	0	20.47
					8	4	20.40
					8	7	20.51
					15	0	20.53
					1	0	23.43
					1	7	23.43
				QPSK	1	14	23.14
					8	0	22.67
					8	4	22.32
LTE		М			8	7	22.45
LIE	22.41.1		1880		15	0	22.19
	3MHz	18900	1000	16-QAM	1	0	22.27
Band 2					1	7	21.78
					1	14	21.93
					8	0	20.97
					8	4	20.87
					8	7	20.83
					15	0	20.95
					1	0	23.43
					1	7	23.02
					1	14	23.20
				QPSK	8	0	22.44
					8	4	22.58
		Н			8	7	22.30
			1908.5		15	0	22.00
	19185			1	0	22.21	
		19100			1	7	22.15
					1	14	22.31
				16-QAM	8	0	20.92
					8	4	21.10
					8	7	21.05
					15	0	20.98





Band	Band Width	Channel	Frog (MHz)	Modulation	RB Cor	figuration	Average Power
Dariu	band widin	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.24
					1	2	22.13
					1	5	22.23
				QPSK	3	0	21.96
					3	1	21.76
		L			3	2	21.63
		_	1850.7		6	0	21.45
		40007	1650.7		1	0	21.32
		18607			1	2	21.74
					1	5	21.40
				16-QAM	3	0	21.47
					3	1	21.46
					3	2	21.38
					6	0	20.46
					1	0	22.54
					1	2	22.75
		M 4MHz 18900	1880		1	5	22.54
				QPSK 16-QAM	3	0	22.40
					3	1	22.38
LTE					3	2	22.43
LIL					6	0	23.10
	1.4MHz				1	0	21.68
Band 2					1	2	22.28
					1	5	21.64
					3	0	22.21
					3	2	21.99
					3	5	21.79
					6	0	20.87
					1	0	22.65
					1	2	22.35
					1	5	22.70
				QPSK	3	0	22.29
					3	1	22.26
		Н			3	2	22.23
			1909.3		6	0	22.02
		10102	1000.0		1	0	22.01
		19193			1	2	22.19
					1	5	21.96
				16-QAM	3	0	21.91
					3	1	22.14
					3	2	22.12
					6	0	21.07





	D 1145 141		- (441)		RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	23.36
					1	49	23.30
					1	99	23.41
				QPSK	50	0	23.32
					50	25	22.80
		L			50	49	22.80
		_	1720.0		100	0	22.68
		00050	1720.0		1	0	22.60
		20050			1	49	22.54
					1	99	22.14
				16-QAM	50	0	21.23
					50	25	21.11
					50	49	21.02
					100	0	21.14
					1	0	23.38
					1	49	23.52
					1	99	23.34
			QPSK	50	0	23.31	
		M MHz 20175	1732.5		50	25	23.32
LTE					50	49	23.03
LIL	22141				100	0	22.96
	20MHz			16-QAM	1	0	22.33
Band 4					1	49	22.50
					1	99	22.44
					50	0	21.24
					50	25	21.10
					50	49	21.20
					100	0	21.18
					1	0	23.93
					1	49	23.81
					1	99	23.99
				QPSK	50	0	23.34
					50	25	23.86
		Н			50	49	23.90
			1745.0		100	0	23.48
	20300			1	0	22.66	
		20300			1	49	22.59
					1	99	22.77
				16-QAM	50	0	21.44
					50	25	21.46
					50	49	21.74
					100	0	21.55





Band	Band Width	Channel	Frog (MHz)	Modulation	RB Cor	figuration	Average Power
Danu	Danu Wiuin	Charmer	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.80
					1	37	22.82
					1	74	22.63
				QPSK	36	0	22.42
					36	18	22.51
		L			36	35	22.52
		_	1717 5		75	0	22.46
			1717.5		1	0	22.49
		20025			1	37	22.42
					1	74	22.10
				16-QAM	36	0	21.18
					36	18	21.12
					36	35	21.03
					75	0	21.10
					1	0	23.14
					1	37	23.02
		M 15MHz 20175	1732.5		1	74	22.87
				QPSK	36	0	22.63
					36	18	22.40
					36	35	22.55
LTE					75	0	22.00
	15MHz			16-QAM	1	0	22.37
Band 4					1	37	22.12
					1	74	22.18
					36	0	21.13
					36	18	21.05
					36	35	21.09
					75	0	21.13
					1	0	23.66
					1	37	23.62
					1	74	23.59
				QPSK	36	0	23.02
					36	18	23.11
		н			36	35	22.96
			1747.5		75	0	22.91
		20225	1171.5		1	0	22.51
		20325			1	37	22.95
					1	74	22.91
				16-QAM	36	0	21.46
					36	18	21.63
					36	35	21.78
					75	0	21.61





Band	Band Width	Channel	Frog (MH=)	Modulation	RB Cor	figuration	Average Power
Danu	Danu Wiuin	Charmer	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	23.08
					1	24	22.98
					1	49	22.78
				QPSK	25	0	23.22
					25	12	22.96
		L			25	24	22.82
		_	1715.0		50	0	22.83
			1715.0		1	0	21.85
		20000			1	24	22.29
					1	49	22.28
				16-QAM	25	0	21.07
					25	12	21.02
					25	24	21.01
					50	0	21.04
					1	0	23.09
					1	24	23.00
					1	49	22.84
			1732.5	QPSK	25	0	23.21
					25	12	22.81
		М			25	24	22.69
LTE		10MHz 20175			50	0	22.52
	10MHz				1	0	22.12
Band 4					1	24	22.36
					1	49	22.37
					25	0	21.06
					25	12	20.98
					25	24	21.07
					50	0	21.13
					1	0	23.75
					1	24	23.61
					1	49	24.00
				QPSK	25	0	23.90
					25	12	23.89
		н			25	24	23.62
			1750.0		50	0	23.33
		20250	1730.0		1	0	22.46
		20350			1	24	22.80
					1	49	23.17
				16-QAM	25	0	21.54
					25	12	21.61
					25	24	21.76
					50	0	21.70





David	D 100% 101	01 1	- (A411.)	Maria	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	23.05
					1	12	22.98
					1	24	22.79
				QPSK	12	0	23.20
					12	6	22.74
		L			12	11	22.81
		_	1712.5		25	0	22.72
		40075	1712.5		1	0	22.14
		19975			1	12	22.41
					1	24	21.93
				16-QAM	12	0	21.06
					12	6	21.06
					12	11	21.10
					25	0	21.01
					1	0	22.91
					1	12	23.19
					1	24	23.00
			QPSK	12	0	23.18	
				12	6	22.99	
LTE		M 20175	1732.5		12	11	22.98
LIC					25	0	22.77
	5MHz			16-QAM	1	0	21.89
Band 4					1	12	22.13
					1	24	21.68
					12	0	21.16
					12	6	20.95
					12	11	21.00
					25	0	20.95
					1	0	23.72
					1	12	23.44
					1	24	23.57
				QPSK	12	0	23.00
					12	6	22.46
		Н			12	11	23.84
			1752.5		25	0	22.56
	20375	1102.0		1	0	22.63	
		203/3			1	12	23.09
					1	24	22.41
				16-QAM	12	0	21.71
					12	6	21.69
					12	11	21.68
					25	0	21.65





Band	Donal Width	Chamal	From (MILE)	Madulation	RB Con	figuration	Average Power
Danu	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	23.56
					1	7	23.35
					1	14	23.22
				QPSK	8	0	23.23
		L			8	4	23.02
					8	7	23.01
			1711.5		15	0	22.86
		40005	1711.5		1	0	22.15
		19965			1	7	22.04
					1	14	22.47
				16-QAM	8	0	20.95
					8	4	21.07
					8	7	21.05
					15	0	21.08
					1	0	23.21
					1	7	23.14
					1	14	23.34
				QPSK	8	0	22.42
					8	4	22.70
LTE		М			8	7	22.35
LIE			1732.5	16-QAM	15	0	22.40
	3MHz	20175	1732.3		1	0	22.19
Band 4					1	7	22.31
					1	14	22.40
					8	0	21.19
					8	4	21.09
					8	7	20.99
					15	0	21.17
					1	0	23.87
					1	7	23.42
					1	14	23.35
				QPSK	8	0	23.57
					8	4	22.97
		Н			8	7	23.14
			1753.5		15	0	23.30
		20385			1	0	23.01
		20300			1	7	22.86
					1	14	23.09
				16-QAM	8	0	21.56
					8	4	21.60
					8	7	21.87
					15	0	21.70





David	D 1147:141	0	- (A411.)	Maria	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.69
					1	2	22.52
					1	5	22.35
				QPSK	3	0	22.11
					3	1	22.00
		L			3	2	22.21
		_	1710 7		6	0	23.16
		40057	1710.7		1	0	21.92
		19957			1	2	22.27
					1	5	21.92
				16-QAM	3	0	22.34
					3	1	22.13
					3	2	21.93
					6	0	21.01
					1	0	22.74
					1	2	22.56
					1	5	22.44
			QPSK	3	0	22.42	
		M 20175	1732.5	16-QAM	3	1	22.10
LTE					3	2	22.35
LIL	4.48411				6	0	23.20
	1.4MHz				1	0	21.72
Band 4					1	2	22.42
					1	5	21.89
					3	0	22.07
					3	2	22.18
					3	5	22.10
					6	0	21.00
					1	0	23.77
					1	2	23.32
					1	5	23.56
				QPSK	3	0	23.15
					3	1	23.01
		Н			3	2	23.23
			1754.3		6	0	23.87
		20393			1	0	22.56
		20393			1	2	22.74
					1	5	22.52
				16-QAM	3	0	22.82
					3	1	22.75
					3	2	22.70
					6	0	21.71





David	D 1147:141	0	E (MIL)	M 11 c	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.68
					1	49	22.42
					1	99	23.00
				QPSK	50	0	21.99
					50	25	22.31
		L			50	49	22.20
			2540		100	0	22.01
			2510		1	0	21.38
		20850			1	49	21.95
					1	99	21.87
				16-QAM	50	0	20.58
					50	25	20.59
					50	49	20.76
					100	0	20.68
					1	0	23.87
					1	49	23.44
			QPSK	1	99	23.87	
				50	0	23.88	
		M Hz 21100	2535		50	25	23.67
					50	49	23.53
LTE					100	0	22.98
	20MHz			16-QAM	1	0	22.93
Band 7					1	49	22.93
					1	99	23.09
					50	0	21.77
					50	25	21.48
					50	49	21.67
					100	0	21.80
					1	0	24.18
					1	49	23.92
					1	99	23.98
				QPSK	50	0	23.25
					50	25	23.51
		Н			50	49	23.05
			2560		100	0	23.12
		24252	2000		1	0	23.44
		21350			1	49	23.07
					1	99	22.85
				16-QAM	50	0	21.92
					50	25	21.82
					50	49	21.77
					100	0	21.93





Dand	Daniel Milate	01	F (A411-)	Madulatian	RB Cor	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.89
					1	37	22.26
					1	74	22.27
				QPSK	36	0	21.63
					36	18	21.94
		L			36	35	22.21
		_	2507.5		75	0	22.10
			2507.5		1	0	21.86
		20825			1	37	22.12
					1	74	21.85
				16-QAM	36	0	20.43
					36	18	20.60
					36	35	20.67
					75	0	20.56
					1	0	24.17
					1	37	24.13
					1	74	23.98
			QPSK	36	0	23.20	
			2535		36	18	23.40
		M 21100			36	35	22.99
LTE					75	0	22.89
	15MHz				1	0	23.06
Band 7				16-QAM	1	37	22.92
					1	74	22.93
					36	0	21.62
					36	18	21.49
					36	35	21.60
					75	0	21.56
					1	0	23.97
					1	37	23.45
					1	74	23.87
				QPSK	36	0	23.42
					36	18	23.06
		Н			36	35	23.00
			2562.5		75	0	23.04
		040==	2002.5		1	0	22.84
		21375			1	37	22.84
					1	74	22.85
				16-QAM	36	0	21.77
					36	18	21.81
					36	35	21.81
					75	0	21.83





Band	Donal Minish	Channel	From (MILE)	Madulation	RB Cor	figuration	Average Power
Danu	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.76
					1	24	22.43
					1	49	22.13
				QPSK	25	0	22.72
					25	12	22.65
		L			25	24	22.22
		_	2505		50	0	21.97
		00000	2505		1	0	21.06
		20800			1	24	21.74
					1	49	21.82
				16-QAM	25	0	20.42
					25	12	20.39
					25	24	20.57
					50	0	20.50
					1	0	23.89
					1	24	23.82
					1	49	23.58
			2535	QPSK	25	0	22.97
					25	12	23.21
LTE		М			25	24	23.31
LIL	400411	10MHz 21100		16-QAM	50	0	22.99
	10MHZ				1	0	22.63
Band 7					1	24	22.71
					1	49	22.68
					25	0	21.56
					25	12	21.42
					25	24	21.51
					50	0	21.51
					1	0	23.86
					1	24	23.14
					1	49	23.19
				QPSK	25	0	22.98
					25	12	23.23
		Н			25	24	23.18
			2565		50	0	23.30
	21400			1	0	22.68	
		21400			1	24	23.02
					1	49	23.12
				16-QAM	25	0	21.75
					25	12	21.69
					25	24	21.80
					50	0	21.79





Band	Dand Width	Channal	Frog (MUz)	Madulation	RB Cor	figuration	Average Power
Danu	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.29
					1	12	22.25
					1	24	22.27
				QPSK	12	0	21.84
					12	6	21.81
		L			12	11	21.61
			2502 F		25	0	21.34
			2502.5		1	0	21.21
		20775			1	12	21.57
					1	24	21.05
				16-QAM	12	0	20.29
					12	6	20.34
					12	11	20.32
					25	0	20.31
					1	0	23.55
					1	12	23.34
		M 21100			1	24	23.59
			2535	QPSK	12	0	23.58
				16-QAM	12	6	23.35
LTE					12	11	23.43
LIE	5N4LI-				25	0	22.18
	5MHz				1	0	22.53
Band 7		21100			1	12	22.75
					1	24	22.81
					12	0	21.63
					12	6	21.37
					12	11	21.54
					25	0	21.54
					1	0	23.68
					1	12	23.66
					1	24	23.63
				QPSK	12	0	23.03
					12	6	23.23
		Н			12	11	23.20
			2567.5		25	0	23.28
		21425			1	0	22.67
		21420			1	12	22.93
					1	24	22.72
				16-QAM	12	0	21.77
					12	6	21.81
					12	11	21.83
					25	0	21.74





Band	Band Width	Channal	Freq.(MHz)	Modulation	RB Cor	figuration	Average Power
Бапи	Band width	Channel	rieq.(IVII IZ)	iviodulation	RB Size	RB Offset	(dBm)
					1	0	22.22
					1	24	22.21
					1	49	22.22
				QPSK	25	0	21.87
					25	12	21.87
		L			25	24	21.77
		_	704		50	0	21.57
		00000	704		1	0	21.68
		23060			1	24	21.58
					1	49	21.60
				16-QAM	25	0	20.26
					25	12	20.12
					25	24	20.07
					50	0	20.22
					1	0	22.19
		M 23095		QPSK	1	24	21.10
					1	49	22.12
			707.5		25	0	22.29
					25	12	22.36
LTE					25	24	21.99
LIE					50	0	22.09
	10MHz			16-QAM	1	0	21.46
Band 12					1	24	21.59
					1	49	21.02
					25	0	20.20
					25	12	20.06
					25	24	20.04
					50	0	20.12
					1	0	21.97
					1	24	21.56
					1	49	21.84
				QPSK	25	0	21.24
					25	12	21.62
		Н			25	24	21.40
			711		50	0	21.21
		22420	'''		1	0	20.93
		23130			1	24	21.08
					1	49	20.88
				16-QAM	25	0	19.96
					25	12	19.85
					25	24	19.73
					50	0	19.92





Deved	D 1345 141		E (MIL)	Marie	RB Con	figuration	Average Power
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.27
					1	12	21.85
					1	24	21.99
				QPSK	12	0	21.85
					12	6	21.64
		L			12	11	21.52
			701.5		25	0	21.63
		23035	701.5		1	0	21.37
		23035			1	12	21.89
					1	24	21.15
				16-QAM	12	0	20.41
					12	6	20.15
					12	11	20.24
					25	0	20.29
				QPSK	1	0	22.10
		M 23095			1	12	22.11
					1	24	21.79
	5MHz		707.5		12	0	22.22
					12	6	22.11
LTE					12	11	21.97
					25	0	22.01
D 140				16-QAM	1	0	21.10
Band 12					1	12	21.27
					1	24	21.09
					12	0	20.18
					12	6	20.09
					12	11	20.08
					25	0	20.04
					1	0	21.62
					1	12	21.35
					1	24	21.25
				QPSK	12	0	21.62
					12	6	21.44
		Н			12	11	21.49
			713.5		25	0	21.14
		23155			1	0	20.74
		23100			1	12	21.22
					1	24	20.32
				16-QAM	12	0	19.84
					12	6	19.67
					12	11	19.47
					25	0	19.60





Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Cor	figuration	Average Power
Danu	Dana widin	Channel	1 16q.(IVII 12)	Wodulation	RB Size	RB Offset	(dBm)
					1	0	23.50
					1	7	23.21
					1	14	23.48
				QPSK	8	0	22.96
					8	4	22.79
		L			8	7	22.65
		_	700.5		15	0	22.30
		00005	700.5		1	0	21.92
		23025			1	7	21.73
					1	14	21.55
				16-QAM	8	0	20.45
					8	4	20.35
					8	7	20.46
					15	0	20.26
				QPSK	1	0	22.58
		M 23095			1	7	22.32
					1	14	22.15
	3MHz		707.5		8	0	22.10
					8	4	21.98
LTE					8	7	21.98
LIL					15	0	21.86
				16-QAM	1	0	21.44
Band 12					1	7	21.36
					1	14	21.46
					8	0	20.10
					8	4	20.18
					8	7	19.94
					15	0	20.14
					1	0	22.36
					1	7	22.49
					1	14	22.32
				QPSK	8	0	21.90
					8	4	21.87
		Н			8	7	21.76
			714.5		15	0	21.46
		23165			1	0	20.95
		23100			1	7	20.45
					1	14	20.55
				16-QAM	8	0	19.45
					8	4	19.28
					8	7	19.30
					15	0	19.58





Band	Donal Width	Channal	From (MILE)	Modulation	RB Con	figuration	Average Power
Бапи	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.11
					1	2	22.11
					1	5	22.29
				QPSK	3	0	21.90
					3	1	21.67
		L			3	2	21.34
		_	699.7		6	0	21.54
		00047	099.7		1	0	21.10
		23017			1	2	21.97
					1	5	21.25
				16-QAM	3	0	21.54
					3	1	21.80
					3	2	21.46
					6	0	20.31
				QPSK	1	0	21.74
		M 23095			1	2	21.62
					1	5	21.38
			707.5		3	0	21.21
					3	1	21.06
LTE					3	2	20.95
LIE					6	0	22.14
	1.4MHz			16-QAM	1	0	21.08
Band 12					1	2	21.47
					1	5	21.01
					3	0	21.50
					3	2	21.22
					3	5	21.08
					6	0	20.11
					1	0	21.22
					1	2	21.45
					1	5	21.60
				QPSK	3	0	21.01
					3	1	20.80
		Н			3	2	20.83
			715.3		6	0	20.66
		23173			1	0	20.35
		231/3			1	2	20.74
					1	5	20.10
				16-QAM	3	0	20.56
					3	1	20.62
					3	2	20.49
					6	0	19.49





Band	Band Width	Channal	Freq.(MHz)	Modulation	RB Cor	figuration	Average Power
Danu	Dana wiain	Channel	1 16q.(IVII 12)	iviodulation	RB Size	RB Offset	(dBm)
					1	0	22.26
					1	24	22.14
					1	49	22.01
				QPSK	25	0	22.40
					25	12	22.22
		L			25	24	22.19
		_	709		50	0	21.89
		00700	709		1	0	21.50
		23780			1	24	21.37
					1	49	21.36
				16-QAM	25	0	20.28
					25	12	20.27
					25	24	20.12
					50	0	20.19
				QPSK	1	0	22.26
		M 23790			1	24	22.32
					1	49	22.44
			710		25	0	22.38
					25	12	22.13
LTE					25	24	21.99
LTE					50	0	21.99
	10MHz			16-QAM	1	0	21.20
Band 17					1	24	21.58
					1	49	21.28
					25	0	20.33
					25	12	20.13
					25	24	19.94
					50	0	20.15
					1	0	21.98
					1	24	21.47
					1	49	21.91
				QPSK	25	0	21.93
					25	12	21.65
		Н			25	24	21.89
			711		50	0	21.58
		00000	'11		1	0	21.41
		23800			1	24	21.24
					1	49	20.93
				16-QAM	25	0	20.10
					25	12	19.97
					25	24	19.80
					50	0	19.95





Band	Donal Minth	Chamal	From (MILE)	Modulation	RB Cor	figuration	Average Power
Бапи	Band Width	Channel	Freq.(MHz)	Modulation	RB Size	RB Offset	(dBm)
					1	0	22.16
					1	12	22.10
					1	24	22.14
				QPSK	12	0	22.32
					12	6	21.90
		L			12	11	21.95
		_	706.5		25	0	21.92
			700.5		1	0	21.01
		23755			1	12	21.50
					1	24	21.00
				16-QAM	12	0	20.37
					12	6	20.27
					12	11	20.24
					25	0	20.24
				QPSK	1	0	22.16
		M 23790	710		1	12	22.06
					1	24	22.20
					12	0	22.28
					12	6	22.21
LTE					12	11	21.94
LIE					25	0	21.92
	5MHz			16-QAM	1	0	21.34
Band 17					1	12	21.58
					1	24	21.23
					12	0	20.34
					12	6	20.07
					12	11	20.17
					25	0	20.07
					1	0	21.69
					1	12	21.53
					1	24	21.40
				QPSK	12	0	21.59
					12	6	21.36
		Н			12	11	21.28
			713.5		25	0	21.30
		23825			1	0	20.95
		23020			1	12	20.87
					1	24	20.54
				16-QAM	12	0	19.83
					12	6	19.72
					12	11	19.51
					25	0	19.72






2.2. Occupied Bandwidth

2.2.1. Requirement

According to FCC section 2.1049, the occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission. Occupied bandwidth is also known as the 99% emission bandwidth.

2.2.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 500hm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.2.3. Test procedure

KDB 971168 D01v03 Section 4.1 and ANSI/TIA-603-E-2016.

2.2.4. Test Result

LTE Band 2, BW: 1.4MHz								
	Fraguenay	QP	SK	16QAM				
Channel	hannel Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth			
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)			
18607	1850.7	1.1006	1.283	1.0949	1.260			
18900	1880.0	1.0976	1.273	1.1012	1.283			
19192	1909.2	1.1010	1.287	1.0962	1.258			






LTE Band 2, BW: 3MHz								
LIE Band	a 2, BW: 3WF		Ol	400	\			
	Frequency	QP	I		QAM			
Channel	(MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth			
	, ,	(MHz)	(MHz)	(MHz)	(MHz)			
18615	1851.5	2.7149	2.973	2.7067	2.990			
18900	1880.0	2.7072	2.984	2.7131	2.994			
19184	1908.4	2.7081	2.977	2.7037	2.974			
LTE Band	d 2, BW: 5MI	łz						
	Eroguenav	QP	SK	160	QAM			
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth			
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)			
18625	1852.5	4.5322	5.088	4.5336	5.065			
18900	1880.0	4.5348	5.046	4.5330	5.083			
19175	1907.5	4.4760	4.870	4.4676	4.888			
LTE Band	d 2, BW: 10N	lHz	I		l			
		QP	SK	16QAM				
Channel	Frequency (MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth			
		(MHz)	(MHz)	(MHz)	(MHz)			
18650	1855.0	8.9822	9.955	8.9948	9.937			
18900	1880.0	9.0175	10.93	9.0089	9.852			
19150	1905.0	8.9988	9.991	8.9851	9.974			
	d 2, BW: 15N				<u> </u>			
		QP	SK	16QAM				
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth			
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)			
18675	1857.5	13.488	15.06	13.488	14.42			
18900	1880.0	13.524	14.96	13.519	14.90			
19125	1902.5	13.483	15.03	13.497	14.96			
	l .		10.00	10.407	14.50			
LTE Band 2, BW: 20MHz _ QPSK 16QAM								
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth			
Chame	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)			
18700	1860.0	, ,	` '	` ,	` ,			
		17.997	19.63	18.054	19.95			
18900	1880.0	18.041	21.39	18.100	22.37			
19100	1900.0	17.992	19.70	17.951	19.52			



LTE Band 2 99%&26dB Bandwidth 1.4MHz/QPSK/Low CH 1.4MHz/16QAM/Low CH Radio Std: None Frequency Center Freq: 1.850700000 GHz Trig: Free Run AvgiHold>10/10 Center Freq: 1.850700000 GHz Trig: Free Run Avg|Hold>10/10 Radio Device: BTS Ref 30.00 dBm Center Freq 1.850700000 GHz Center Freq Center 1.851 GHz #Res BW 30 kHz Center 1.851 GHz #Res BW 30 kHz Span 3 MHz Sweep 3.2 ms CF Step 300,000 kHz Man CF Step #VBW 91 kHz #VBW 91 kHz Occupied Bandwidth Occupied Bandwidth 1.1006 MHz 1.0949 MHz Freq Offse Freq Offse Transmit Freq Error 2.079 kHz **OBW Power** 99.00 % Transmit Freq Error -879 Hz OBW Power 99.00 % 1.283 MHz -26.00 dB x dB Bandwidth 1.260 MHz -26.00 dB 1.4MHz/QPSK/Mid CH 1.4MHz/16QAM/Mid CH Ref 30.00 dBm Ref 30.00 dBm Center Freq Center Freq CF Ster Center 1.88 GHz #Res BW 30 kHz Center 1.88 GHz #Res BW 30 kHz Span 3 MHz weep 3.2 ms CF Step Occupied Bandwidth 27.7 dBm Occupied Bandwidth 27.1 dBm 1.0976 MHz 1.1012 MHz Freq Offse Freq Offse Transmit Freq Error -2.511 kHz OBW Power 99.00 % Transmit Freq Error -2.488 kHz OBW Power 99.00 % x dB Bandwidth 1.273 MHz -26.00 dB x dB Bandwidth 1.283 MHz x dB -26.00 dB













































LTE Band	d 4, BW: 1.4ľ	MHz			
	_	QPSK		16QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
19957	1710.7	1.1349	2.076	1.1143	2.128
20175	1732.5	1.0967	1.270	1.1032	1.282
20392	1754.2	1.1178	1.639	1.1090	1.674
LTE Band	d 4, BW: 3MI	Нz			
	_	QPSK		16QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
19965	1711.5	2.7429	4.325	2.7283	4.589
20175	1732.5	2.7103	2.989	2.7179	2.991
20384	1753.4	2.7302	4.013	2.7227	3.692
LTE Band	d 4, BW: 5MI	Hz			1
	F	QPSK		16QAM	
Channel	Frequency (MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
19975	1712.5	4.5655	8.284	4.5727	7.004
20175	1732.5	4.5371	5.060	4.5335	5.088
20375	1752.5	4.5525	5.600	4.5767	6.295
LTE Band	d 4, BW: 10N	1Hz			
	Frequency (MHz)	QPSK		16QAM	
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
20000	1715.0	9.0436	14.70	9.0596	14.56
20175	1732.5	9.0082	10.02	9.0059	9.949
20350	1750.0	9.1072	16.82	9.0643	16.06
LTE Band	d 4, BW: 15N	1Hz			
Channel	Frequency (MHz)	QPSK		16QAM	
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
20025	1717.5	13.550	20.86	13.619	22.56
20175	1732.5	13.539	14.89	13.518	14.88
20325	1747.5	13.600	23.52	13.586	23.68




LTE Band 4, BW: 20MHz						
Channel	Frequency (MHz)	QPSK		16QAM		
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
20050	1720.0	17.980	19.60	17.995	19.76	
20175	1732.5	18.038	19.60	18.086	19.67	
20300	1745.0	17.969	19.57	17.965	19.64	

LTE Band 4 99%&26dB Bandwidth 1.4MHz/QPSK/Low CH 1.4MHz/16QAM/Low CH Center Freq: 1,710700000 GHz Trig: Free Run Avg|Hold>10/10 #Atten: 10 dB Radio Device: BTS Ref 30.00 dBm Ref 30.00 dBm Center Freq 1.710700000 GHz Center Freq Span 2.8 MHz Sweep 3 ms Span 2.8 MH Sweep 3 m #VBW 91 kHz #VBW 91 kHz 25.8 dBm 24.5 dBm 1.1349 MHz 1.1143 MHz Freq Offse 1.949 kHz 1.410 kHz 99.00 % **OBW Power** 99.00 % Transmit Freg Error **OBW Power** Transmit Free Error 2.076 MHz 2.128 MHz x dB Bandwidth x dB -26.00 dB x dB Bandwidth x dB -26.00 dB 1.4MHz/QPSK/Mid CH 1.4MHz/16QAM/Mid CH Center Freg 1.732500000 GHz Center Freg 1.732500000 GHz Ref 30.00 dBm Ref 30.00 dBm Center Freq Center Freq Span 2.8 MHz Sweep 3 ms Span 2.8 MHz Sweep 3 ms #VBW 91 kHz **#VBW 91 kHz** 24.5 dBm 25.4 dBm Total Power Total Power 1.0967 MHz 1.1032 MHz Freq Offse -1.271 kHz **OBW Power** 99.00 % -1.707 kHz OBW Power 99.00 % Transmit Freq Error Transmit Freq Error 1.270 MHz 1.282 MHz -26.00 dB x dB -26.00 dB x dB Bandwidth x dB











































ITF Band	d 7, BW: 5M				
LIE Bank	Frequency (MHz)	QPSK		16QAM	
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
20775	2502.5	4.5354	5.110	4.5241	5.048
21100	2535.0	4.5367	5.055	4.5311	5.094
21425	2567.5	4.5289	5.065	4.5428	5.100
LTE Band	7, BW: 10N	1Hz			
Channel	Frequency (MHz)	QPSK		16QAM	
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
20800	2505.0	9.0003	9.925	9.0047	9.955
21100	2535.0	9.0129	10.06	9.0061	9.906
21400	2565.0	9.0118	9.997	9.0006	9.976
LTE Band	7, BW: 15N	lHz			
	Frequency (MHz)	QPSK		16QAM	
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
20825	2507.5	13.450	14.88	13.515	14.87
21100	2535.0	13.536	14.98	13.521	14.90
21375	2562.5	13.541	15.03	13.545	14.91
LTE Band	7, BW: 20N	lHz			
Channel	Frequency (MHz)	QPSK		16QAM	
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth
		(MHz)	(MHz)	(MHz)	(MHz)
20850	2510.0	17.968	19.58	17.976	19.66
21100	2535.0	17.989	19.54	18.061	19.72
21350	2560.0	18.023	19.67	17.992	19.62




LTE Band 7 99%&26dB Bandwidth 5MHz/QPSK/Low CH 5MHz/16QAM/Low CH Center Freq: 2.502500000 GHz Trig: Free Run Avg|Hold>10/10 Center Freq: 2.502500000 GHz Trig: Free Run Avg|Hold>10/10 Center Freq Center Freq 2,502500000 GHz Span 10 MH: Sweep 1 ms Center 2.503 GHz Res BW 100 kHz enter 2.503 GHz Res BW 100 kHz Span 10 MHz Sweep 1 ms CF Step 1.000000 MHz CF Step 1.000000 MH #VBW 300 kHz #VBW 300 kHz Occupied Bandwidth Occupied Bandwidth 4.5354 MHz 4.5241 MHz Freq Offse Freq Offse Transmit Freq Error 6.384 kHz **OBW Power** 99.00 % Transmit Freq Error 3.914 kHz OBW Power 99.00 % 5.110 MHz -26.00 dB 5.048 MHz -26.00 dB 5MHz/QPSK/Mid CH 5MHz/16QAM/Mid CH Radio Std: None Center Freq: 2.5350 Trig: Free Run Ref 30,00 dBm Center Freq Center Freq CF Step. 1.000000 MHz Man Center 2.535 GHz #Res BW 100 kHz Span 10 MHz Sweep 1 ms Center 2.535 GHz #Res BW 100 kHz Span 10 MH: Sweep 1 ms CF Step Occupied Bandwidth 23.8 dBm 23.0 dBm Occupied Bandwidth 4.5367 MHz 4.5311 MHz Freq Offse Freq Offse Transmit Freq Error 6.788 kHz **OBW Power** 99.00 % Transmit Freq Error 6.847 kHz OBW Power 99.00 % y dB Randwidth 5.055 MHz x dB -26.00 dB x dB Bandwidth 5.094 MHz x dB -26.00 dB





























LTE Band	d 12, BW: 1.4	1MHz				
Dank	Frequency (MHz)	QPSK		16QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23017	699.7	1.0976	1.275	1.1051	1.286	
23095	707.5	1.0994	1.280	1.0971	1.259	
23173	715.3	1.0983	1.267	1.1034	1.285	
LTE Band	d 12, BW: 3N	1Hz				
	Frequency (MHz)	QPSK		16QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23025	700.5	2.7163	2.972	2.7054	2.990	
23095	707.5	2.7079	2.987	2.7147	2.996	
23165	714.5	2.7110	2.976	2.7031	2.985	
LTE Band 12, BW: 5MHz						
	Frequency (MHz)	QPSK		16QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23035	701.5	4.5296	5.118	4.5267	5.014	
23095	707.5	4.5412	5.045	4.5350	5.080	
23165	714.5	4.5184	5.037	4.5344	5.077	
LTE Band	d 12, BW: 10	MHz				
Channel	Frequency (MHz)	QPSK		16QAM		
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23060	704.0	8.9582	9.883	8.9737	9.955	
23095	707.5	9.0414	10.06	9.0311	9.912	
23130	711.0	9.0128	10.03	9.0076	10.04	



LTE Band 12 99%&26dB Bandwidth 1.4MHz/QPSK/Low CH 1.4MHz/16QAM/Low CH Ref 30.00 dBm Ref 30.00 dBm Center Freq Center Freq CF Step Occupied Bandwidth Occupied Bandwidth 1.0976 MHz 1.1051 MHz Freq Offse Freq Offse Transmit Freq Error -548 Hz **OBW Power** 99.00 % Transmit Freq Error -1.110 kHz **OBW Power** 99.00 % y dB Randwidth 1.275 MHz x dB -26.00 dB y dB Bandwidth 1.286 MHz x dB -26.00 dB 1.4MHz/QPSK/Mid CH 1.4MHz/16QAM/Mid CH Radio Device: BTS Ref 30.00 dBm Ref 30.00 dBm Center Freq 707.500000 MHz Center Freq 707.500000 MHz enter 707.5 MHz Span 3 MH. weep 3.2 m enter 707.5 MHz Res BW 30 kHz Span 3 MH Sweep 3.2 m CF Step CF Step Total Power 28 6 dBm 1.0994 MHz 1.0971 MHz Transmit Freq Error 528 Hz **ORW Power** 99.00 % Transmit Freg Error 75 Hz ORW Power 99.00 % 1.259 MHz x dB Bandwidth 1.280 MHz x dB -26.00 dB x dB Bandwidth x dB -26.00 dB

































LTE Band 17, BW: 5MHz						
Channel	Frequency (MHz)	QPSK		16QAM		
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23755	706.5	4.5368	5.087	4.5337	5.069	
23790	710.0	4.5374	5.055	4.5423	5.101	
23825	713.5	4.5210	5.044	4.5363	5.079	
LTE Band 17, BW: 10MHz						
Channel	Frequency (MHz)	QPSK		16QAM		
		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23780	709.0	9.0177	10.01	9.0362	9.945	
23790	710.0	9.0337	10.02	9.0298	9.985	
23800	711.0	9.0136	10.00	9.0079	10.02	






Tel: 86-755-36698555

Http://www.morlab.cn
















2.3. Frequency Stability

2.3.1. Requirement

According to FCC section 2.1055 & 27.54&24.235, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. According to FCC section 2.1055, the test conditions are:

- (a) The temperature is varied from -30°C to +50°C at intervals of not more than 10°C.
- (b) For hand carried battery powered equipment, the primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacture. The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

2.3.2. Test Description



The EUT which is powered by the DC Power Supply directly, is located in the Temperature Chamber. The EUT is commanded by the System Simulator (SS) to operate at the maximum output power. A call is established between the EUT and the SS via a Common Antenna.

2.3.3. Test procedure

KDB 971168 D01v03 Section 9.0 and ANSI/TIA-603-E-2016.

2.3.4. Test Result

The nominal, highest and lowest extreme voltages are separately 3.8VDC, 4.35VDC and 3.6VDC, which are specified by the applicant; the normal temperature here used is 20°C. The frequency deviation limit is ±2.5ppm.