


#### **Annex C. LTE Transmitter Spurious Emissions**



#### 1. LTE\_Band26

## 1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2985
30	805	0.1	RMS	796.999	-56.87	-13	Pass	7750
805	860	0.1	RMS	824.25	21.39	60	Pass	601
860	1000	0.1	RMS	998.299	-57.51	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.46	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.24	-13	Pass	7000





# 1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.45	-13	Pass	2985
30	805	0.1	RMS	793.298	-56.81	-13	Pass	7750
805	860	0.1	RMS	825.167	21.29	60	Pass	601
860	1000	0.1	RMS	996.197	-57.56	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.48	-13	Pass	2000
3000	10000	1	RMS	6303.472	-51.23	-13	Pass	7000
30-								





## 1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.08	-13	Pass	2985
30	805	0.1	RMS	796.699	-57	-13	Pass	7750
805	860	0.1	RMS	824.25	20.35	60	Pass	601
860	1000	0.1	RMS	894.525	-57.66	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.45	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.23	-13	Pass	7000
30- 25- 20- 15-								





## 1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.39	-13	Pass	2985
30	805	0.1	RMS	796.199	-56.82	-13	Pass	7750
805	860	0.1	RMS	825.167	20.26	60	Pass	601
860	1000	0.1	RMS	893.724	-57.59	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.42	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.24	-13	Pass	7000
30-								





# 1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.1	-13	Pass	2985
30	805	0.1	RMS	779.397	-56.96	-13	Pass	7750
805	860	0.1	RMS	847.808	20.84	60	Pass	601
860	1000	0.1	RMS	896.626	-57.52	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.4	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.21	-13	Pass	7000





# 1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.61	-13	Pass	2985
30	805	0.1	RMS	801.9	-56.69	-13	Pass	7750
805	860	0.1	RMS	848.725	21.24	60	Pass	601
860	1000	0.1	RMS	899.728	-57.53	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.42	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.19	-13	Pass	7000





## 1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.66	-13	Pass	2985
30	805	0.1	RMS	804.4	-56.9	-13	Pass	7750
805	860	0.1	RMS	847.808	19.89	60	Pass	601
860	1000	0.1	RMS	904.432	-57.62	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.46	-13	Pass	2000
3000	10000	1	RMS	6304.472	-51.24	-13	Pass	7000





## 1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.8	-13	Pass	2985
30	805	0.1	RMS	792.498	-57.05	-13	Pass	7750
805	860	0.1	RMS	848.725	20.28	60	Pass	601
860	1000	0.1	RMS	897.927	-57.71	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.44	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51.25	-13	Pass	7000
30-								





# 1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.18	-13	Pass	2985
30	805	0.1	RMS	795.599	-56.97	-13	Pass	7750
805	860	0.1	RMS	824.25	21.4	60	Pass	601
860	1000	0.1	RMS	997.398	-57.56	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.44	-13	Pass	2000
3000	10000	1	RMS	6296.471	-51.23	-13	Pass	7000





## 1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.65	-13	Pass	2985
30	805	0.1	RMS	790.198	-56.86	-13	Pass	7750
805	860	0.1	RMS	826.725	20.93	60	Pass	601
860	1000	0.1	RMS	996.798	-57.64	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.42	-13	Pass	2000
3000	10000	1	RMS	6314.473	-51.19	-13	Pass	7000
30-								





## 1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.54	-13	Pass	2985
30	805	0.1	RMS	802.1	-57.03	-13	Pass	7750
805	860	0.1	RMS	824.25	20.57	60	Pass	601
860	1000	0.1	RMS	893.624	-57.54	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.45	-13	Pass	2000
3000	10000	1	RMS	6297.471	-51.22	-13	Pass	7000
30-								





# 1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	805	0.1	RMS	797.999	-56.74	-13	Pass	7750
805	860	0.1	RMS	826.725	20.21	60	Pass	601
860	1000	0.1	RMS	897.527	-57.56	-13	Pass	1400
1000	3000	1	RMS	2652.826	-39.46	-13	Pass	2000
3000	10000	1	RMS	6297.471	-51.18	-13	Pass	7000





## 1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2985
30	805	0.1	RMS	801.3	-57.02	-13	Pass	7750
805	860	0.1	RMS	846.25	21.47	60	Pass	601
860	1000	0.1	RMS	899.728	-57.69	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.58	-13	Pass	2000
3000	10000	1	RMS	6310.473	-51.25	-13	Pass	7000
30-								





# 1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.4	-13	Pass	2985
30	805	0.1	RMS	798.799	-57	-13	Pass	7750
805	860	0.1	RMS	848.725	21.11	60	Pass	601
860	1000	0.1	RMS	924.746	-57.76	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.6	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.16	-13	Pass	7000





## 1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.05	-13	Pass	2985
30	805	0.1	RMS	790.798	-57.12	-13	Pass	7750
805	860	0.1	RMS	846.25	20.48	60	Pass	601
860	1000	0.1	RMS	997.798	-57.71	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.58	-13	Pass	2000
3000	10000	1	RMS	6303.472	-51.21	-13	Pass	7000
30-								





## 1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.38	-13	Pass	2985
30	805	0.1	RMS	804.5	-56.89	-13	Pass	7750
805	860	0.1	RMS	848.725	20.14	60	Pass	601
860	1000	0.1	RMS	893.624	-57.71	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.63	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.25	-13	Pass	7000
30- 25-								





## 1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.2	-13	Pass	2985
30	805	0.1	RMS	795.399	-57.04	-13	Pass	7750
805	860	0.1	RMS	824.342	21.32	60	Pass	601
860	1000	0.1	RMS	900.029	-57.69	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.61	-13	Pass	2000
3000	10000	1	RMS	6294.471	-51.21	-13	Pass	7000





## 1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.68	-13	Pass	2985
30	805	0.1	RMS	794.899	-57.09	-13	Pass	7750
805	860	0.1	RMS	828.65	21.31	60	Pass	601
860	1000	0.1	RMS	994.896	-57.67	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.58	-13	Pass	2000
3000	10000	1	RMS	6315.474	-51.24	-13	Pass	7000
30-								





## 1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2985
30	805	0.1	RMS	801.6	-57	-13	Pass	7750
805	860	0.1	RMS	824.342	20.56	60	Pass	601
860	1000	0.1	RMS	997.498	-57.63	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.59	-13	Pass	2000
3000	10000	1	RMS	6311.473	-51.22	-13	Pass	7000
30-								





## 1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.57	-13	Pass	2985
30	805	0.1	RMS	790.798	-57.09	-13	Pass	7750
805	860	0.1	RMS	828.65	20.61	60	Pass	601
860	1000	0.1	RMS	905.633	-57.67	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.62	-13	Pass	2000
3000	10000	1	RMS	6296.471	-51.22	-13	Pass	7000
30 - 25 - 20 -								





## 1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.07	-13	Pass	2985
30	805	0.1	RMS	790.598	-57.07	-13	Pass	7750
805	860	0.1	RMS	844.325	21.39	60	Pass	601
860	1000	0.1	RMS	900.129	-57.6	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.58	-13	Pass	2000
3000	10000	1	RMS	6304.472	-51.21	-13	Pass	7000





# 1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.36	-13	Pass	2985
30	805	0.1	RMS	794.299	-56.94	-13	Pass	7750
805	860	0.1	RMS	848.633	21.25	60	Pass	601
860	1000	0.1	RMS	886.419	-57.69	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.6	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.2	-13	Pass	7000





## 1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2985
30	805	0.1	RMS	796.099	-57	-13	Pass	7750
805	860	0.1	RMS	844.325	20.63	60	Pass	601
860	1000	0.1	RMS	904.332	-57.69	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.61	-13	Pass	2000
3000	10000	1	RMS	6297.471	-51.22	-13	Pass	7000
30 - 25 -								





## 1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.4	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.61	-13	Pass	2985
30	805	0.1	RMS	799.799	-57.02	-13	Pass	7750
805	860	0.1	RMS	848.633	20.38	60	Pass	601
860	1000	0.1	RMS	902.43	-57.63	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.65	-13	Pass	2000
3000	10000	1	RMS	6300.471	-51.23	-13	Pass	7000
30- 25-								





## 1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2985
30	805	0.1	RMS	804.5	-57.06	-13	Pass	7750
805	860	0.1	RMS	824.617	21.13	60	Pass	601
860	1000	0.1	RMS	982.988	-57.71	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.6	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.24	-13	Pass	7000
30 - 25 -								





## 1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53	-13	Pass	2985
30	805	0.1	RMS	804.2	-57.03	-13	Pass	7750
805	860	0.1	RMS	833.417	21.31	60	Pass	601
860	1000	0.1	RMS	993.395	-57.68	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.6	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.21	-13	Pass	7000
30-								





## 1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2985
30	805	0.1	RMS	805	-57.02	-13	Pass	7750
805	860	0.1	RMS	824.617	20.56	60	Pass	601
860	1000	0.1	RMS	997.999	-57.64	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.61	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.19	-13	Pass	7000
30-								





## 1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.5	-13	Pass	2985
30	805	0.1	RMS	803.2	-56.93	-13	Pass	7750
805	860	0.1	RMS	833.417	20.63	60	Pass	601
860	1000	0.1	RMS	992.695	-57.66	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.59	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.22	-13	Pass	7000
30-								





**END**