



1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.02	13	Pass



1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.01	13	Pass



Average Power
22.23 dBm
47.84 % at 0dB

10.0 %	2.63 dB
1.0 %	4.28 dB
0.1 %	5.01 dB
0.01 %	5.37 dB
0.001 %	5.63 dB
0.0001 %	5.77 dB
Peak	5.79 dB
	28.02 dBm

Center Freq 2.507500000 GHz Center Freq: 2.507500000 GHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Gaussian

100 %
10 %
1 %
0.1 %
0.01 %
0.001 %
0.0001 %


0 dB 20 dB

Info BW 15.000 MHz

Frequency
Center Freq 2.507500000 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz


1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.17	13	Pass




1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.09	13	Pass




1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.28	13	Pass



1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.26	13	Pass



Average Power	
23.35 dBm	
44.74 % at 0dB	
10.0 %	3.02 dB
1.0 %	4.17 dB
0.1 %	4.26 dB
0.01 %	4.32 dB
0.001 %	4.36 dB
0.0001 %	4.40 dB
Peak	4.48 dB
27.83 dBm	


Center Freq
2.507500000 GHz

CF Step
5.000000 MHz

Freq Offset
0 Hz


1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.26	13	Pass



1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	3.8	13	Pass



The screenshot shows the Keysight Spectrum Analyzer interface for a Power Stat CCDF test. The main window displays a Gaussian probability distribution curve on a log-linear scale. The x-axis represents power in dB (from 0 dB to 20 dB) and the y-axis represents percentage (from 0.0001 % to 100 %). A yellow step function indicates the measured power distribution, which closely follows the Gaussian curve. The plot title is "Gaussian". The "Info BW" is listed as 15.000 MHz.

Average Power
23.96 dBm
46.64 % at 0dB


10.0 %	2.89 dB
1.0 %	3.74 dB
0.1 %	3.80 dB
0.01 %	3.84 dB
0.001 %	3.87 dB
0.0001 %	3.89 dB
Peak	3.99 dB
	27.95 dBm

Center Freq: 2.507500000 GHz
Radio Std: None
Trig: Free Run
Counts: 1.00 M/1.00 Mpt
#IFGain:Low
#Atten: 40 dB

Frequency
Center Freq: 2.507500000 GHz
CF Step: 5.000000 MHz
Auto Man
Freq Offset: 0 Hz


1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.14	13	Pass



1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.8	13	Pass



Average Power
21.57 dBm
41.46 % at 0dB

10.0 %	3.23 dB
1.0 %	5.20 dB
0.1 %	5.80 dB
0.01 %	5.96 dB
0.001 %	6.08 dB
0.0001 %	6.13 dB
Peak	6.13 dB
	27.70 dBm

0 dB 20 dB
Info BW 15.000 MHz


Center Freq
2.507500000 GHz

CF Step
5.000000 MHz

Freq Offset
0 Hz


1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.85	13	Pass




1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.66	13	Pass




1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.23	13	Pass




1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.05	13	Pass




1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.96	13	Pass




1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.88	13	Pass




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.03	13	Pass




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.12	13	Pass




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.32	13	Pass




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.57	13	Pass




1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.48	13	Pass




1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.17	13	Pass




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.24	13	Pass




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.85	13	Pass



1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.63	13	Pass




Average Power
21.66 dBm
42.02 % at 0 dB

10.0 %	3.17 dB
1.0 %	5.05 dB
0.1 %	5.63 dB
0.01 %	5.76 dB
0.001 %	5.88 dB
0.0001 %	5.94 dB
Peak	5.95 dB
	27.61 dBm

Center Freq 2.535000001 GHz
CF Step 5.000000 MHz
Freq Offset 0 Hz


1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.87	13	Pass




1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.95	13	Pass




1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.17	13	Pass




1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.35	13	Pass




1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.92	13	Pass




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.17	13	Pass




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.12	13	Pass




1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.08	13	Pass




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.29	13	Pass




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.42	13	Pass




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.67	13	Pass




1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.98	13	Pass




1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	6.03	13	Pass




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.66	13	Pass




1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.65	13	Pass




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.71	13	Pass




1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.97	13	Pass




1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.85	13	Pass




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.77	13	Pass




1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.05	13	Pass




1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.07	13	Pass




1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.15	13	Pass




1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.12	13	Pass




1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	3.51	13	Pass




1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	3.35	13	Pass




1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.53	13	Pass




1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.69	13	Pass




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.77	13	Pass




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.7	13	Pass




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5	13	Pass




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.05	13	Pass




1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.73	13	Pass




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.76	13	Pass




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.13	13	Pass




1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.22	13	Pass




1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.3	13	Pass




1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.29	13	Pass




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.47	13	Pass




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.45	13	Pass




1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.05	13	Pass




1.149. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.8	13	Pass




1.150. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.63	13	Pass




1.151. LTE Peak to Average Ratio(NTNV)(Subtest:151, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.95	13	Pass




1.152. LTE Peak to Average Ratio(NTNV)(Subtest:152, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.78	13	Pass




1.153. LTE Peak to Average Ratio(NTNV)(Subtest:153, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.96	13	Pass




1.154. LTE Peak to Average Ratio(NTNV)(Subtest:154, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.23	13	Pass




1.155. LTE Peak to Average Ratio(NTNV)(Subtest:155, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.65	13	Pass




1.156. LTE Peak to Average Ratio(NTNV)(Subtest:156, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.22	13	Pass




1.157. LTE Peak to Average Ratio(NTNV)(Subtest:157, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.2	13	Pass




1.158. LTE Peak to Average Ratio(NTNV)(Subtest:158, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.05	13	Pass




1.159. LTE Peak to Average Ratio(NTNV)(Subtest:159, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	3.46	13	Pass




1.160. LTE Peak to Average Ratio(NTNV)(Subtest:160, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	3.5	13	Pass




1.161. LTE Peak to Average Ratio(NTNV)(Subtest:161, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.07	13	Pass




1.162. LTE Peak to Average Ratio(NTNV)(Subtest:162, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.72	13	Pass




1.163. LTE Peak to Average Ratio(NTNV)(Subtest:163, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.69	13	Pass




1.164. LTE Peak to Average Ratio(NTNV)(Subtest:164, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.51	13	Pass



1.165. LTE Peak to Average Ratio(NTNV)(Subtest:165, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.63	13	Pass



1.166. LTE Peak to Average Ratio(NTNV)(Subtest:166, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.81	13	Pass

