


**1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	7.61	13	Pass



**1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	7.9	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 10:09:45 上午 九月 09, 201

Center Freq 2.650000002 GHz Center Freq: 2.650000002 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power  
**18.73 dBm**  
**29.69 % at 0dB**

10.0 % 5.65 dB  
1.0 % 7.76 dB  
0.1 % 7.90 dB  
0.01 % 7.98 dB  
0.001 % 8.02 dB  
0.0001 % 8.06 dB  
Peak 14.18 dB  
32.91 dBm

Gaussian




0 dB 20 dB  
Info BW 10.000 MHz

Frequency  
Center Freq 2.650000002 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	7.43	13	Pass




**1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	9.43	13	Pass




**1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	9.78	13	Pass




**1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	9.79	13	Pass




**1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	8.91	13	Pass




**1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	8.11	13	Pass




**1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	8.39	13	Pass




**1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	8.46	13	Pass




**1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	8.19	13	Pass



**1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.72	13	Pass



Average Power  
18.44 dBm  
33.00 % at 0dB

10.0 %	5.27 dB
1.0 %	7.45 dB
0.1 %	7.72 dB
0.01 %	7.86 dB
0.001 %	7.94 dB
0.0001 %	8.05 dB
Peak	8.15 dB
	26.59 dBm


Center Freq 2.542500001 GHz  
Center Freq: 2.542500001 GHz Radio Std: None  
Trig: Free Run Counts:1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Frequency  
Center Freq 2.542500001 GHz  
CF Step 5.000000 MHz Man  
Auto  
Freq Offset 0 Hz

MSG STATUS


**1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.71	13	Pass




**1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	8	13	Pass



**1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.52	13	Pass



**Average Power**  
**18.74 dBm**  
**29.15 % at 0dB**

10.0 %	5.81 dB
1.0 %	7.37 dB
0.1 %	7.52 dB
0.01 %	7.58 dB
0.001 %	7.61 dB
0.0001 %	7.63 dB
Peak	16.10 dB 34.84 dBm

**Gaussian**


Center Freq: 2.542500001 GHz  
Radio Std: None  
Trig: Free Run  
Counts: 1.00 M/1.00 Mpt  
#IFGain:Low  
#Atten: 40 dB

Frequency  
Center Freq: 2.542500001 GHz  
CF Step: 5.000000 MHz  
Auto  
Freq Offset: 0 Hz

MSG STATUS


**1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.85	13	Pass




**1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.8	13	Pass




**1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	8.63	13	Pass



**1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	8.23	13	Pass



Average Power  
17.78 dBm  
31.11 % at 0dB

10.0 %	5.54 dB
1.0 %	7.86 dB
0.1 %	8.23 dB
0.01 %	8.40 dB
0.001 %	8.51 dB
0.0001 %	8.56 dB
Peak	8.63 dB
	26.41 dBm


Center Freq 2.542500001 GHz

CF Step 5.000000 MHz

Freq Offset 0 Hz


**1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	9.12	13	Pass




**1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	8.43	13	Pass



**1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.53	13	Pass



Average Power  
**18.83 dBm**  
**28.91 % at 0dB**


10.0 %	6.04 dB
1.0 %	7.39 dB
0.1 %	7.53 dB
0.01 %	7.58 dB
0.001 %	7.62 dB
0.0001 %	7.65 dB
Peak	8.53 dB
	27.36 dBm

Center Freq 2.542500001 GHz      Radio Std: None  
Trig: Free Run      Counts:1.00 M/1.00 Mpt  
#IFGain:Low      #Atten: 40 dB

Frequency  
Center Freq 2.542500001 GHz  
CF Step 5.000000 MHz Man  
Freq Offset 0 Hz


**1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.42	13	Pass



**1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2542.5	0.1	7.72	13	Pass



Average Power  
**18.84 dBm**  
29.57 % at 0dB

10.0 %	5.96 dB
1.0 %	7.57 dB
0.1 %	7.72 dB
0.01 %	7.79 dB
0.001 %	7.82 dB
0.0001 %	7.84 dB
Peak	18.01 dB 36.85 dBm

Center Freq 2.542500001 GHz      Center Freq: 2.542500001 GHz      Radio Std: None  
Trig: Free Run      Counts: 1.00 M/1.00 Mpt  
#IFGain:Low      #Atten: 40 dB

Gaussian


100 %  
10 %  
1 %  
0.1 %  
0.01 %  
0.001 %  
0.0001 %

0 dB      Info BW 15.000 MHz      20 dB

Frequency  
Center Freq 2.542500001 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz


**1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.35	13	Pass




**1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.87	13	Pass



**1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.45	13	Pass



10.0 %	5.32 dB
1.0 %	8.09 dB
0.1 %	8.45 dB
0.01 %	8.57 dB
0.001 %	8.67 dB
0.0001 %	8.79 dB
Peak	16.54 dB
	34.91 dBm


**1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.71	13	Pass




**1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.22	13	Pass




**1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.37	13	Pass




**1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.21	13	Pass




**1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.46	13	Pass




**1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.39	13	Pass




**1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10.05	13	Pass




**1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.11	13	Pass




**1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8	13	Pass




**1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.57	13	Pass




**1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.13	13	Pass




**1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.01	13	Pass



**1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.53	13	Pass



**1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	7.94	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 10:12:38 上午 九月 09, 201

Center Freq 2.647500002 GHz Center Freq: 2.647500002 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 18.56 dBm  
34.15 % at 0dB

10.0 % 5.09 dB  
1.0 % 7.63 dB  
0.1 % 7.94 dB  
0.01 % 8.06 dB  
0.001 % 8.17 dB  
0.0001 % 8.23 dB  
Peak 12.20 dB  
30.76 dBm

Gaussian




0.0001 % 0 dB 20 dB  
Info BW 15.000 MHz

Frequency  
Center Freq 2.647500002 GHz  
CF Step 5.000000 MHz Man  
Freq Offset 0 Hz

MSG STATUS


**1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.31	13	Pass




**1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	7.69	13	Pass




**1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.05	13	Pass




**1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	6.14	13	Pass




**1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.05	13	Pass




**1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	10.11	13	Pass




**1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.2	13	Pass



**1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.51	13	Pass



**1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.46	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF


RL RF 50 Ω AC INT REF ALIGN OFF 10:13:16 上午 九月 09, 201

Center Freq 2.647500002 GHz Center Freq: 2.647500002 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 17.24 dBm  
24.61 % at 0dB

10.0 % 6.12 dB  
1.0 % 9.20 dB  
0.1 % 9.46 dB  
0.01 % 9.54 dB  
0.001 % 9.58 dB  
0.0001 % 9.60 dB  
Peak 14.31 dB  
31.55 dBm

Gaussian




0 dB 20 dB  
Info BW 15.000 MHz

Frequency  
Center Freq 2.647500002 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.13	13	Pass




**1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.29	13	Pass




**1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	7.6	13	Pass




**1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.2	13	Pass




**1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	7.93	13	Pass




**1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	6.52	13	Pass




**1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	5.71	13	Pass




**1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	7.33	13	Pass




**1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	6.49	13	Pass



**1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.53	13	Pass



**1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.32	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 10:14:07 上午 九月 09, 201

Center Freq 2.545000001 GHz Center Freq: 2.545000001 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 17.77 dBm  
31.13 % at 0dB

10.0 % 5.50 dB  
1.0 % 7.83 dB  
0.1 % 8.32 dB  
0.01 % 8.48 dB  
0.001 % 8.57 dB  
0.0001 % 8.63 dB  
Peak 10.11 dB  
27.88 dBm

Gaussian




Frequency  
Center Freq 2.545000001 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS

**1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	7.97	13	Pass



**1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.3	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 10:14:16 上午 九月 09, 201

Center Freq 2.545000001 GHz Center Freq: 2.545000001 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 17.81 dBm  
32.10 % at 0dB

10.0 % 5.41 dB  
1.0 % 7.81 dB  
0.1 % 8.30 dB  
0.01 % 8.47 dB  
0.001 % 8.58 dB  
0.0001 % 8.63 dB  
Peak 8.98 dB  
26.79 dBm

Gaussian



0.0001 % 0 dB 20 dB 0.001 % 0.01 % 0.1 % 1 % 10 % 100 %


Info BW 20.000 MHz

Frequency  
Center Freq 2.545000001 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	7.93	13	Pass




**1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	6.48	13	Pass




**1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.11	13	Pass




**1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.73	13	Pass




**1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.97	13	Pass




**1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.83	13	Pass




**1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.93	13	Pass




**1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.41	13	Pass




**1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.36	13	Pass



**1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.68	13	Pass



**1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.15	13	Pass

