

Annex C. LTE Transmitter Spurious Emissions



1. LTE_Band41 120M

1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-25	Pass	2985
30	1000	0.1	RMS	998.8	-56.09	-25	Pass	9700
1000	2486	1	RMS	2418.955	-41.53	-25	Pass	1486
2486	2700	1	RMS	2535.22	18.9	60	Pass	601
2700	3000	1	RMS	2840	-40.76	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.6	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.6	-25	Pass	15000
25 - 20 - 15 - 10 - 5 - 05 5								





1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.32	-25	Pass	2985
30	1000	0.1	RMS	927.893	-56.12	-25	Pass	9700
1000	2486	1	RMS	2458.982	-41.58	-25	Pass	1486
2486	2700	1	RMS	2539.857	19.06	60	Pass	601
2700	3000	1	RMS	2840	-40.78	-25	Pass	601
3000	12000	1	RMS	11918.991	-48.56	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.61	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5-								





1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.87	-25	Pass	2985
30	1000	0.1	RMS	902.89	-56.04	-25	Pass	9700
1000	2486	1	RMS	2427.961	-41.6	-25	Pass	1486
2486	2700	1	RMS	2535.577	17.46	60	Pass	601
2700	3000	1	RMS	2840	-40.8	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.63	-25	Pass	9000
12000	27000	1	RMS	26450.963	-28.6	-25	Pass	15000
25 - 20 - 15 - 10 - 5 - 0 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -								





1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.26	-25	Pass	2985
30	1000	0.1	RMS	964.896	-55.92	-25	Pass	9700
1000	2486	1	RMS	2422.958	-41.6	-25	Pass	1486
2486	2700	1	RMS	2539.5	17.42	60	Pass	601
2700	3000	1	RMS	2840	-40.77	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.57	-25	Pass	9000
12000	27000	1	RMS	26457.964	-28.58	-25	Pass	15000
25-								





1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.14	-25	Pass	2985
30	1000	0.1	RMS	908.791	-55.97	-25	Pass	9700
1000	2486	1	RMS	2450.976	-41.55	-25	Pass	1486
2486	2700	1	RMS	2593	19.06	60	Pass	601
2700	3000	1	RMS	2839.5	-40.8	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.61	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.55	-25	Pass	15000
25-								





1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.47	-25	Pass	2985
30	1000	0.1	RMS	897.789	-56.03	-25	Pass	9700
1000	2486	1	RMS	2419.956	-41.62	-25	Pass	1486
2486	2700	1	RMS	2596.923	18.8	60	Pass	601
2700	3000	1	RMS	2839.5	-40.8	-25	Pass	601
3000	12000	1	RMS	11925.992	-48.61	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.55	-25	Pass	15000
25-								





1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.3	-25	Pass	2985
30	1000	0.1	RMS	982.398	-56.14	-25	Pass	9700
1000	2486	1	RMS	2451.977	-41.58	-25	Pass	1486
2486	2700	1	RMS	2592.643	18.11	60	Pass	601
2700	3000	1	RMS	2839.5	-40.81	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.61	-25	Pass	9000
12000	27000	1	RMS	26446.963	-28.56	-25	Pass	15000
25- 20- 15-								





1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-25	Pass	2985
30	1000	0.1	RMS	998.8	-56.05	-25	Pass	9700
1000	2486	1	RMS	2419.956	-41.56	-25	Pass	1486
2486	2700	1	RMS	2597.28	17.42	60	Pass	601
2700	3000	1	RMS	2840	-40.8	-25	Pass	601
3000	12000	1	RMS	11921.991	-48.6	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.58	-25	Pass	15000
25-								





1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.53	-25	Pass	2985
30	1000	0.1	RMS	959.796	-56.04	-25	Pass	9700
1000	2486	1	RMS	2453.978	-41.59	-25	Pass	1486
2486	2700	1	RMS	2650.067	18.18	60	Pass	601
2700	3000	1	RMS	2839.5	-40.8	-25	Pass	601
3000	12000	1	RMS	11919.991	-48.56	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.56	-25	Pass	15000
25-								





1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.53	-25	Pass	2985
30	1000	0.1	RMS	977.298	-56.04	-25	Pass	9700
1000	2486	1	RMS	2448.975	-41.59	-25	Pass	1486
2486	2700	1	RMS	2654.703	17.74	60	Pass	601
2700	3000	1	RMS	2840	-40.79	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.6	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.68	-25	Pass	15000
25 - 20 - 15 -								





1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


	·	·		·		,		
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.73	-25	Pass	2985
30	1000	0.1	RMS	992.199	-56.13	-25	Pass	9700
1000	2486	1	RMS	2446.974	-41.61	-25	Pass	1486
2486	2700	1	RMS	2650.423	18.24	60	Pass	601
2700	3000	1	RMS	2839.5	-40.8	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.63	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.57	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5-								





1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.21	-25	Pass	2985
30	1000	0.1	RMS	900.39	-56.1	-25	Pass	9700
1000	2486	1	RMS	2455.98	-41.58	-25	Pass	1486
2486	2700	1	RMS	2654.703	17.62	60	Pass	601
2700	3000	1	RMS	2839.5	-40.74	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.56	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.56	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

						•		
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.33	-25	Pass	2985
30	1000	0.1	RMS	905.59	-56.11	-25	Pass	9700
1000	2486	1	RMS	2420.956	-41.61	-25	Pass	1486
2486	2700	1	RMS	2535.577	18.53	60	Pass	601
2700	3000	1	RMS	2840	-40.78	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.54	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.64	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5-								





1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.43	-25	Pass	2985
30	1000	0.1	RMS	902.69	-56.13	-25	Pass	9700
1000	2486	1	RMS	2456.98	-41.61	-25	Pass	1486
2486	2700	1	RMS	2544.493	18.62	60	Pass	601
2700	3000	1	RMS	2840.5	-40.78	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.6	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.61	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.55	-25	Pass	2985
30	1000	0.1	RMS	892.589	-56.18	-25	Pass	9700
1000	2486	1	RMS	2419.956	-41.59	-25	Pass	1486
2486	2700	1	RMS	2535.577	17.87	60	Pass	601
2700	3000	1	RMS	2840.5	-40.76	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.6	-25	Pass	9000
12000	27000	1	RMS	26455.964	-28.66	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.44	-25	Pass	2985
30	1000	0.1	RMS	997.2	-56.1	-25	Pass	9700
1000	2486	1	RMS	2426.96	-41.59	-25	Pass	1486
2486	2700	1	RMS	2544.493	18.34	60	Pass	601
2700	3000	1	RMS	2839	-40.8	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.61	-25	Pass	9000
12000	27000	1	RMS	26450.963	-28.66	-25	Pass	15000
25- 20- 15- 10- 5-								





1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

	·		•	·		,		
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.71	-25	Pass	2985
30	1000	0.1	RMS	904.39	-56.13	-25	Pass	9700
1000	2486	1	RMS	2419.956	-41.58	-25	Pass	1486
2486	2700	1	RMS	2590.503	19.79	60	Pass	601
2700	3000	1	RMS	2840	-40.78	-25	Pass	601
3000	12000	1	RMS	11920.991	-48.63	-25	Pass	9000
12000	27000	1	RMS	26455.964	-28.62	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.21	-25	Pass	2985
30	1000	0.1	RMS	900.29	-56.14	-25	Pass	9700
1000	2486	1	RMS	2421.957	-41.62	-25	Pass	1486
2486	2700	1	RMS	2599.42	19.01	60	Pass	601
2700	3000	1	RMS	2838	-40.82	-25	Pass	601
3000	12000	1	RMS	11920.991	-48.65	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.6	-25	Pass	15000
25-								





1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.7	-25	Pass	2985
30	1000	0.1	RMS	894.889	-56.07	-25	Pass	9700
1000	2486	1	RMS	2427.961	-41.59	-25	Pass	1486
2486	2700	1	RMS	2590.503	18.43	60	Pass	601
2700	3000	1	RMS	2839.5	-40.78	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.57	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.65	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.91	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-25	Pass	2985
30	1000	0.1	RMS	996.3	-56.04	-25	Pass	9700
1000	2486	1	RMS	2424.959	-41.61	-25	Pass	1486
2486	2700	1	RMS	2599.42	19.27	60	Pass	601
2700	3000	1	RMS	2840	-40.8	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.68	-25	Pass	9000
12000	27000	1	RMS	26448.963	-28.65	-25	Pass	15000
25- 20- 15- 10- 5-								





1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.21	-25	Pass	2985
30	1000	0.1	RMS	970.997	-56.02	-25	Pass	9700
1000	2486	1	RMS	2453.978	-41.6	-25	Pass	1486
2486	2700	1	RMS	2645.787	18.72	60	Pass	601
2700	3000	1	RMS	2839.5	-40.82	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.65	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.66	-25	Pass	15000
25- 20- 15- 10- 5-								





1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

	·		•	·		•	•	
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.44	-25	Pass	2985
30	1000	0.1	RMS	984.998	-56.12	-25	Pass	9700
1000	2486	1	RMS	2465.987	-41.59	-25	Pass	1486
2486	2700	1	RMS	2654.347	18.99	60	Pass	601
2700	3000	1	RMS	2840	-40.81	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.62	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.64	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5-								





1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.53	-25	Pass	2985
30	1000	0.1	RMS	892.989	-56.18	-25	Pass	9700
1000	2486	1	RMS	2423.958	-41.58	-25	Pass	1486
2486	2700	1	RMS	2645.787	17.9	60	Pass	601
2700	3000	1	RMS	2840	-40.84	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.6	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.62	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.89	-25	Pass	2985
30	1000	0.1	RMS	896.889	-55.86	-25	Pass	9700
1000	2486	1	RMS	2458.982	-41.58	-25	Pass	1486
2486	2700	1	RMS	2654.347	17.41	60	Pass	601
2700	3000	1	RMS	2840.5	-40.81	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.63	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.61	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.84	-25	Pass	2985
30	1000	0.1	RMS	877.487	-56.21	-25	Pass	9700
1000	2486	1	RMS	2420.956	-41.61	-25	Pass	1486
2486	2700	1	RMS	2535.933	18.66	60	Pass	601
2700	3000	1	RMS	2840	-40.79	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.6	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.6	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.84	-25	Pass	2985
30	1000	0.1	RMS	902.59	-56.19	-25	Pass	9700
1000	2486	1	RMS	2465.987	-41.6	-25	Pass	1486
2486	2700	1	RMS	2549.13	19.02	60	Pass	601
2700	3000	1	RMS	2839.5	-40.84	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.64	-25	Pass	9000
12000	27000	1	RMS	26463.964	-28.64	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.69	-25	Pass	2985
30	1000	0.1	RMS	898.89	-56.14	-25	Pass	9700
1000	2486	1	RMS	2461.984	-41.59	-25	Pass	1486
2486	2700	1	RMS	2535.933	18.51	60	Pass	601
2700	3000	1	RMS	2839.5	-40.82	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.63	-25	Pass	9000
12000	27000	1	RMS	26455.964	-28.6	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	889.389	-56.2	-25	Pass	9700
1000	2486	1	RMS	2428.962	-41.61	-25	Pass	1486
2486	2700	1	RMS	2549.13	17.52	60	Pass	601
2700	3000	1	RMS	2840	-40.82	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.62	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.65	-25	Pass	15000
25- 20- 15-								





1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.87	-25	Pass	2985
30	1000	0.1	RMS	900.49	-56.12	-25	Pass	9700
1000	2486	1	RMS	2461.984	-41.53	-25	Pass	1486
2486	2700	1	RMS	2588.363	19.84	60	Pass	601
2700	3000	1	RMS	2839	-40.82	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.62	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.62	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

						•		
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.92	-25	Pass	2985
30	1000	0.1	RMS	936.293	-56.11	-25	Pass	9700
1000	2486	1	RMS	2450.976	-41.64	-25	Pass	1486
2486	2700	1	RMS	2601.917	19.21	60	Pass	601
2700	3000	1	RMS	2839	-40.8	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.65	-25	Pass	9000
12000	27000	1	RMS	26459.964	-28.6	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5-								





-20 --25 --30 -

1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.14	-25	Pass	2985
30	1000	0.1	RMS	905.29	-56.04	-25	Pass	9700
1000	2486	1	RMS	2463.985	-41.44	-25	Pass	1486
2486	2700	1	RMS	2588.363	18.92	60	Pass	601
2700	3000	1	RMS	2839.5	-40.85	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.64	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.66	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5- -10-								



1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.18	-25	Pass	2985
30	1000	0.1	RMS	894.389	-56.09	-25	Pass	9700
1000	2486	1	RMS	2464.986	-41.53	-25	Pass	1486
2486	2700	1	RMS	2601.917	18.35	60	Pass	601
2700	3000	1	RMS	2840	-40.83	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.65	-25	Pass	9000
12000	27000	1	RMS	26450.963	-28.63	-25	Pass	15000
25- 20- 15- 10- 5-								





1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


						-		
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.8	-25	Pass	2985
30	1000	0.1	RMS	925.092	-56.12	-25	Pass	9700
1000	2486	1	RMS	2463.985	-41.31	-25	Pass	1486
2486	2700	1	RMS	2640.793	18.37	60	Pass	601
2700	3000	1	RMS	2839.5	-40.83	-25	Pass	601
3000	12000	1	RMS	11918.991	-48.6	-25	Pass	9000
12000	27000	1	RMS	26450.963	-28.61	-25	Pass	15000
25 - 20 - 15 - 10 - 5 - 0 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -								





1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


	·		·	·		•	•	
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.2	-25	Pass	2985
30	1000	0.1	RMS	911.291	-56.18	-25	Pass	9700
1000	2486	1	RMS	2427.961	-41.67	-25	Pass	1486
2486	2700	1	RMS	2653.99	18.21	60	Pass	601
2700	3000	1	RMS	2840	-40.86	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.68	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.58	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.81	-25	Pass	2985
30	1000	0.1	RMS	908.091	-56.03	-25	Pass	9700
1000	2486	1	RMS	2456.98	-41.57	-25	Pass	1486
2486	2700	1	RMS	2640.793	18.36	60	Pass	601
2700	3000	1	RMS	2839.5	-40.85	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.65	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.61	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2985
30	1000	0.1	RMS	896.789	-56.07	-25	Pass	9700
1000	2486	1	RMS	2449.976	-41.62	-25	Pass	1486
2486	2700	1	RMS	2653.99	17.2	60	Pass	601
2700	3000	1	RMS	2840	-40.83	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.64	-25	Pass	9000
12000	27000	1	RMS	26455.964	-28.64	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.29	-25	Pass	2985
30	1000	0.1	RMS	898.69	-56.14	-25	Pass	9700
1000	2486	1	RMS	2449.976	-41.64	-25	Pass	1486
2486	2700	1	RMS	2536.29	18.52	60	Pass	601
2700	3000	1	RMS	2840	-40.79	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.63	-25	Pass	9000
12000	27000	1	RMS	26448.963	-28.56	-25	Pass	15000
25- 20- 15- 10- 5-								





1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

	·		·	·		•	•	
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.29	-25	Pass	2985
30	1000	0.1	RMS	977.698	-56.05	-25	Pass	9700
1000	2486	1	RMS	2463.985	-41.53	-25	Pass	1486
2486	2700	1	RMS	2554.123	18.48	60	Pass	601
2700	3000	1	RMS	2840	-40.77	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.59	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.57	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.12	-25	Pass	2985
30	1000	0.1	RMS	990.699	-55.91	-25	Pass	9700
1000	2486	1	RMS	2429.962	-41.56	-25	Pass	1486
2486	2700	1	RMS	2535.933	18.51	60	Pass	601
2700	3000	1	RMS	2839.5	-40.78	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.61	-25	Pass	9000
12000	27000	1	RMS	26462.964	-28.59	-25	Pass	15000
25- 20- 15- 10- 5-								





1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.76	-25	Pass	2985
30	1000	0.1	RMS	898.69	-55.96	-25	Pass	9700
1000	2486	1	RMS	2458.982	-41.48	-25	Pass	1486
2486	2700	1	RMS	2554.123	18.29	60	Pass	601
2700	3000	1	RMS	2839.5	-40.77	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.55	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.53	-25	Pass	15000
25 - 20 - 15 - 10 - 5 -								





1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.2	-25	Pass	2985
30	1000	0.1	RMS	959.296	-56.09	-25	Pass	9700
1000	2486	1	RMS	2464.986	-41.42	-25	Pass	1486
2486	2700	1	RMS	2585.867	19.55	60	Pass	601
2700	3000	1	RMS	2840	-40.77	-25	Pass	601
3000	12000	1	RMS	11919.991	-48.54	-25	Pass	9000
12000	27000	1	RMS	26455.964	-28.55	-25	Pass	15000
25- 20- 15- 10- 5- 0- -5-								





1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.77	-25	Pass	2985
30	1000	0.1	RMS	895.789	-56.18	-25	Pass	9700
1000	2486	1	RMS	2465.987	-41.13	-25	Pass	1486
2486	2700	1	RMS	2604.057	19.61	60	Pass	601
2700	3000	1	RMS	2839.5	-40.77	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.6	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.53	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-25	Pass	2985
30	1000	0.1	RMS	903.69	-56.17	-25	Pass	9700
1000	2486	1	RMS	2458.982	-41.59	-25	Pass	1486
2486	2700	1	RMS	2586.223	17.55	60	Pass	601
2700	3000	1	RMS	2840	-40.78	-25	Pass	601
3000	12000	1	RMS	11902.989	-48.57	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.58	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.51	-25	Pass	2985
30	1000	0.1	RMS	938.594	-56.1	-25	Pass	9700
1000	2486	1	RMS	2458.982	-41.57	-25	Pass	1486
2486	2700	1	RMS	2603.7	17.81	60	Pass	601
2700	3000	1	RMS	2840	-40.77	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.57	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.54	-25	Pass	15000
25 - 20 - 15 -								





1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.56	-25	Pass	2985
30	1000	0.1	RMS	908.191	-56.11	-25	Pass	9700
1000	2486	1	RMS	2430.963	-41.57	-25	Pass	1486
2486	2700	1	RMS	2636.157	19.25	60	Pass	601
2700	3000	1	RMS	2840	-40.75	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.6	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.55	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.05	-25	Pass	2985
30	1000	0.1	RMS	941.494	-56.1	-25	Pass	9700
1000	2486	1	RMS	2449.976	-41.59	-25	Pass	1486
2486	2700	1	RMS	2653.99	19.13	60	Pass	601
2700	3000	1	RMS	2840	-40.77	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.59	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.58	-25	Pass	15000
25- 20- 15- 10- 5- 0-								





1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.9	-25	Pass	2985
30	1000	0.1	RMS	902.29	-56.14	-25	Pass	9700
1000	2486	1	RMS	2423.958	-41.56	-25	Pass	1486
2486	2700	1	RMS	2636.157	18.19	60	Pass	601
2700	3000	1	RMS	2839.5	-40.78	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.58	-25	Pass	9000
12000	27000	1	RMS	26450.963	-28.59	-25	Pass	15000
25 - 20 - 15 -								





1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2985
30	1000	0.1	RMS	999.6	-56.12	-25	Pass	9700
1000	2486	1	RMS	2420.956	-41.62	-25	Pass	1486
2486	2700	1	RMS	2653.99	18.39	60	Pass	601
2700	3000	1	RMS	2839.5	-40.8	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.58	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.57	-25	Pass	15000
25- 20- 15- 10-								





END