



1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.21	13	Pass




1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.23	13	Pass




1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.23	13	Pass




1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.94	13	Pass




1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.92	13	Pass




1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.04	13	Pass




1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.16	13	Pass




1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	3.97	13	Pass




1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.33	13	Pass




1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	6.04	13	Pass




1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.94	13	Pass




1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.93	13	Pass




1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	6.03	13	Pass




1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.95	13	Pass




1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.66	13	Pass




1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.06	13	Pass




1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.21	13	Pass




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.92	13	Pass




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.93	13	Pass




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.07	13	Pass




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.32	13	Pass



1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	3.93	13	Pass




The screenshot displays the Keysight Spectrum Analyzer software interface for a Power Stat CCDF analysis. Key parameters shown are:

- Center Freq:** 844.000000 MHz
- Radio Std:** None
- Trig:** Free Run
- Counts:** 1.00 M/1.00 Mpt
- #IFGain:** Low
- #Atten:** 40 dB
- Average Power:** 23.10 dBm
- 48.89 % at 0dB**
- Peak:** 4.12 dB
- 27.22 dBm**
- Info BW:** 10.000 MHz
- Gaussian Fit:** 100 %, 10 %, 1 %, 0.1 %, 0.01 %, 0.001 %, 0.0001 %
- CF Step:** 5.000000 MHz
- Freq Offset:** 0 Hz


1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.21	13	Pass




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	6.12	13	Pass




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.93	13	Pass




1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.89	13	Pass




1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	6.05	13	Pass



1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.36	13	Pass



1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.1	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 12:04:18 下午 九月 12, 201

Center Freq 844.000000 MHz Center Freq: 844.000000 MHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Average Power 21.73 dBm
43.22 % at 0dB

10.0 % 3.01 dB
1.0 % 4.85 dB
0.1 % 5.10 dB
0.01 % 5.17 dB
0.001 % 5.21 dB
0.0001 % 5.22 dB
Peak 5.26 dB
26.99 dBm

Gaussian




Info BW 10.000 MHz

Frequency
Center Freq 844.000000 MHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS


1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.02	13	Pass




1.113. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.14	13	Pass




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.31	13	Pass




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.23	13	Pass




1.116. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.34	13	Pass




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.07	13	Pass




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	3.95	13	Pass




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.12	13	Pass




1.120. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	6.01	13	Pass




1.121. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.19	13	Pass




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.18	13	Pass




1.123. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.23	13	Pass




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5	13	Pass




1.125. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.86	13	Pass




1.126. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.97	13	Pass




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.03	13	Pass




1.128. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.14	13	Pass




1.129. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	3.99	13	Pass




1.130. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.03	13	Pass




1.131. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.08	13	Pass




1.132. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	3.89	13	Pass




1.133. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	3.91	13	Pass




1.134. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.8	13	Pass




1.135. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.04	13	Pass




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.85	13	Pass




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.85	13	Pass




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.07	13	Pass




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.95	13	Pass




1.140. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.72	13	Pass




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.27	13	Pass




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.93	13	Pass



1.143. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.87	13	Pass



1.144. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.92	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 05:11:06 下午 九月 16, 201

Center Freq 825.500000 MHz Center Freq: 825.500000 MHz Radio Std: None

Trig: Free Run Counts: 1.00 M/1.00 Mpt

#IFGain:Low #Atten: 40 dB

Average Power
21.73 dBm
45.89 % at 0dB

10.0 % 2.63 dB
1.0 % 4.37 dB
0.1 % 4.92 dB
0.01 % 5.09 dB
0.001 % 5.25 dB
0.0001 % 5.27 dB
Peak 5.27 dB
27.00 dBm

Gaussian




0.0001 % 0 dB 20 dB
Info BW 3.0000 MHz

Frequency
Center Freq 825.500000 MHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS


1.145. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.01	13	Pass




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	3.82	13	Pass




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	3.91	13	Pass




1.148. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	6.13	13	Pass




1.149. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.7	13	Pass



1.150. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.71	13	Pass



1.151. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.76	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 05:11:36 下午 九月 16, 201

Center Freq 825.500000 MHz Center Freq: 825.500000 MHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Average Power
20.86 dBm
42.98 % at 0dB

10.0 % 3.07 dB
1.0 % 5.09 dB
0.1 % 5.76 dB
0.01 % 5.95 dB
0.001 % 6.02 dB
0.0001 % 6.04 dB
Peak 6.04 dB
26.90 dBm

Gaussian




0.0001 % 0 dB 20 dB
Info BW 3.0000 MHz

Frequency
Center Freq 825.500000 MHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS


1.152. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.71	13	Pass




1.153. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.54	13	Pass




1.154. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.62	13	Pass




1.155. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.12	13	Pass




1.156. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.82	13	Pass




1.157. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.73	13	Pass




1.158. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.77	13	Pass




1.159. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.12	13	Pass




1.160. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	3.91	13	Pass




1.161. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	3.83	13	Pass




1.162. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	6.02	13	Pass




1.163. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.74	13	Pass



1.164. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.65	13	Pass



1.165. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.76	13	Pass

