

Fig. 179 Occupied 6dB Bandwidth (802.11a, Ch 48)




Fig. 180 Occupied 6dB Bandwidth (802.11a, Ch 52)






Fig. 181 Occupied 6dB Bandwidth (802.11a, Ch 56)




Fig. 182 Occupied 6dB Bandwidth (802.11a, Ch 64)






Fig. 183 Occupied 6dB Bandwidth (802.11a, Ch 100)




Fig. 184 Occupied 6dB Bandwidth (802.11a, Ch 116)






Fig. 185 Occupied 6dB Bandwidth (802.11a, Ch 140)




Fig. 186 Occupied 6dB Bandwidth (802.11n-HT20, Ch 36)






Fig. 187 Occupied 6dB Bandwidth (802.11n-HT20, Ch 40)




Fig. 188 Occupied 6dB Bandwidth (802.11n-HT20, Ch 48)






Fig. 189 Occupied 6dB Bandwidth (802.11n-HT20, Ch 52)




Fig. 190 Occupied 6dB Bandwidth (802.11n-HT20, Ch 56)






Fig. 191 Occupied 6dB Bandwidth (802.11n-HT20, Ch 64)




Fig. 192 Occupied 6dB Bandwidth (802.11n-HT20, Ch 100)






Fig. 193 Occupied 6dB Bandwidth (802.11n-HT20, Ch 116)




Fig. 194 Occupied 6dB Bandwidth (802.11n-HT20, Ch 140)






Fig. 195 Occupied 6dB Bandwidth (802.11n-HT40, Ch 38)




Fig. 196 Occupied 6dB Bandwidth (802.11n-HT40, Ch 46)







Fig. 197 Occupied 6dB Bandwidth (802.11n-HT40, Ch 54)











Fig. 199 Occupied 6dB Bandwidth (802.11n-HT40, Ch 102)










Fig. 201 Occupied 6dB Bandwidth (802.11n-HT40, Ch 134)



## A.11. Frequency Stability

Manufacturers ensured the EUT meet the requirement of frequency stability, such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

## A.12. Power control

A Transmission Power Control mechanism is not required for systems with an e.i.r.p. of less than 27dBm (500 mW).

\*\*\* END OF REPORT BODY \*\*\*