

# System Performance Check Data(Body)

Type: Phone measurement (Complete)
Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2015.10.16


Measurement duration: 13 minutes 33 seconds

## A. Experimental conditions.

Phantom File	surf_sam_plan.txt		
Phantom	Flat Plane		
Device Position	NE STATE MORE MO		
Band	750MHz		
Channels	CLAR HORE MIC NE		
Signal	CW		

### **B. SAR Measurement Results**

<u> </u>			
Frequency (MHz)	750.000000		
Relative permittivity (real part)	54.481205		
Conductivity (S/m)	0.928568		
Power drift (%)	-2.100000		
Ambient Temperature:	22.9°C		
Liquid Temperature:	22.1°C		
ConvF:	6.96		
Crest factor:	110 1:1 M		






Maximum location: X=1.00, Y=0.00

SAR Peak: 1.30 W/kg

SAR 10g (W/Kg)	0.546521
SAR 1g (W/Kg)	0.841305





## System Performance Check Data(Body)

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2015.10.16


Measurement duration: 13 minutes 30 seconds


## A. Experimental conditions.

A. A		
surf_sam_plan.txt		
Flat Plane		
MC AE SLAL MORL MO		
835MHz		
AE SLAE MORE MO NE		
CW		

#### **B. SAR Measurement Results**

The state of the s			
Frequency (MHz)	835.000000		
Relative permittivity (real part)	55.693058		
Conductivity (S/m)	0.970859		
Power drift (%)	-0.810000		
Ambient Temperature:	22.9°C		
Liquid Temperature:	22.1°C		
ConvF:	6.99		
Crest factor:	1:1 m		









## Maximum location: X=7.00, Y=-1.00

SAR 10g (W/Kg)	0.678062	
SAR 1g (W/Kg)	0.992185	

			Z Axis Sc	an Jordan			
Z (mm)	0	4	9	<b>3</b> 14	19	24	29
SAR(W/Kg)	1.5216	1.2714	0.7630	0.5421	0.4112	0.2518	0.1912
AB CRL	1.5	5-		1111		MO	OB III
	1,3	2-				AB NO	
	G 1.1	0-				VB III.	
	(2) 1.1 (2) (2) (3) 0.1	3-				ORLA	
	SAR O.					LAB	
	0.					Moles	
	. O.					AB O	
	ORLA	0.02.55.07.5			5 40.0	S Me	
		- CV	Z (mm	)		RLAD	
ORLAN	MOE	S Me	AB OR	LAV	(2)		a Ri
			2 1/10	, AF			a Mic
	263			MORL			
							NB NB







# System Performance Check Data(Body)

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2015.10.17


Measurement duration: 13 minutes 26 seconds


## A. Experimental conditions.

tpormioniai comanionoi			
Phantom File	surf_sam_plan.txt		
Phantom	Flat Plane		
Device Position	HE SELAR MOSEL HICK		
Band	1900MHz		
Channels	NE GLAD MORE MO NE		
Signal	CW		

#### **B. SAR Measurement Results**

<u> </u>			
Frequency (MHz)	1900.000000		
Relative permittivity (real part)	53.103586		
Conductivity (S/m)	1.532437		
Power drift (%)	-1.240000		
Ambient Temperature:	22.9°C		
Liquid Temperature:	22.1°C		
ConvF:	6.17		
Crest factor:	11°1:1		








# Maximum location: X=2.00, Y=2.00

SAR 10g (W/Kg)	1.990125		
SAR 1g (W/Kg)	4.348257		





## System Performance Check Data(Body)

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2015.10.17


Measurement duration: 13 minutes 27 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt  Validation plane		
Phantom			
Device Position	AB SLAE MORE MO		
Band	2450MHz		
Channels	S CLAR HORE MO NE		
Signal	CW		

#### **B. SAR Measurement Results**

<u> </u>			
Frequency (MHz)	2450.000000		
Relative permittivity (real part)	52.520397		
Conductivity (S/m)	1.928859		
Power Drift (%)	0.630000		
Ambient Temperature:	22.9°C		
Liquid Temperature:	22.1°C		
ConvF:	4.96		
Crest factor:	10 1:1 m		








### Maximum location: X=7.00, Y=6.00

SAR 10g (W/Kg)	2.685124
SAR 1g (W/Kg)	5.442957





## System Performance Check Data(Body)

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2015.10.17


Measurement duration: 13 minutes 27 seconds


### A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	AB SLAE MORE MO
Band	2600MHz
Channels	ELAN MORE MO NE
Signal	CW

### **B. SAR Measurement Results**

Frequency (MHz)	2600.000000
Relative permittivity (real part)	52.451438
Conductivity (S/m)	2.104408
Power Drift (%)	0.520000
Ambient Temperature:	22.9°C
Liquid Temperature:	22.1°C
ConvF:	4.96
Crest factor:	0R <sup>2</sup> 1:1







Maximum location: X=3.00, Y=1.00

SAR 10g (W/Kg)	2.521450
SAR 1g (W/Kg)	5.487264

