



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A152 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A153 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A154 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 1.4MHz **Lowest Channel / QPSK Lowest Channel / 16QAM** Spectrum Spectrum Ref Level 0.00 dBm Ref Level 0.00 dBm Mode Auto Sweep Offset 14.50 dB Mode Auto Sweep Offset 14.50 dB Count 100/100 GL Count 100/100 10 dent spurious -30 dBm 40 dBm RBW 100.000 kHz 100.000 kHz 1.000 MHz ious Emissi Spurious Emissio RBW 100.000 kHz 100.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz Frequency 686.86657 MHz 732.55495 MHz 1.39865 GHz 6.99275 GHz 7.88203 GHz Range Low Range Up 664-10795 MHz 897-39011 MHz 1.39865 GHz 6.96175 GHz 7.05674 GHz 1.000 GHz 3.000 GHz te: 5.JUN 2016 11:13:49 ate: 5.JUN 2016 13:15:13 Middle Channel / QPSK Middle Channel / 16QAM Spectrum Spectrum Ref Level 0.00 dBm Offset 14.50 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 14.50 dB Mode Auto Sweep SGL Count 100/100 1 AvgPwr Limit check 10 Japa Spurious Line ABS 30 dBm 40 dBm Start 30.0 MHz Start 30.0 MHz Range Low Frequency 685.87706 MHz 905.90659 MHz 2.12147 GHz 6.99225 GHz te: 5 JUN 2016 11:20:23 ste: 5 JUN 2016, 11:21:18

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A155 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 1.4MHz **Highest Channel / QPSK Highest Channel / 16QAM** Spectrum Spectrum Ref Level 0.00 dBm Ref Level 0.00 dBm Mode Auto Sweep Offset 14.50 dB Mode Auto Sweep Offset 14.50 dB Count 100/100 GL Count 100/100 10 den spurious -30 dBm 40 dBm ious Emissi Spurious Emissio RBW 100.000 kHz 100.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz ΔLimit
-41.74 dB
-41.16 dB
-30.74 dB
-26.79 dB
-28.36 dB RBW 100.000 kHz 100.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz Frequency 675.98201 MHz 871.01648 MHz 2.65984 GHz Range Low Range Up 1.000 GHz 3.000 GHz te: 5 JUN 2016 11:31:01 ate: 5 JUN 2016 11:31:56 LTE Band 12 / 3MHz Lowest Channel / QPSK Lowest Channel / 16QAM Spectrum Spectrum Ref Level 0.00 d8m Offset 14.50 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 14.50 dB Mode Auto Sweep SGL Count 100/100 10 dent spurious LINE INE_ABS 30 dBm 40 dBm Stop 9.0 GHz 19005 pt RBW 100.000 kHz 100.000 kHz Range Low Range Up Range Low ΔLimit 100.000 kHz 100.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz te: 5.JUN 2016 11:41:38 ate: 5.JUN 2016, 11:42:33

SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A156 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A157 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A158 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A159 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A160 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Frequency Stability

Test (Conditions	LTE Band 2 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0000	
40	Normal Voltage	0.0021	
30	Normal Voltage	0.0011	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0016	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0016	PASS
-20	Normal Voltage	0.0005	
-30	Normal Voltage	0.0016	
20	Maximum Voltage	0.0011	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0005	

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.7 V.; Maximum Voltage =4.35 V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A161 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (Conditions	LTE Band 4 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0046	
40	Normal Voltage	0.0000	
30	Normal Voltage	0.0040	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0040	
0	Normal Voltage	0.0063	
-10	Normal Voltage	0.0052	PASS
-20	Normal Voltage	0.0058	
-30	Normal Voltage	0.0006	
20	Maximum Voltage	0.0046	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0046	

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.7 V. ; Maximum Voltage =4.35 V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A162 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (Conditions	LTE Band 5 (QPSK) / Middle Channel	Limit
- ,	V 1/	BW 10MHz	2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0012	
40	Normal Voltage	0.0000	
30	Normal Voltage	0.0084	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0012	
-10	Normal Voltage	0.0000	PASS
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0024	
20	Maximum Voltage	0.0000	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0012	

Note: Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.7 V. ; Maximum Voltage =4.35 V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A163 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (Conditions	LTE Band 7 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0016	
40	Normal Voltage	0.0012	
30	Normal Voltage	0.0020	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0016	
0	Normal Voltage	0.0016	
-10	Normal Voltage	0.0095	PASS
-20	Normal Voltage	0.0008	
-30	Normal Voltage	0.0004	
20	Maximum Voltage	0.0000	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0004	

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.7 V. ; Maximum Voltage =4.35 V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A164 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report No.: FG652001B

Report Template No.: BU5-FGLTE Version 1.5

Test 0	Conditions	LTE Band 12 (QPSK) / Middle Channel	Limit
		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0000	
40	Normal Voltage	0.0000	
30	Normal Voltage	0.0014	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0014	
0	Normal Voltage	0.0014	
-10	Normal Voltage	0.0014	PASS
-20	Normal Voltage	0.0028	
-30	Normal Voltage	0.0000	
20	Maximum Voltage	0.0014	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0085	

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.7 V. ; Maximum Voltage =4.35 V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : A165 of A165
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Appendix B. Test Results of Radiated Test

ERP/EIRP

	LTE Band 2 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	1	22.36	0.1722	22.90	0.1950					
Middle	QPSK	3	1	23.40	0.2186	23.66	0.2325					
Highest		3	1	24.17	0.2612	24.30	0.2692					
Lowest		1	3	21.23	0.1327	21.88	0.1542					
Middle	16QAM	1	3	22.02	0.1591	22.66	0.1846					
Highest		1	3	22.76	0.1888	23.15	0.2065					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 3MHz (Average)											
Channal	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.38	0.1730	22.70	0.1862					
Middle	QPSK	1	0	23.29	0.2135	23.56	0.2272					
Highest		1	8	23.96	0.2489	24.11	0.2576					
Lowest		1	14	21.10	0.1288	21.70	0.1479					
Middle	16QAM	1	0	22.09	0.1618	22.61	0.1823					
Highest		1	0	22.72	0.1871	23.06	0.2023					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B1 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 5MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	cal					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.42	0.1746	22.97	0.1982					
Middle	QPSK	1	12	23.46	0.2219	23.69	0.2337					
Highest		1	12	24.23	0.2649	24.12	0.2582					
Lowest		1	24	21.15	0.1303	21.81	0.1517					
Middle	16QAM	1	12	22.23	0.1671	22.83	0.1921					
Highest		1	24	22.69	0.1858	22.95	0.1972					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 10MHz (Average)											
Channal	Medulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.52	0.1786	22.89	0.1945					
Middle	QPSK	1	25	23.43	0.2205	23.78	0.2388					
Highest		1	0	23.91	0.2460	24.26	0.2667					
Lowest		1	49	21.33	0.1358	22.02	0.1592					
Middle	16QAM	1	25	22.11	0.1624	22.70	0.1860					
Highest		1	0	22.63	0.1832	22.97	0.1982					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

Page Number : B2 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.43	0.1750	22.83	0.1919					
Middle	QPSK	1	0	23.12	0.2050	23.49	0.2236					
Highest		1	0	23.74	0.2366	23.94	0.2477					
Lowest		1	37	21.33	0.1358	21.91	0.1552					
Middle	16QAM	1	0	21.89	0.1545	22.54	0.1794					
Highest		1	0	22.59	0.1816	23.01	0.2000					
Limit	EIRI	P < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 20MHz (Average)											
Channal	Madulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	49	22.83	0.1919	23.30	0.2138					
Middle	QPSK	1	49	23.29	0.2135	23.53	0.2255					
Highest		1	49	23.92	0.2466	24.08	0.2559					
Lowest		1	49	21.44	0.1393	21.61	0.1449					
Middle	16QAM	1	49	21.99	0.1580	22.21	0.1662					
Highest		1	0	22.40	0.1738	22.78	0.1897					
Limit	EIRI	o < 2W		Res	sult	PAS	PASS					

Page Number : B3 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Chamilei	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	1	21.64	0.1459	21.29	0.1346					
Middle	QPSK	3	1	22.04	0.1599	21.93	0.1559					
Highest		3	1	21.72	0.1486	21.96	0.1570					
Lowest		1	0	19.79	0.0953	19.13	0.0818					
Middle	16QAM	1	0	20.49	0.1118	20.30	0.1072					
Highest		1	3	20.72	0.1180	20.41	0.1099					
Limit	EIRI	o < 1W		Res	sult	PAS	SS					

	LTE Band 4 / 3MHz (Average)											
Channal	Medulation	RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	21.63	0.1455	20.99	0.1256					
Middle	QPSK	1	0	21.85	0.1530	21.74	0.1492					
Highest		1	0	21.48	0.1406	21.55	0.1429					
Lowest		1	0	20.36	0.1086	20.12	0.1028					
Middle	16QAM	1	8	20.65	0.1161	20.89	0.1228					
Highest		1	0	20.35	0.1084	20.63	0.1156					
Limit	EIRP < 1W			Result		PASS						

	LTE Band 4 / 5MHz (Average)											
01 1		RB		Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	21.56	0.1432	20.90	0.1230					
Middle	QPSK	1	12	21.63	0.1457	21.65	0.1462					
Highest		1	24	21.48	0.1406	21.66	0.1466					
Lowest		1	0	20.41	0.1099	19.75	0.0944					
Middle	16QAM	1	0	20.66	0.1164	20.36	0.1086					
Highest		1	0	20.39	0.1094	20.50	0.1122					
Limit	EIRP < 1W			Res	sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B4 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4/ 10MHz (Average)											
01 1		F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	25	22.00	0.1585	21.26	0.1337					
Middle	QPSK	1	0	21.93	0.1559	21.70	0.1481					
Highest		1	25	21.71	0.1483	21.57	0.1435					
Lowest		1	0	20.64	0.1159	19.74	0.0942					
Middle	16QAM	1	0	20.85	0.1215	20.46	0.1112					
Highest		1	25	20.51	0.1125	20.05	0.1012					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 15MHz (Average)											
01 1		F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	21.67	0.1469	21.32	0.1355					
Middle	QPSK	1	37	22.01	0.1589	21.65	0.1463					
Highest		1	0	21.85	0.1531	21.60	0.1445					
Lowest		1	0	20.66	0.1164	19.84	0.0964					
Middle	16QAM	1	0	20.87	0.1221	20.40	0.1095					
Highest		1	0	20.77	0.1194	20.16	0.1038					
Limit	EIRI	o < 1W		Res	sult	PASS						

	LTE Band 4 / 20MHz (Average)											
01 1		RB		Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	49	21.61	0.1449	21.17	0.1309					
Middle	QPSK	1	49	21.67	0.1469	21.56	0.1431					
Highest		1	49	21.44	0.1393	21.50	0.1413					
Lowest		1	49	20.65	0.1161	20.05	0.1012					
Middle	16QAM	1	49	21.23	0.1326	20.84	0.1213					
Highest		1	0	20.85	0.1216	20.29	0.1069					
Limit	EIRP < 1W			Res	sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B5 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	1	16.87	0.0486	11.06	0.0128					
Middle	QPSK	1	3	17.50	0.0562	11.26	0.0134					
Highest		3	0	16.98	0.0499	10.38	0.0109					
Lowest		3	1	16.11	0.0408	10.29	0.0107					
Middle	16QAM	1	0	16.58	0.0455	10.51	0.0113					
Highest		1	0	16.15	0.0412	9.57	0.0091					
Limit	ERP < 7W			Res	sult	PASS						

	LTE Band 5 / 3MHz (Average)											
	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	14	17.00	0.0501	11.12	0.0129					
Middle	QPSK	1	0	17.48	0.0560	11.11	0.0129					
Highest		1	0	17.15	0.0519	10.43	0.0110					
Lowest		1	14	16.07	0.0405	10.26	0.0106					
Middle	16QAM	1	14	16.91	0.0491	10.53	0.0113					
Highest		1	14	16.35	0.0432	9.86	0.0097					
Limit	ERP < 7W			Res	sult	PASS						

Page Number : B6 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 5MHz (Average)											
Oh amma l		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	12	16.92	0.0492	11.05	0.0127					
Middle	QPSK	1	12	17.43	0.0553	11.27	0.0134					
Highest		1	12	17.25	0.0531	10.76	0.0119					
Lowest		1	0	16.36	0.0433	9.49	0.0089					
Middle	16QAM	1	12	16.93	0.0493	10.40	0.0110					
Highest		1	0	16.34	0.0431	10.44	0.0111					
Limit	ERP < 7W			Res	sult	PASS						

	LTE Band 5 / 10MHz (Average)											
		F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	25	17.26	0.0532	11.39	0.0138					
Middle	QPSK	1	25	17.55	0.0569	11.71	0.0148					
Highest		1	25	17.25	0.0531	11.41	0.0138					
Lowest		1	0	16.20	0.0417	10.37	0.0109					
Middle	16QAM	1	49	16.75	0.0473	10.60	0.0115					
Highest		1	49	16.59	0.0456	10.37	0.0109					
Limit	ERP < 7W			Res	sult	PASS						

Page Number : B7 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 5MHz (Average)											
Oh amma l		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	12	11.75	0.0150	11.42	0.0139					
Middle	QPSK	1	12	12.39	0.0174	11.83	0.0152					
Highest		1	12	9.65	0.0092	9.36	0.0086					
Lowest		1	0	11.31	0.0135	11.34	0.0136					
Middle	16QAM	1	24	11.74	0.0149	11.31	0.0135					
Highest		1	0	9.75	0.0094	9.34	0.0086					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 7 / 10MHz (Average)											
Oh ann al	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	11.31	0.0135	11.11	0.0129					
Middle	QPSK	1	25	12.18	0.0165	11.67	0.0147					
Highest		1	25	10.14	0.0103	9.76	0.0095					
Lowest		1	0	10.81	0.0121	10.65	0.0116					
Middle	16QAM	1	49	11.52	0.0142	11.04	0.0127					
Highest		1	25	9.62	0.0092	9.22	0.0084					
Limit	EIRI	o < 2W		Res	sult	PASS						

Page Number : B8 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz (Average)											
01 1		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	11.02	0.0126	10.89	0.0123					
Middle	QPSK	1	37	11.91	0.0155	11.41	0.0138					
Highest		1	74	10.71	0.0118	10.20	0.0105					
Lowest		1	0	11.13	0.0130	10.89	0.0123					
Middle	16QAM	1	74	11.59	0.0144	11.05	0.0127					
Highest		1	74	8.95	0.0079	8.55	0.0072					
Limit	EIRI	EIRP < 2W			sult	PASS						

	LTE Band 7 / 20MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	11.31	0.0135	11.29	0.0135					
Middle	QPSK	1	0	12.36	0.0172	11.86	0.0153					
Highest		1	0	12.83	0.0192	12.25	0.0168					
Lowest		1	0	11.52	0.0142	10.06	0.0101					
Middle	16QAM	1	49	12.60	0.0182	11.96	0.0157					
Highest		1	0	12.31	0.0170	10.20	0.0105					
Limit	EIRI	o < 2W		Res	sult	PASS						

Page Number : B9 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horiz	ontal	Vertical						
Channel	Woddiation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	1	18.37	0.0687	8.89	0.0077					
Middle	QPSK	3	1	18.10	0.0646	8.97	0.0079					
Highest		3	1	17.59	0.0574	8.73	0.0075					
Lowest		1	0	17.30	0.0537	7.57	0.0057					
Middle	16QAM	1	5	17.23	0.0528	8.21	0.0066					
Highest		1	3	17.03	0.0505	8.10	0.0065					
Limit	ERF	o < 3W		Res	sult	PASS						

	LTE Band 12 / 3MHz (Average)											
Channel	Modulation	F	RB	Horiz	ontal	Vertical						
Channel	Wiodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	0	18.23	0.0665	8.69	0.0074					
Middle	QPSK	1	0	18.23	0.0665	8.88	0.0077					
Highest		1	14	17.77	0.0598	8.72	0.0074					
Lowest		1	14	17.84	0.0608	8.17	0.0066					
Middle	16QAM	1	0	17.04	0.0505	7.68	0.0059					
Highest		1	0	17.14	0.0518	8.27	0.0067					
Limit	ERF	o < 3W		Res	sult	PASS						

Page Number : B10 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 5MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
Channel	Woddiation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	24	19.05	0.0804	9.35	0.0086					
Middle	QPSK	1	12	18.55	0.0716	9.24	0.0084					
Highest		1	12	18.07	0.0641	9.05	0.0080					
Lowest		1	24	17.66	0.0583	7.90	0.0062					
Middle	16QAM	1	24	17.05	0.0507	7.69	0.0059					
Highest		1	12	16.79	0.0478	7.72	0.0059					
Limit	ERF	P < 3W		Res	sult	PASS						

LTE Band 12 / 10MHz (Average)											
Channel	Modulation	F	RB	Horiz	ontal	Vertical					
Channel	Woddiation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)				
Lowest		1	25	17.84	0.0608	8.71	0.0074				
Middle	QPSK	1	49	17.71	0.0591	8.76	0.0075				
Highest		1	25	17.86	0.0611	8.70	0.0074				
Lowest		1	25	17.42	0.0552	7.85	0.0061				
Middle	16QAM	1	25	17.05	0.0507	7.64	0.0058				
Highest		1	25	16.96	0.0497	7.71	0.0059				
Limit	ERF	o < 3W		Res	sult	PASS					

Page Number : B11 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Radiated Spurious Emission

	LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	3758.92	-52.57	-13	-39.57	-72.90	-64.30	0.87	12.60	Н			
	5638.38	-50.68	-13	-37.68	-73.55	-62.71	1.07	13.10	Н			
Middle	7517.84	-50.19	-13	-37.19	-75.32	-59.80	1.69	11.30	Н			
Middle	3758.92	-51.52	-13	-38.52	-73.08	-63.25	0.87	12.60	V			
	5638.38	-50.02	-13	-37.02	-72.77	-62.05	1.07	13.10	V			
	7517.84	-49.66	-13	-36.66	-74.57	-59.09	1.87	11.30	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	3757.48	-52.80	-13	-39.80	-73.13	-64.53	0.87	12.60	Н			
	5636.22	-50.79	-13	-37.79	-73.66	-62.82	1.07	13.10	Н			
Middle	7514.96	-50.76	-13	-37.76	-75.89	-60.37	1.69	11.30	Н			
Middle	3757.48	-51.08	-13	-38.08	-72.64	-62.81	0.87	12.60	V			
_	5636.22	-50.13	-13	-37.13	-72.88	-62.16	1.07	13.10	V			
	7514.96	-50.88	-13	-37.88	-75.79	-60.31	1.87	11.30	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B12 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	3755.68	-52.63	-13	-39.63	-72.96	-64.36	0.87	12.60	Н			
	5633.52	-50.15	-13	-37.15	-73.02	-62.18	1.07	13.10	Н			
Middle	7511.36	-50.52	-13	-37.52	-75.65	-60.13	1.69	11.30	Н			
Middle	3755.68	-51.66	-13	-38.66	-73.22	-63.39	0.87	12.60	V			
-	5633.52	-49.68	-13	-36.68	-72.43	-61.71	1.07	13.10	V			
	7511.36	-51.04	-13	-38.04	-75.95	-60.47	1.87	11.30	V			

	LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	3751.18	-52.61	-13	-39.61	-72.94	-64.34	0.87	12.60	Н			
	5626.77	-50.53	-13	-37.53	-73.40	-62.56	1.07	13.10	Н			
Middle	7502.36	-50.53	-13	-37.53	-75.66	-60.14	1.69	11.30	Н			
Middle	3751.18	-51.59	-13	-38.59	-73.15	-63.32	0.87	12.60	V			
_	5626.77	-50.49	-13	-37.49	-73.24	-62.52	1.07	13.10	V			
	7502.36	-49.73	-13	-36.73	-74.64	-59.16	1.87	11.30	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B13 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
	3746.68	-52.50	-13	-39.50	-72.83	-64.23	0.87	12.60	Н		
	5620.02	-50.67	-13	-37.67	-73.54	-62.70	1.07	13.10	Н		
Middle	7493.36	-50.18	-13	-37.18	-75.31	-59.79	1.69	11.30	Н		
Middle	3746.68	-51.50	-13	-38.50	-73.06	-63.23	0.87	12.60	V		
	5620.02	-51.16	-13	-38.16	-73.91	-63.19	1.07	13.10	V		
	7493.36	-50.76	-13	-37.76	-75.67	-60.19	1.87	11.30	V		

	LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	3742.18	-52.98	-13	-39.98	-73.31	-64.71	0.87	12.60	Н			
	5613.27	-50.16	-13	-37.16	-73.03	-62.19	1.07	13.10	Н			
Middle	7484.36	-50.44	-13	-37.44	-75.57	-60.05	1.69	11.30	Н			
Middle	3742.18	-51.00	-13	-38.00	-72.56	-62.73	0.87	12.60	V			
-	5613.27	-50.55	-13	-37.55	-73.3	-62.58	1.07	13.10	V			
	7484.36	-50.84	-13	-37.84	-75.75	-60.27	1.87	11.30	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B14 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
	3463.74	-52.44	-13	-39.44	-71.22	-64.19	0.85	12.60	Н		
	5195.61	-48.75	-13	-35.75	-72.04	-60.50	0.95	12.70	Н		
Middle	6927.48	-50.33	-13	-37.33	-74.71	-60.85	1.18	11.70	Н		
Middle	3463.74	-51.02	-13	-38.02	-72.11	-62.77	0.85	12.60	V		
	5195.61	-53.82	-13	-40.82	-73.05	-65.57	0.95	12.70	V		
	6927.48	-50.55	-13	-37.55	-74.86	-61.07	1.18	11.70	V		

	LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3462.48	-52.75	-13	-39.75	-71.53	-64.50	0.85	12.60	Н				
	5193.72	-50.48	-13	-37.48	-73.77	-62.23	0.95	12.70	Н				
Middle	6924.96	-51.48	-13	-38.48	-75.86	-62.00	1.18	11.70	Н				
Middle	3462.48	-50.92	-13	-37.92	-72.01	-62.67	0.85	12.60	V				
	5193.72	-54.60	-13	-41.60	-73.83	-66.35	0.95	12.70	V				
	6924.96	-51.32	-13	-38.32	-75.63	-61.84	1.18	11.70	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B15 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3460.68	-52.74	-13	-39.74	-71.52	-64.49	0.85	12.60	Н				
	5191.02	-50.45	-13	-37.45	-73.74	-62.20	0.95	12.70	Н				
Middle	6921.36	-51.55	-13	-38.55	-75.93	-62.07	1.18	11.70	Н				
Middle	3460.68	-51.12	-13	-38.12	-72.21	-62.87	0.85	12.60	V				
	5191.02	-54.33	-13	-41.33	-73.56	-66.08	0.95	12.70	V				
	6921.36	-51.24	-13	-38.24	-75.55	-61.76	1.18	11.70	V				

	LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3456.18	-52.80	-13	-39.80	-71.58	-64.55	0.85	12.60	Н				
	5184.27	-50.45	-13	-37.45	-73.74	-62.20	0.95	12.70	Н				
Middle	6912.36	-50.94	-13	-37.94	-75.32	-61.46	1.18	11.70	Н				
Middle	3456.18	-51.40	-13	-38.40	-72.49	-63.15	0.85	12.60	V				
	5184.27	-54.08	-13	-41.08	-73.31	-65.83	0.95	12.70	V				
	6912.36	-51.02	-13	-38.02	-75.33	-61.54	1.18	11.70	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B16 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3451.68	-53.76	-13	-40.76	-72.54	-65.51	0.85	12.60	Н				
	5177.52	-49.18	-13	-36.18	-72.47	-60.93	0.95	12.70	Н				
Middle	6903.36	-51.13	-13	-38.13	-75.51	-61.65	1.18	11.70	Н				
Middle	3451.68	-51.10	-13	-38.10	-72.19	-62.85	0.85	12.60	V				
	5177.52	-54.91	-13	-41.91	-74.14	-66.66	0.95	12.70	V				
	6903.36	-51.18	-13	-38.18	-75.49	-61.70	1.18	11.70	V				

	LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3477.18	-53.25	-13	-40.25	-72.03	-65.00	0.85	12.60	Н				
	5170.77	-49.83	-13	-36.83	-73.12	-61.58	0.95	12.70	Н				
Middle	6894.36	-50.30	-13	-37.30	-74.68	-60.82	1.18	11.70	Н				
Middle	3477.18	-51.13	-13	-38.13	-72.22	-62.88	0.85	12.60	V				
	5170.77	-54.65	-13	-41.65	-73.88	-66.40	0.95	12.70	V				
	6894.36	-51.00	-13	-38.00	-75.31	-61.52	1.18	11.70	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B17 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1671.74	-46.57	-13	-33.57	-51.51	-53.26	0.56	9.40	Н				
	2507.61	-57.64	-13	-44.64	-63.38	-65.35	0.74	10.60	Н				
Middle	3343.48	-57.89	-13	-44.89	-66.70	-67.49	0.85	12.60	Н				
Middle	1671.74	-44.94	-13	-31.94	-49.68	-51.63	0.56	9.40	V				
	2507.61	-59.29	-13	-46.29	-64.87	-67.00	0.74	10.60	V				
	3343.48	-58.79	-13	-45.79	-66.93	-68.39	0.85	12.60	V				

	LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1670.3	-48.97	-13	-35.97	-53.45	-55.66	0.56	9.40	Н				
	2505.45	-56.44	-13	-43.44	-62.18	-64.15	0.74	10.60	Н				
Middle	3340.6	-57.23	-13	-44.23	-66.04	-66.83	0.85	12.60	Н				
Middle	1670.3	-47.14	-13	-34.14	-51.25	-53.83	0.56	9.40	V				
	2505.45	-56.33	-13	-43.33	-61.91	-64.04	0.74	10.60	V				
	3340.6	-58.42	-13	-45.42	-66.56	-68.02	0.85	12.60	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B18 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1668.5	-51.52	-13	-38.52	-55.09	-58.21	0.56	9.40	Н				
	2502.75	-56.02	-13	-43.02	-61.76	-63.73	0.74	10.60	Н				
Middle	3337	-57.87	-13	-44.87	-66.68	-67.47	0.85	12.60	Н				
Middle	1668.5	-47.50	-13	-34.50	-51.55	-54.19	0.56	9.40	V				
	2502.75	-55.01	-13	-42.01	-60.59	-62.72	0.74	10.60	V				
	3337	-58.37	-13	-45.37	-66.51	-67.97	0.85	12.60	V				

	LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1664	-54.10	-13	-41.10	-56.93	-60.79	0.56	9.40	Н				
	2496	-55.28	-13	-42.28	-61.02	-62.99	0.74	10.60	Н				
Middle	3328	-57.15	-13	-44.15	-65.96	-66.75	0.85	12.60	Н				
Middle	1664	-51.07	-13	-38.07	-54.37	-57.76	0.56	9.40	V				
	2496	-53.37	-13	-40.37	-58.95	-61.08	0.74	10.60	V				
	3328	-58.43	-13	-45.43	-66.57	-68.03	0.85	12.60	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B19 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5065.68	-47.41	-25	-22.41	-63.61	-59.17	0.94	12.70	Н				
	7598.52	-40.66	-25	-15.66	-62.03	-50.67	1.69	11.70	Н				
Middle	10131.36	-41.93	-25	-16.93	-66.29	-52.59	1.44	12.10	Н				
Middle	5065.68	-45.81	-25	-20.81	-61.56	-57.57	0.94	12.70	V				
	7598.52	-45.28	-25	-20.28	-66.27	-55.29	1.69	11.70	V				
	10131.36	-44.05	-25	-19.05	-66.95	-54.71	1.44	12.10	V				

	LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5061.18	-49.39	-25	-24.39	-65.59	-61.15	0.94	12.70	Н				
	7591.77	-42.16	-25	-17.16	-63.53	-52.17	1.69	11.70	Н				
Middle	10122.36	-43.68	-25	-18.68	-68.04	-54.34	1.44	12.10	Н				
Middle	5061.18	-48.99	-25	-23.99	-64.74	-60.75	0.94	12.70	V				
	7591.77	-45.64	-25	-20.64	-66.63	-55.65	1.69	11.70	V				
	10122.36	-44.89	-25	-19.89	-67.79	-55.55	1.44	12.10	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B20 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5056.68	-48.90	-25	-23.90	-65.10	-60.66	0.94	12.70	Н				
	7585.02	-42.13	-25	-17.13	-63.50	-52.14	1.69	11.70	Н				
Middle	10131.36	-43.61	-25	-18.61	-67.97	-54.27	1.44	12.10	Н				
ivildale	5056.68	-46.97	-25	-21.97	-62.72	-58.73	0.94	12.70	V				
	7585.02	-44.87	-25	-19.87	-65.86	-54.88	1.69	11.70	V				
	10131.36	-45.21	-25	-20.21	-68.11	-55.87	1.44	12.10	V				

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Middle	5052.18	-48.56	-25	-23.56	-64.76	-60.32	0.94	12.70	Н	
	7578.27	-41.93	-25	-16.93	-63.30	-51.94	1.69	11.70	Н	
	10104.36	-43.61	-25	-18.61	-67.97	-54.27	1.44	12.10	Н	
	5052.18	-46.14	-25	-21.14	-61.89	-57.90	0.94	12.70	V	
	7578.27	-45.08	-25	-20.08	-66.07	-55.09	1.69	11.70	V	
	10104.36	-45.10	-25	-20.10	-68	-55.76	1.44	12.10	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B21 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
	1413.92	-49.47	-13	-36.47	-56.14	-49.86	2.96	5.50	Н	
	2120.88	-52.20	-13	-39.20	-61.76	-52.20	3.65	5.80	Н	
Middle	2827.84	-57.46	-13	-44.46	-69.22	-57.88	4.23	6.80	Н	
Middle	1413.92	-55.16	-13	-42.16	-59.97	-55.55	2.96	5.50	V	
	2120.88	-56.46	-13	-43.46	-66.11	-56.46	3.65	5.80	V	
	2827.84	-57.58	-13	-44.58	-69.13	-58.00	4.23	6.80	V	

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Middle	1412.48	-53.30	-13	-40.30	-58.84	-53.69	2.96	5.50	Н	
	2118.72	-47.90	-13	-34.90	-59.15	-47.90	3.65	5.80	Н	
	2824.96	-56.62	-13	-43.62	-68.38	-57.04	4.23	6.80	Н	
	1412.48	-57.26	-13	-44.26	-62.07	-57.65	2.96	5.50	V	
	2118.72	-51.89	-13	-38.89	-62.00	-51.89	3.65	5.80	V	
	2824.96	-56.91	-13	-43.91	-68.46	-57.33	4.23	6.80	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B22 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
	1410.68	-48.56	-13	-35.56	-55.36	-48.95	2.96	5.50	Н	
	2116.02	-48.15	-13	-35.15	-59.29	-48.15	3.65	5.80	Н	
Middle	2821.36	-57.66	-13	-44.66	-69.42	-58.08	4.23	6.80	Н	
Middle	1410.68	-56.85	-13	-43.85	-61.66	-57.24	2.96	5.50	V	
	2116.02	-56.48	-13	-43.48	-66.13	-56.48	3.65	5.80	V	
	2821.36	-58.18	-13	-45.18	-69.73	-58.60	4.23	6.80	V	

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
	1406.18	-48.09	-13	-35.09	-55.02	-48.48	2.96	5.50	Н	
	2109.27	-46.89	-13	-33.89	-58.36	-46.89	3.65	5.80	Н	
Middle	2812.36	-57.62	-13	-44.62	-69.38	-58.04	4.23	6.80	Н	
Middle	1406.18	-53.27	-13	-40.27	-59.17	-53.66	2.96	5.50	V	
	2109.27	-55.14	-13	-42.14	-64.79	-55.14	3.65	5.80	V	
	2812.36	-57.69	-13	-44.69	-69.24	-58.11	4.23	6.80	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB061 Page Number : B23 of B23
Report Issued Date : Jun. 24, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5