



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A153 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A154 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A155 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A156 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01


Report Template No.: BU5-FGLTE Version 1.5

LTE Band 5 / 1.4MHz **Lowest Channel / QPSK Lowest Channel / 16QAM** Spectrum Offset 14.58 (B) Mode Auto Sweep Ref Level 0.00 (Em) Offset 14.50 (B) Mode ALRO Sweep Ref Level 0.00 (Bri Count 100/100 unt 100/100 IN LINE SPURIOUS LINE ARE IN LINE SPURIOUS LINE ARE art 30.0 MHz Frequency 868,09971, MHz 885,52440 MHz 2,99375 GHz 6,99325 GHz 7,54461, GHz 88W 100.000 kHz 100.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz Range Low -36.26 db -37.51 db -25.06 db -20.06 db -20.38 db ter 16.005-2018 ibs00:02 ries 16.705-2018 10x07x46 Middle Channel / QPSK Middle Channel / 16QAM Spectrum Ref Level 0.00 dbn Offset 14.50 db Mode Auto Sweep Ref Level 0.00 (En) Offset 14.50 (B) Mode Auto Sweep SPURIOUS LINE ARE IN THE SPURIOUS LINE ARE tart 00.0 MHz ter 16.001_2018 10v05x25 rive 16-701-2018 10/2018

SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A157 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A158 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A159 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01


Report Template No.: BU5-FGLTE Version 1.5

LTE Band 5 / 5MHz **Lowest Channel / QPSK Lowest Channel / 16QAM** Spectrum Offset 14.58 (B) Mode Auto Sweep Ref Level 0.00 (Em) Offset 14.50 (B) Mode ALRO Sweep Ref Level 0.00 (Bri Count 100/100 unt 100/100 IN LINE SPURIOUS LINE ARE IN LINE SPURIOUS LINE ARE art 30.0 MHz RBW 100 000 EH2 100 000 EH2 1 000 MH2 1 000 MH2 Frequency 794.01174 MHz 907.75224 MHz 2 97076 GHz 6 99925 GHz 7.55611 GHz Range Low Power Abs -36.22 db -37.55 db -25.64 db -21.12 db -22.54 db -51.22 d8n -50.55 d8n -38.84 d8n -34.13 d8n -35.54 d8n ter 16.005-2018 (1913-03) ries 16.705-2018 lisiaeco Middle Channel / QPSK Middle Channel / 16QAM Spectrum Ref Level 0.00 (En) Offset 14.50 (B) Mode Auto Sweep Ref Level 0.00 (En) Offset 14.50 (B) Mode Auto Sweep SPURIOUS LINE ARE IN THE SPURIOUS LINE ARE tart 00.0 MHz ter termi-1018 Linkski ries 16.701_2010 11:14:36

SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A160 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A161 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A162 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A163 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A164 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A165 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A166 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A167 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A168 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01


Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 1.4MHz **Lowest Channel / QPSK Lowest Channel / 16QAM** Spectrum Offset 14.58 (B) Mode Auto Sweep Ref Level 0.00 (Bri Offset 14.50 (B) Mode ALRO Sweep Ref Level 0.00 (Bri unt 100/100 IN LINE SPURIOUS LINE ARE IN LINE SPURIOUS LINE ARE art 30.0 MHz Frequency 869: 83508 MHz 844:04386 MHz 2.83679 GHz 6.93975 GHz 7.55311 GHz Power Abs -52.45 dan -52.04 dan -30.74 dan -31.04 dan -36.72 dan RBW 100 000 EH2 100 000 EH2 1 000 MH2 1 000 MH2 Range Low 872,68366 MHz 736,40110 MHz 2,84179 GHz 6,95825 GHz ter 16.JUL-2018 10/18:00 ries 16,705-2018 10,26,00 Middle Channel / QPSK Middle Channel / 16QAM Spectrum Ref Level 0.00 dbn Offset 14.50 db Mode Auto Sweep Ref Level 0.00 (En) Offset 14.50 (B) Mode Auto Sweep SPURIOUS LINE ARE SPURIOUS LINE ARE tart 00.0 MHz ter termi-1010 thibbeth the 16-JUL-1018 10-19-07

SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A169 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A170 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A171 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A172 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A173 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A174 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A175 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A176 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A177 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel		
_		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0000		
40	Normal Voltage	0.0011		
30	Normal Voltage	0.0011		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0005		
0	Normal Voltage	0.0000		
-10	Normal Voltage	0.0005	PASS	
-20	Normal Voltage	0.0005		
-30	Normal Voltage	0.0005		
20	Maximum Voltage	0.0021		
20	Normal Voltage	0.0000		
20	Battery End Point	0.0016		

Note:

- 1. Normal Voltage =3.9 V.; Battery End Point (BEP) =3.6 V.; Maximum Voltage =4.2 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A178 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report No.: FG670507B

Report Template No.: BU5-FGLTE Version 1.5

Test Conditions		LTE Band 4 (QPSK) / Middle Channel		
		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0063		
40	Normal Voltage	0.0058		
30	Normal Voltage	0.0006		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0046		
0	Normal Voltage	0.0046		
-10	Normal Voltage	0.0052	PASS	
-20	Normal Voltage	0.0000		
-30	Normal Voltage	0.0006		
20	Maximum Voltage	0.0058		
20	Normal Voltage	0.0000		
20	Battery End Point	0.0058		

- 1. Normal Voltage =3.9 V.; Battery End Point (BEP) =3.6 V.; Maximum Voltage =4.2 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A179 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
_		BW 10MHz	2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0108	
40	Normal Voltage	0.0084	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0072	
-10	Normal Voltage	0.0012	PASS
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0000	
20	Maximum Voltage	0.0072	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0060	

Note: Normal Voltage =3.9 V.; Battery End Point (BEP) =3.6 V.; Maximum Voltage =4.2 V.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A180 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test Conditions		LTE Band 7 (QPSK) / Middle Channel		
		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0004		
40	Normal Voltage	0.0008		
30	Normal Voltage	0.0020		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0012		
0	Normal Voltage	0.0008		
-10	Normal Voltage	0.0004	PASS	
-20	Normal Voltage	0.0016		
-30	Normal Voltage	0.0000		
20	Maximum Voltage	0.0004		
20	Normal Voltage	0.0000		
20	Battery End Point	0.0004		

- 1. Normal Voltage =3.9 V.; Battery End Point (BEP) =3.6 V.; Maximum Voltage =4.2 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A181 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report No.: FG670507B

Report Template No.: BU5-FGLTE Version 1.5

Test Conditions		LTE Band 12 (QPSK) / Middle Channel		
_		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0071		
40	Normal Voltage	0.0085		
30	Normal Voltage	0.0071		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0071		
0	Normal Voltage	0.0113		
-10	Normal Voltage	0.0014	PASS	
-20	Normal Voltage	0.0014		
-30	Normal Voltage	0.0000		
20	Maximum Voltage	0.0085		
20	Normal Voltage	0.0000		
20	Battery End Point	0.0085		

- 1. Normal Voltage =3.9 V.; Battery End Point (BEP) =3.6 V.; Maximum Voltage =4.2 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A182 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test Conditions		LTE Band 17 (QPSK) / Middle Channel		
		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0113		
40	Normal Voltage	0.0014		
30	Normal Voltage	0.0028		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0113		
0	Normal Voltage	0.0042		
-10	Normal Voltage	0.0127	PASS	
-20	Normal Voltage	0.0127		
-30	Normal Voltage	0.0155		
20	Maximum Voltage	0.0042		
20	Normal Voltage	0.0000		
20	Battery End Point	0.0028		

- 1. Normal Voltage =3.9 V.; Battery End Point (BEP) =3.6 V.; Maximum Voltage =4.2 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : A183 of A183
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Appendix B. Test Results of Radiated Test

ERP/EIRP

	LTE Band 2 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
Chamilei	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	25.73	0.3738	23.45	0.2211					
Middle	QPSK	1	0	25.69	0.3710	23.39	0.2184					
Highest		3	3	25.20	0.3308	23.53	0.2252					
Lowest		1	0	21.13	0.1296	24.89	0.3081					
Middle	16QAM	3	3	21.36	0.1369	24.38	0.2744					
Highest		3	1	20.82	0.1207	23.06	0.2021					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 2 / 3MHz (Average)											
Channal	Modulation	F	RB	Horiz	ontal	Vertical						
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	23.31	0.2143	24.51	0.2826					
Middle	QPSK	1	14	23.66	0.2324	24.40	0.2756					
Highest		1	14	21.51	0.1416	22.74	0.1880					
Lowest		1	0	24.08	0.2559	21.54	0.1426					
Middle	16QAM	1	14	24.78	0.3008	21.10	0.1289					
Highest		1	0	23.88	0.2444	21.08	0.1283					
Limit	EIRP < 2W			Res	sult	PAS	SS					

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B1 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report No.: FG670507B

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 5MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	25.52	0.3562	23.94	0.2476					
Middle	QPSK	1	0	25.00	0.3165	23.45	0.2215					
Highest		1	12	23.97	0.2497	23.46	0.2220					
Lowest		1	0	25.38	0.3449	22.39	0.1732					
Middle	16QAM	1	24	24.85	0.3057	22.02	0.1593					
Highest		1	0	25.23	0.3337	21.18	0.1313					
Limit	EIRP < 2W		Result		PASS							

LTE Band 2 / 10MHz (Average)											
Channal	Madulation	F	RB	Horizo	ontal	Vert	ical				
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	25.96	0.3946	17.14	0.0518				
Middle	QPSK	1	49	25.11	0.3246	17.39	0.0549				
Highest		1	0	24.45	0.2788	14.83	0.0304				
Lowest		1	0	21.38	0.1374	24.94	0.3120				
Middle	16QAM	1	49	20.98	0.1254	24.68	0.2940				
Highest		1	0	21.26	0.1338	23.31	0.2144				
Limit	EIRI	EIRP < 2W		Res	sult	PASS					

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B2 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	25.30	0.3392	25.60	0.3635					
Middle	QPSK	1	37	24.60	0.2886	25.69	0.3710					
Highest		1	0	23.99	0.2507	25.23	0.3335					
Lowest		1	0	22.52	0.1788	26.36	0.4330					
Middle	16QAM	1	37	23.80	0.2401	25.84	0.3840					
Highest		1	0	23.21	0.2095	24.79	0.3014					
Limit	EIRP < 2W		Result		PASS							

LTE Band 2 / 20MHz (Average)											
	Modulation	F	RB	Horiz	ontal	Vertical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	25.97	0.3950	15.12	0.0325				
Middle	QPSK	1	0	25.34	0.3422	17.79	0.0602				
Highest		1	0	24.68	0.2937	15.18	0.0330				
Lowest		1	0	25.37	0.3440	15.58	0.0361				
Middle	16QAM	1	49	25.14	0.3268	17.04	0.0506				
Highest		1	0	24.30	0.2691	14.77	0.0300				
Limit	EIRI	o < 2W		Res	sult	PAS	PASS				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B3 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 4 / 1.4MHz (Average)									
	Modulation	RB		Horizontal		Vertical			
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		3	1	25.64	0.3660	18.53	0.0712		
Middle	QPSK	3	1	25.68	0.3695	19.85	0.0965		
Highest		3	1	25.26	0.3355	20.27	0.1063		
Lowest		3	1	24.46	0.2789	18.90	0.0775		
Middle	16QAM	1	0	25.18	0.3293	19.47	0.0884		
Highest		3	1	24.85	0.3053	19.15	0.0822		
Limit	EIRI	o < 1W	< 1W		Result		PASS		

LTE Band 4 / 3MHz (Average)								
		RB		Horizontal		Vertical		
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest	QPSK	1	8	23.47	0.2221	17.63	0.0579	
Middle		1	14	24.20	0.2628	18.06	0.0639	
Highest		1	14	22.92	0.1958	16.31	0.0427	
Lowest		1	8	20.38	0.1090	22.55	0.1797	
Middle	16QAM	1	14	21.42	0.1385	23.20	0.2087	
Highest		1	8	20.26	0.1061	21.57	0.1435	
Limit	EIRP < 1W		Result		PASS			

LTE Band 4 / 5MHz (Average)								
Channel	Modulation	RB		Horizontal		Vertical		
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest		1	0	21.51	0.1414	16.48	0.0444	
Middle	QPSK	1	0	22.60	0.1818	16.06	0.0403	
Highest		1	12	22.23	0.1670	19.42	0.0874	
Lowest		1	0	24.20	0.2627	25.01	0.3166	
Middle	16QAM	1	0	24.39	0.2745	25.46	0.3512	
Highest]	1	0	24.06	0.2545	24.61	0.2889	
Limit	EIRI	EIRP < 1W		Result		PASS		

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B4 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 4/ 10MHz (Average)									
Ohammal	Modulation	RB		Horizontal		Vertical			
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		1	49	24.67	0.2934	20.29	0.1070		
Middle	QPSK	1	25	25.41	0.3472	20.32	0.1075		
Highest		1	0	24.66	0.2926	21.02	0.1266		
Lowest		1	25	23.89	0.2452	16.97	0.0498		
Middle	16QAM	1	25	24.28	0.2677	18.70	0.0741		
Highest		1	49	23.05	0.2020	17.79	0.0602		
Limit	EIRI	o < 1W		Result		PASS			

LTE Band 4 / 15MHz (Average)									
01	Modulation	RB		Horizontal		Vertical			
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		1	0	22.06	0.1609	15.10	0.0324		
Middle	QPSK	1	0	22.83	0.1917	16.64	0.0461		
Highest		1	0	22.47	0.1767	16.92	0.0492		
Lowest		1	0	22.97	0.1984	21.37	0.1372		
Middle	16QAM	1	0	23.19	0.2082	21.15	0.1302		
Highest		1	0	22.80	0.1907	22.49	0.1775		
Limit	EIRI	o < 1W		Result		PASS			

LTE Band 4 / 20MHz (Average)									
01	Modulation	RB		Horizontal		Vertical			
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		1	0	24.19	0.2627	21.83	0.1526		
Middle	QPSK	1	0	24.60	0.2881	21.40	0.1379		
Highest]	1	0	23.86	0.2434	22.08	0.1615		
Lowest		1	0	22.12	0.1631	23.62	0.2304		
Middle	16QAM	1	49	21.56	0.1431	24.28	0.2677		
Highest		1	99	20.76	0.1192	23.98	0.2502		
Limit	EIRI	O < 1W		Result		PASS			

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B5 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 1.4MHz (Average)											
Ohammal		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	0	25.03	0.3182	18.02	0.0634					
Middle	QPSK	1	0	25.37	0.3440	19.49	0.0888					
Highest		3	0	25.68	0.3699	18.61	0.0726					
Lowest		1	0	24.37	0.2735	17.44	0.0555					
Middle	16QAM	1	0	24.26	0.2667	18.45	0.0700					
Highest		1	5	24.78	0.3006	17.74	0.0594					
Limit	ERF	P < 7W		Res	sult	PAS	SS					

	LTE Band 5 / 3MHz (Average)												
Channal	Madulation	F	RB	Horiz	ontal	Vert	ical						
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)						
Lowest		1	0	22.39	0.1735	15.76	0.0377						
Middle	QPSK	1	0	22.88	0.1939	16.18	0.0415						
Highest		1	0	23.53	0.2253	16.54	0.0451						
Lowest		1	0	22.64	0.1837	18.31	0.0678						
Middle	16QAM	1	0	23.17	0.2073	19.04	0.0801						
Highest	1	1	0	23.20	0.2088	19.29	0.0849						
Limit	ERF	9 < 7W		Res	sult	PASS							

Page Number : B6 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 5MHz (Average)											
01	Modulation	RB		Horizo	ontal	Vert	ical					
Channel		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	12	24.08	0.2560	18.57	0.0720					
Middle	QPSK	1	0	23.54	0.2257	18.73	0.0746					
Highest		1	24	24.26	0.2666	16.95	0.0495					
Lowest		1	24	22.06	0.1608	17.89	0.0615					
Middle	16QAM	1	0	22.03	0.1594	18.27	0.0671					
Highest		1	0	23.19	0.2084	17.79	0.0601					
Limit	ERF	P < 7W		Res	sult	PASS						

	LTE Band 5 / 10MHz (Average)												
	Madulation	F	RB	Horiz	ontal	Vert	ical						
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)						
Lowest		1	25	23.63	0.2308	18.29	0.0675						
Middle	QPSK	1	25	23.24	0.2106	19.89	0.0974						
Highest		1	25	24.68	0.2936	21.17	0.1309						
Lowest		1	25	19.44	0.0879	20.09	0.1021						
Middle	16QAM	1	0	19.59	0.0909	21.20	0.1317						
Highest		1	25	20.44	0.1106	20.47	0.1114						
Limit	ERF	9 < 7W		Res	sult	PASS							

Page Number : B7 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 5MHz (Average)											
01		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	12	21.46	0.1399	11.08	0.0128					
Middle	QPSK	1	12	23.01	0.2002	12.76	0.0189					
Highest		1	12	22.95	0.1972	11.62	0.0145					
Lowest		1	24	20.51	0.1124	10.32	0.0108					
Middle	16QAM	1	0	22.01	0.1590	12.29	0.0170					
Highest		1	0	21.87	0.1538	11.21	0.0132					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 7 / 10MHz (Average)											
Channal	Madulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	25	21.50	0.1412	11.28	0.0134					
Middle	QPSK	1	25	23.18	0.2082	12.82	0.0192					
Highest		1	25	22.83	0.1919	11.76	0.0150					
Lowest		1	25	19.14	0.0820	14.59	0.0288					
Middle	16QAM	1	25	19.78	0.0952	14.71	0.0296					
Highest		1	25	20.07	0.1016	14.67	0.0293					
Limit	EIRI	o < 2W		Res	sult	PASS						

Page Number : B8 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz (Average)											
01		F	RB	Horize	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	37	19.54	0.0899	13.93	0.0247					
Middle	QPSK	1	74	22.34	0.1716	13.92	0.0247					
Highest		1	0	19.92	0.0982	13.71	0.0235					
Lowest		1	74	18.73	0.0746	14.16	0.0260					
Middle	16QAM	1	37	18.93	0.0782	14.81	0.0303					
Highest		1	0	19.55	0.0902	15.16	0.0328					
Limit	EIRI	o < 2W		Res	sult	PASS						

	LTE Band 7 / 20MHz (Average)											
		F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	15.27	0.0336	18.98	0.0790					
Middle	QPSK	1	0	15.92	0.0391	19.86	0.0969					
Highest		1	0	16.42	0.0439	19.73	0.0940					
Lowest		1	0	17.23	0.0528	18.48	0.0704					
Middle	16QAM	1	0	17.19	0.0524	18.67	0.0737					
Highest		1	0	17.35	0.0543	18.83	0.0764					
Limit	EIRP < 2W			Res	sult	PASS						

Page Number : B9 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report No.: FG670507B

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 1.4MHz (Average)											
01	Modulation	RB		Horizo	ontal	Vert	ical					
Channel		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	1	16.26	0.0423	21.15	0.1304					
Middle	QPSK	3	3	16.48	0.0444	20.97	0.1249					
Highest		3	3	16.19	0.0416	20.90	0.1231					
Lowest		1	0	15.74	0.0375	17.68	0.0587					
Middle	16QAM	1	0	15.40	0.0346	18.17	0.0655					
Highest		3	1	16.54	0.0451	18.27	0.0672					
Limit	ERF	P < 3W		Res	sult	PAS	SS					

	LTE Band 12 / 3MHz (Average)												
01		RB		Horiz	ontal	Vert	ical						
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)						
Lowest		1	14	17.32	0.0540	21.00	0.1260						
Middle	QPSK	1	14	18.40	0.0691	20.92	0.1235						
Highest		1	14	18.94	0.0784	20.79	0.1200						
Lowest		1	0	16.36	0.0433	20.20	0.1048						
Middle	16QAM	1	0	16.76	0.0474	20.17	0.1039						
Highest		1	0	17.55	0.0569	20.25	0.1060						
Limit	ERF	o < 3W		Res	sult	PASS							

Page Number : B10 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 5MHz (Average)											
Oh anna l	Modulation	RB		Horizo	ontal	Vert	ical					
Channel		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	12	20.87	0.1223	21.53	0.1424					
Middle	QPSK	1	12	21.07	0.1278	21.19	0.1314					
Highest		1	12	21.10	0.1289	21.08	0.1283					
Lowest		1	24	16.36	0.0433	22.20	0.1661					
Middle	16QAM	1	0	16.69	0.0466	21.42	0.1385					
Highest		1	0	17.12	0.0515	21.37	0.1372					
Limit	ERF	P < 3W		Res	sult	PASS						

	LTE Band 12 / 10MHz (Average)											
Channal	Madulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	25	18.09	0.0645	23.79	0.2396					
Middle	QPSK	1	25	18.29	0.0674	24.19	0.2621					
Highest		1	25	18.31	0.0678	24.25	0.2662					
Lowest		1	25	24.20	0.2633	20.02	0.1006					
Middle	16QAM	1	0	23.87	0.2435	19.89	0.0974					
Highest		1	0	23.67	0.2329	20.00	0.1000					
Limit	ERF	o < 3W		Res	sult	PASS						

Page Number : B11 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 17 / 5MHz (Average)												
Channel	Modulation	F	RB	Horizo	ontal	Vertical							
Channel	Wodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)						
Lowest		1	24	20.40	0.1098	21.36	0.1369						
Middle	QPSK	1	0	20.49	0.1118	21.92	0.1554						
Highest		1	0	20.51	0.1125	21.88	0.1542						
Lowest		1	0	17.49	0.0562	19.26	0.0844						
Middle	16QAM	1	12	17.78	0.0599	19.13	0.0818						
Highest		1	24	17.35	0.0544	19.02	0.0798						
Limit	ERP < 3W			Res	sult	PASS							

	LTE Band 17 / 10MHz (Average)												
Channal	Medulation	F	RB	Horiz	ontal	Vertical							
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)						
Lowest		1	25	14.60	0.0289	15.57	0.0361						
Middle	QPSK	1	25	14.51	0.0282	15.63	0.0365						
Highest		1	25	14.17	0.0261	15.62	0.0365						
Lowest		1	25	19.88	0.0974	18.54	0.0715						
Middle	16QAM	1	25	19.70	0.0932	19.29	0.0848						
Highest		1	25	19.28	0.0848	18.78	0.0755						
Limit	ERP < 3W			Res	sult	PASS							

Page Number : B12 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Radiated Spurious Emission

			LTE Band 2	2 / 1.4MHz / 0	QPSK / RB S	ize 1 Offset ()		
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3700.32	-53.21	-13	-40.21	-66.76	-59.25	6.56	12.60	Н
	5550.48	-52.65	-13	-39.65	-68.59	-57.75	8.00	13.10	Н
Lowest	7400.64	-49.06	-13	-36.06	-67.80	-50.79	9.57	11.30	Н
Lowest	3700.32	-53.18	-13	-40.18	-66.53	-59.22	6.56	12.60	V
	5550.48	-51.81	-13	-38.81	-69.16	-56.91	8.00	13.10	V
	7400.64	-48.58	-13	-35.58	-66.98	-50.31	9.57	11.30	V
	3758.92	-53.07	-13	-40.07	-66.62	-59.11	6.56	12.60	Н
	5638.38	-53.22	-13	-40.22	-69.16	-58.32	8.00	13.10	Н
Middle	7517.84	-48.51	-13	-35.51	-67.25	-50.24	9.57	11.30	Н
ivildale	3758.92	-53.90	-13	-40.90	-67.25	-59.94	6.56	12.60	V
	5638.38	-51.17	-13	-38.17	-68.52	-56.27	8.00	13.10	V
	7517.84	-48.36	-13	-35.36	-66.76	-50.09	9.57	11.30	V
	3817.52	-51.77	-13	-38.77	-65.32	-57.81	6.56	12.60	Н
	5726.28	-52.84	-13	-39.84	-68.78	-57.94	8.00	13.10	Н
Lligh oct	7635.04	-48.69	-13	-35.69	-67.43	-50.42	9.57	11.30	Н
Highest	3817.52	-51.92	-13	-38.92	-65.27	-57.96	6.56	12.60	V
	5726.28	-50.75	-13	-37.75	-68.1	-55.85	8.00	13.10	V
	7635.04	-48.95	-13	-35.95	-67.35	-50.68	9.57	11.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B13 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band	2 / 3MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3700.48	-53.60	-13	-40.60	-67.15	-59.64	6.56	12.60	Н
	5550.72	-53.24	-13	-40.24	-69.18	-58.34	8.00	13.10	Н
Lowest	7400.96	-48.77	-13	-35.77	-67.51	-50.50	9.57	11.30	Н
Lowest	3700.48	-53.80	-13	-40.80	-67.15	-59.84	6.56	12.60	V
	5550.72	-51.60	-13	-38.60	-68.95	-56.70	8.00	13.10	V
	7400.96	-49.15	-13	-36.15	-67.55	-50.88	9.57	11.30	V
	3757.48	-52.90	-13	-39.90	-66.45	-58.94	6.56	12.60	Н
	5636.22	-52.45	-13	-39.45	-68.39	-57.55	8.00	13.10	Н
Middle	7514.96	-48.69	-13	-35.69	-67.43	-50.42	9.57	11.30	Н
Middle	3757.48	-53.68	-13	-40.68	-67.03	-59.72	6.56	12.60	V
	5636.22	-51.79	-13	-38.79	-69.14	-56.89	8.00	13.10	V
	7514.96	-48.63	-13	-35.63	-67.03	-50.36	9.57	11.30	V
	3814.48	-53.38	-13	-40.38	-66.93	-59.42	6.56	12.60	Н
	5721.72	-52.38	-13	-39.38	-68.32	-57.48	8.00	13.10	Н
L limba a c t	7628.96	-47.82	-13	-34.82	-66.56	-49.55	9.57	11.30	Н
Highest	3814.48	-51.84	-13	-38.84	-65.19	-57.88	6.56	12.60	V
	5721.72	-51.59	-13	-38.59	-68.94	-56.69	8.00	13.10	V
	7628.96	-48.97	-13	-35.97	-67.37	-50.70	9.57	11.30	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B14 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band	2 / 5MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3700.68	-53.20	-13	-40.20	-66.75	-59.24	6.56	12.60	Н
	5551.02	-52.87	-13	-39.87	-68.81	-57.97	8.00	13.10	Н
Lowest	7401.36	-48.76	-13	-35.76	-67.50	-50.49	9.57	11.30	Н
Lowest	3700.68	-53.24	-13	-40.24	-66.59	-59.28	6.56	12.60	V
	5551.02	-51.11	-13	-38.11	-68.46	-56.21	8.00	13.10	V
	7401.36	-48.91	-13	-35.91	-67.31	-50.64	9.57	11.30	V
	3755.68	-53.45	-13	-40.45	-67.00	-59.49	6.56	12.60	Н
	5633.52	-51.80	-13	-38.80	-67.74	-56.90	8.00	13.10	Н
Middle	7511.36	-48.02	-13	-35.02	-66.76	-49.75	9.57	11.30	Н
Middle	3755.68	-53.62	-13	-40.62	-66.97	-59.66	6.56	12.60	V
	5633.52	-50.79	-13	-37.79	-68.14	-55.89	8.00	13.10	V
	7511.36	-48.26	-13	-35.26	-66.66	-49.99	9.57	11.30	V
	3810.68	-50.43	-13	-37.43	-63.98	-56.47	6.56	12.60	Н
	5716.02	-53.01	-13	-40.01	-68.95	-58.11	8.00	13.10	Н
l liada a c t	7621.36	-47.72	-13	-34.72	-66.46	-49.45	9.57	11.30	Н
Highest	3810.68	-50.38	-13	-37.38	-63.73	-56.42	6.56	12.60	V
	5716.02	-51.72	-13	-38.72	-69.07	-56.82	8.00	13.10	V
	7621.36	-48.45	-13	-35.45	-66.85	-50.18	9.57	11.30	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B15 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3701.18	-53.30	-13	-40.30	-66.85	-59.34	6.56	12.60	Н				
	5551.77	-52.80	-13	-39.80	-68.74	-57.90	8.00	13.10	Н				
Lowest	7402.36	-49.02	-13	-36.02	-67.76	-50.75	9.57	11.30	Н				
Lowest	3701.18	-53.29	-13	-40.29	-66.64	-59.33	6.56	12.60	V				
	5551.77	-52.08	-13	-39.08	-69.43	-57.18	8.00	13.10	V				
	7402.36	-48.84	-13	-35.84	-67.24	-50.57	9.57	11.30	V				
	3751.18	-53.95	-13	-40.95	-67.50	-59.99	6.56	12.60	Н				
	5626.77	-52.42	-13	-39.42	-68.36	-57.52	8.00	13.10	Н				
Middle	7502.36	-48.82	-13	-35.82	-67.56	-50.55	9.57	11.30	Н				
ivildale	3751.18	-53.91	-13	-40.91	-67.26	-59.95	6.56	12.60	V				
	5626.77	-51.86	-13	-38.86	-69.21	-56.96	8.00	13.10	V				
	7502.36	-48.43	-13	-35.43	-66.83	-50.16	9.57	11.30	V				
	3801.18	-53.81	-13	-40.81	-67.36	-59.85	6.56	12.60	Н				
	5701.77	-53.07	-13	-40.07	-69.01	-58.17	8.00	13.10	Н				
Liabaat	7602.36	-48.94	-13	-35.94	-67.68	-50.67	9.57	11.30	Н				
Highest	3801.18	-53.84	-13	-40.84	-67.19	-59.88	6.56	12.60	V				
	5701.77	-51.47	-13	-38.47	-68.82	-56.57	8.00	13.10	V				
	7602.36	-48.55	-13	-35.55	-66.95	-50.28	9.57	11.30	V				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B16 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3701.68	-52.80	-13	-39.80	-66.35	-58.84	6.56	12.60	Н				
	5552.52	-53.23	-13	-40.23	-69.17	-58.33	8.00	13.10	Н				
Lowest	7403.36	-48.65	-13	-35.65	-67.39	-50.38	9.57	11.30	Н				
Lowest	3701.68	-52.85	-13	-39.85	-66.2	-58.89	6.56	12.60	V				
	5552.52	-51.73	-13	-38.73	-69.08	-56.83	8.00	13.10	V				
	7403.36	-48.88	-13	-35.88	-67.28	-50.61	9.57	11.30	V				
	3746.68	-53.47	-13	-40.47	-67.02	-59.51	6.56	12.60	Н				
	5620.02	-53.39	-13	-40.39	-69.33	-58.49	8.00	13.10	Н				
Middle	7493.36	-48.04	-13	-35.04	-66.78	-49.77	9.57	11.30	Н				
ivildale	3746.68	-53.26	-13	-40.26	-66.61	-59.30	6.56	12.60	V				
	5620.02	-51.39	-13	-38.39	-68.74	-56.49	8.00	13.10	V				
	7493.36	-48.13	-13	-35.13	-66.53	-49.86	9.57	11.30	V				
	3791.68	-52.76	-13	-39.76	-66.31	-58.80	6.56	12.60	Н				
	5687.52	-52.54	-13	-39.54	-68.48	-57.64	8.00	13.10	Н				
Lligh oct	7583.36	-48.76	-13	-35.76	-67.50	-50.49	9.57	11.30	Н				
Highest	3791.68	-50.18	-13	-37.18	-63.53	-56.22	6.56	12.60	V				
	5687.52	-51.33	-13	-38.33	-68.68	-56.43	8.00	13.10	V				
	7583.36	-49.02	-13	-36.02	-67.42	-50.75	9.57	11.30	V				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B17 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3702.18	-53.25	-13	-40.25	-66.80	-59.29	6.56	12.60	Н				
	5553.27	-53.15	-13	-40.15	-69.09	-58.25	8.00	13.10	Н				
Lowest	7404.36	-48.41	-13	-35.41	-67.15	-50.14	9.57	11.30	Н				
Lowest	3702.18	-52.72	-13	-39.72	-66.07	-58.76	6.56	12.60	V				
	5553.27	-51.16	-13	-38.16	-68.51	-56.26	8.00	13.10	V				
	7404.36	-48.56	-13	-35.56	-66.96	-50.29	9.57	11.30	V				
	3742.18	-52.67	-13	-39.67	-66.22	-58.71	6.56	12.60	Н				
	5613.27	-53.11	-13	-40.11	-69.05	-58.21	8.00	13.10	Н				
Middle	7484.36	-47.63	-13	-34.63	-66.37	-49.36	9.57	11.30	Н				
Middle	3742.18	-52.03	-13	-39.03	-65.38	-58.07	6.56	12.60	V				
	5613.27	-51.22	-13	-38.22	-68.57	-56.32	8.00	13.10	V				
	7484.36	-48.30	-13	-35.30	-66.7	-50.03	9.57	11.30	V				
	3782.18	-51.12	-13	-38.12	-64.67	-57.16	6.56	12.60	Н				
	5673.27	-51.98	-13	-38.98	-67.92	-57.08	8.00	13.10	Н				
Lighoot	7564.36	-48.19	-13	-35.19	-66.93	-49.92	9.57	11.30	Н				
Highest	3782.18	-50.70	-13	-37.70	-64.05	-56.74	6.56	12.60	V				
	5673.27	-51.94	-13	-38.94	-69.29	-57.04	8.00	13.10	V				
	7564.36	-48.86	-13	-35.86	-67.26	-50.59	9.57	11.30	V				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B18 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band 4	l / 1.4MHz / 0	QPSK / RB S	ize 1 Offset ()		
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3420.32	-46.21	-13	-33.21	-60.96	-52.63	6.18	12.60	Н
	5130.48	-48.70	-13	-35.70	-66.70	-53.66	7.74	12.70	Н
Lowest	6840.64	-48.97	-13	-35.97	-67.78	-51.67	9.00	11.70	Н
Lowest	3420.32	-53.03	-13	-40.03	-63.98	-59.45	6.18	12.60	V
	5130.48	-55.14	-13	-42.14	-68.14	-60.10	7.74	12.70	V
	6840.64	-51.92	-13	-38.92	-68.63	-54.62	9.00	11.70	V
	3463.74	-46.90	-13	-33.90	-61.65	-53.32	6.18	12.60	Н
	5195.61	-49.79	-13	-36.79	-67.79	-54.75	7.74	12.70	Н
Middle	6927.48	-49.48	-13	-36.48	-68.29	-52.18	9.00	11.70	Н
Middle	3463.74	-52.58	-13	-39.58	-63.53	-59.00	6.18	12.60	V
	5195.61	-54.76	-13	-41.76	-67.76	-59.72	7.74	12.70	V
	6927.48	-51.86	-13	-38.86	-68.57	-54.56	9.00	11.70	V
	3507.52	-42.91	-13	-29.91	-57.66	-49.33	6.18	12.60	Н
	5261.28	-50.42	-13	-37.42	-68.42	-55.38	7.74	12.70	Н
I limb a ct	7015.04	-48.72	-13	-35.72	-67.53	-51.42	9.00	11.70	Н
Highest	3507.52	-51.86	-13	-38.86	-62.81	-58.28	6.18	12.60	V
	5261.28	-55.65	-13	-42.65	-68.65	-60.61	7.74	12.70	V
	7015.04	-51.53	-13	-38.53	-68.24	-54.23	9.00	11.70	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B19 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3420.48	-43.69	-13	-30.69	-58.44	-50.11	6.18	12.60	Н				
	5130.72	-50.20	-13	-37.20	-68.20	-55.16	7.74	12.70	Н				
Lowoot	6840.96	-49.86	-13	-36.86	-68.67	-52.56	9.00	11.70	Н				
Lowest	3420.48	-51.94	-13	-38.94	-62.89	-58.36	6.18	12.60	V				
	5130.72	-54.13	-13	-41.13	-67.13	-59.09	7.74	12.70	V				
	6840.96	-52.16	-13	-39.16	-68.87	-54.86	9.00	11.70	V				
	3462.48	-46.03	-13	-33.03	-60.78	-52.45	6.18	12.60	Н				
	5193.72	-50.36	-13	-37.36	-68.36	-55.32	7.74	12.70	Н				
Middle	6924.96	-49.25	-13	-36.25	-68.06	-51.95	9.00	11.70	Н				
Middle	3462.48	-49.29	-13	-36.29	-60.24	-55.71	6.18	12.60	V				
	5193.72	-55.20	-13	-42.20	-68.2	-60.16	7.74	12.70	V				
	6924.96	-51.42	-13	-38.42	-68.13	-54.12	9.00	11.70	V				
	3504.48	-42.90	-13	-29.90	-57.65	-49.32	6.18	12.60	Н				
	5256.72	-50.67	-13	-37.67	-68.67	-55.63	7.74	12.70	Н				
Llighoot	7008.96	-48.59	-13	-35.59	-67.40	-51.29	9.00	11.70	Н				
Highest	3504.48	-50.14	-13	-37.14	-61.09	-56.56	6.18	12.60	V				
	5256.72	-56.05	-13	-43.05	-69.05	-61.01	7.74	12.70	V				
	7008.96	-51.57	-13	-38.57	-68.28	-54.27	9.00	11.70	V				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B20 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3420.68	-44.05	-13	-31.05	-58.80	-50.47	6.18	12.60	Н				
	5131.02	-50.07	-13	-37.07	-68.07	-55.03	7.74	12.70	Н				
Lowest	6841.36	-49.57	-13	-36.57	-68.38	-52.27	9.00	11.70	Н				
Lowest	3420.68	-52.39	-13	-39.39	-63.34	-58.81	6.18	12.60	V				
	5131.02	-54.93	-13	-41.93	-67.93	-59.89	7.74	12.70	V				
	6841.36	-51.84	-13	-38.84	-68.55	-54.54	9.00	11.70	V				
	3460.68	-45.13	-13	-32.13	-59.88	-51.55	6.18	12.60	Н				
	5191.02	-50.83	-13	-37.83	-68.83	-55.79	7.74	12.70	Н				
Middle	6921.36	-49.79	-13	-36.79	-68.60	-52.49	9.00	11.70	Н				
Middle	3460.68	-49.35	-13	-36.35	-60.3	-55.77	6.18	12.60	V				
	5191.02	-55.91	-13	-42.91	-68.91	-60.87	7.74	12.70	V				
	6921.36	-51.55	-13	-38.55	-68.26	-54.25	9.00	11.70	V				
	3500.68	-41.85	-13	-28.85	-56.60	-48.27	6.18	12.60	Н				
	5251.02	-50.80	-13	-37.80	-68.80	-55.76	7.74	12.70	Н				
Liabaat	7001.36	-49.79	-13	-36.79	-68.60	-52.49	9.00	11.70	Н				
Highest	3500.68	-49.87	-13	-36.87	-60.82	-56.29	6.18	12.60	V				
	5251.02	-56.03	-13	-43.03	-69.03	-60.99	7.74	12.70	V				
	7001.36	-51.62	-13	-38.62	-68.33	-54.32	9.00	11.70	V				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B21 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band 4	4 / 10MHz / C	PSK / RB Si	ize 1 Offset (
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3421.18	-46.64	-13	-33.64	-61.39	-53.06	6.18	12.60	Н
	5131.77	-49.63	-13	-36.63	-67.63	-54.59	7.74	12.70	Н
Lowest	6842.36	-49.76	-13	-36.76	-68.57	-52.46	9.00	11.70	Н
Lowest	3421.18	-52.84	-13	-39.84	-63.79	-59.26	6.18	12.60	V
	5131.77	-55.11	-13	-42.11	-68.11	-60.07	7.74	12.70	V
	6842.36	-52.00	-13	-39.00	-68.71	-54.70	9.00	11.70	V
	3456.18	-46.06	-13	-33.06	-60.81	-52.48	6.18	12.60	Н
	5184.27	-50.39	-13	-37.39	-68.39	-55.35	7.74	12.70	Н
Middle	6912.36	-48.82	-13	-35.82	-67.63	-51.52	9.00	11.70	Н
Middle	3456.18	-45.88	-13	-32.88	-57.55	-52.30	6.18	12.60	V
	5184.27	-55.06	-13	-42.06	-68.06	-60.02	7.74	12.70	V
	6912.36	-51.32	-13	-38.32	-68.03	-54.02	9.00	11.70	V
	3491.18	-43.38	-13	-30.38	-58.13	-49.80	6.18	12.60	Н
	5236.77	-50.20	-13	-37.20	-68.20	-55.16	7.74	12.70	Н
Himbook	6982.36	-48.95	-13	-35.95	-67.76	-51.65	9.00	11.70	Н
Highest	3491.18	-50.20	-13	-37.20	-61.15	-56.62	6.18	12.60	V
	5236.77	-55.45	-13	-42.45	-68.45	-60.41	7.74	12.70	V
	6982.36	-51.14	-13	-38.14	-67.85	-53.84	9.00	11.70	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B22 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3421.68	-44.09	-13	-31.09	-58.84	-50.51	6.18	12.60	Н				
	5132.52	-49.91	-13	-36.91	-67.91	-54.87	7.74	12.70	Н				
Lowest	6843.36	-50.36	-13	-37.36	-69.17	-53.06	9.00	11.70	Н				
Lowest	3421.68	-51.46	-13	-38.46	-62.41	-57.88	6.18	12.60	V				
	5132.52	-55.61	-13	-42.61	-68.61	-60.57	7.74	12.70	V				
	6843.36	-52.09	-13	-39.09	-68.8	-54.79	9.00	11.70	V				
	3451.68	-46.73	-13	-33.73	-61.48	-53.15	6.18	12.60	Н				
	5177.52	-50.02	-13	-37.02	-68.02	-54.98	7.74	12.70	Н				
Middle	6903.36	-49.42	-13	-36.42	-68.23	-52.12	9.00	11.70	Н				
Middle	3451.68	-47.54	-13	-34.54	-58.49	-53.96	6.18	12.60	V				
	5177.52	-55.63	-13	-42.63	-68.63	-60.59	7.74	12.70	V				
	6903.36	-51.41	-13	-38.41	-68.12	-54.11	9.00	11.70	V				
	3481.68	-45.15	-13	-32.15	-59.90	-51.57	6.18	12.60	Н				
	5222.52	-50.74	-13	-37.74	-68.74	-55.70	7.74	12.70	Н				
Llighoot	6963.36	-49.48	-13	-36.48	-68.29	-52.18	9.00	11.70	Н				
Highest	3481.68	-51.31	-13	-38.31	-62.26	-57.73	6.18	12.60	V				
	5222.52	-56.05	-13	-43.05	-69.05	-61.01	7.74	12.70	V				
	6963.36	-51.47	-13	-38.47	-68.18	-54.17	9.00	11.70	V				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B23 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band 4	4 / 20MHz / C	PSK / RB S	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3422.18	-44.06	-13	-31.06	-58.81	-50.48	6.18	12.60	Н
	5133.27	-50.58	-13	-37.58	-68.58	-55.54	7.74	12.70	Н
Lowoot	6844.36	-50.05	-13	-37.05	-68.86	-52.75	9.00	11.70	Н
Lowest	3422.18	-51.18	-13	-38.18	-62.13	-57.60	6.18	12.60	V
	5133.27	-55.33	-13	-42.33	-68.33	-60.29	7.74	12.70	V
	6844.36	-51.62	-13	-38.62	-68.33	-54.32	9.00	11.70	V
	3447.18	-44.42	-13	-31.42	-59.17	-50.84	6.18	12.60	Н
	5170.77	-50.73	-13	-37.73	-68.73	-55.69	7.74	12.70	Н
Middle	6894.36	-49.30	-13	-36.30	-68.11	-52.00	9.00	11.70	Н
Middle	3447.18	-49.22	-13	-36.22	-60.17	-55.64	6.18	12.60	V
	5170.77	-54.92	-13	-41.92	-67.92	-59.88	7.74	12.70	V
	6894.36	-51.57	-13	-38.57	-68.28	-54.27	9.00	11.70	V
	3472.18	-46.29	-13	-33.29	-61.04	-52.71	6.18	12.60	Н
	5208.27	-50.71	-13	-37.71	-68.71	-55.67	7.74	12.70	Н
Limboot	6944.36	-49.61	-13	-36.61	-68.42	-52.31	9.00	11.70	Н
Highest	3472.18	-50.06	-13	-37.06	-61.01	-56.48	6.18	12.60	V
	5208.27	-55.72	-13	-42.72	-68.72	-60.68	7.74	12.70	V
	6944.36	-51.68	-13	-38.68	-68.39	-54.38	9.00	11.70	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B24 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1671.92	-41.22	-13	-28.22	-47.15	-47.91	0.56	9.40	Н				
	2507.88	-53.66	-13	-40.66	-59.40	-61.37	0.74	10.60	Н				
Lowest	3343.84	-55.96	-13	-42.96	-64.77	-65.56	0.85	12.60	Н				
Lowest	1671.92	-43.71	-13	-30.71	-48.69	-50.40	0.56	9.40	V				
	2507.88	-57.48	-13	-44.48	-63.06	-65.19	0.74	10.60	V				
	3343.84	-57.46	-13	-44.46	-65.60	-67.06	0.85	12.60	V				
	1671.92	-44.43	-13	-31.43	-49.94	-51.12	0.56	9.40	Н				
	2507.88	-50.30	-13	-37.30	-56.51	-58.01	0.74	10.60	Н				
NA: al all a	3343.84	-53.47	-13	-40.47	-62.28	-63.07	0.85	12.60	Н				
Middle	1671.92	-47.36	-13	-34.36	-51.44	-54.05	0.56	9.40	V				
	2507.88	-55.19	-13	-42.19	-60.77	-62.90	0.74	10.60	V				
	3343.84	-56.62	-13	-43.62	-64.76	-66.22	0.85	12.60	V				
	1695.52	-43.16	-13	-30.16	-48.83	-49.85	0.56	9.40	Н				
	2543.28	-54.09	-13	-41.09	-59.83	-61.80	0.74	10.60	Н				
l limb act	3391.04	-55.56	-13	-42.56	-64.37	-65.16	0.85	12.60	Н				
Highest	1695.52	-49.96	-13	-36.96	-53.57	-56.65	0.56	9.40	V				
	2543.28	-56.56	-13	-43.56	-62.14	-64.27	0.74	10.60	V				
	3391.04	-58.18	-13	-45.18	-66.32	-67.78	0.85	12.60	V				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B25 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1648.48	-46.14	-13	-33.14	-51.17	-52.83	0.56	9.40	Н				
	2472.72	-53.80	-13	-40.80	-59.54	-61.51	0.74	10.60	Н				
Lowest	3296.96	-57.36	-13	-44.36	-66.17	-66.96	0.85	12.60	Н				
Lowest	1648.48	-54.09	-13	-41.09	-56.28	-60.78	0.56	9.40	V				
	2472.72	-59.03	-13	-46.03	-64.61	-66.74	0.74	10.60	V				
	3296.96	-57.29	-13	-44.29	-65.43	-66.89	0.85	12.60	V				
	1670.48	-46.26	-13	-33.26	-51.27	-52.95	0.56	9.40	Н				
	2505.72	-53.12	-13	-40.12	-58.86	-60.83	0.74	10.60	Н				
Middle	3340.96	-58.09	-13	-45.09	-66.90	-67.69	0.85	12.60	Н				
Middle	1670.48	-47.29	-13	-34.29	-51.38	-53.98	0.56	9.40	V				
	2505.72	-57.82	-13	-44.82	-63.40	-65.53	0.74	10.60	V				
	3340.96	-58.08	-13	-45.08	-66.22	-67.68	0.85	12.60	V				
	1692.48	-46.89	-13	-33.89	-51.76	-53.58	0.56	9.40	Н				
	2538.72	-57.55	-13	-44.55	-63.29	-65.26	0.74	10.60	Н				
Limboot	3384.96	-58.21	-13	-45.21	-67.02	-67.81	0.85	12.60	Н				
Highest	1692.48	-53.48	-13	-40.48	-55.81	-60.17	0.56	9.40	V				
	2538.72	-59.10	-13	-46.10	-64.68	-66.81	0.74	10.60	V				
	3384.96	-59.04	-13	-46.04	-67.18	-68.64	0.85	12.60	V				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B26 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band	5 / 5MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1648.68	-46.20	-13	-33.20	-51.22	-52.89	0.56	9.40	Н
	2473.02	-52.07	-13	-39.07	-57.81	-59.78	0.74	10.60	Н
Lowest	3297.36	-57.45	-13	-44.45	-66.26	-67.05	0.85	12.60	Н
Lowest	1648.68	-51.28	-13	-38.28	-54.50	-57.97	0.56	9.40	V
	2473.02	-58.25	-13	-45.25	-63.83	-65.96	0.74	10.60	V
	3297.36	-56.04	-13	-43.04	-64.18	-65.64	0.85	12.60	V
	1668.68	-46.73	-13	-33.73	-51.63	-53.42	0.56	9.40	Н
	2503.02	-53.11	-13	-40.11	-58.85	-60.82	0.74	10.60	Н
Middle	3337.36	-57.30	-13	-44.30	-66.11	-66.90	0.85	12.60	Н
Middle	1668.68	-47.15	-13	-34.15	-51.26	-53.84	0.56	9.40	V
	2503.02	-58.59	-13	-45.59	-64.17	-66.30	0.74	10.60	V
	3337.36	-58.94	-13	-45.94	-67.08	-68.54	0.85	12.60	V
	1688.68	-45.84	-13	-32.84	-50.96	-52.53	0.56	9.40	Н
	2533.02	-55.58	-13	-42.58	-61.32	-63.29	0.74	10.60	Н
l limbost	3377.36	-57.14	-13	-44.14	-65.95	-66.74	0.85	12.60	Н
Highest	1688.68	-56.60	-13	-43.60	-58.26	-63.29	0.56	9.40	V
	2533.02	-58.19	-13	-45.19	-63.77	-65.90	0.74	10.60	V
	3377.36	-59.29	-13	-46.29	-67.43	-68.89	0.85	12.60	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B27 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1649.18	-45.90	-13	-32.90	-51.00	-52.59	0.56	9.40	Н				
	2473.77	-54.11	-13	-41.11	-59.85	-61.82	0.74	10.60	Н				
Lowest	3298.36	-57.26	-13	-44.26	-66.07	-66.86	0.85	12.60	Н				
Lowest	1649.18	-55.00	-13	-42.00	-56.66	-61.69	0.56	9.40	V				
	2473.77	-59.05	-13	-46.05	-64.63	-66.76	0.74	10.60	V				
	3298.36	-58.54	-13	-45.54	-66.68	-68.14	0.85	12.60	V				
	1664.18	-47.55	-13	-34.55	-52.35	-54.24	0.56	9.40	Н				
	2496.27	-54.42	-13	-41.42	-60.16	-62.13	0.74	10.60	Н				
Middle	3328.36	-58.55	-13	-45.55	-67.36	-68.15	0.85	12.60	Н				
Middle	1664.18	-47.96	-13	-34.96	-51.94	-54.65	0.56	9.40	V				
	2496.27	-60.06	-13	-47.06	-65.64	-67.77	0.74	10.60	V				
	3328.36	-58.22	-13	-45.22	-66.36	-67.82	0.85	12.60	V				
	1679.18	-43.08	-13	-30.08	-48.76	-49.77	0.56	9.40	Н				
	2518.77	-52.10	-13	-39.10	-57.84	-59.81	0.74	10.60	Н				
Limboot	3358.36	-55.29	-13	-42.29	-64.10	-64.89	0.85	12.60	Н				
Highest	1679.18	-52.93	-13	-39.93	-55.38	-59.62	0.56	9.40	V				
	2518.77	-57.03	-13	-44.03	-62.61	-64.74	0.74	10.60	V				
	3358.36	-58.19	-13	-45.19	-66.33	-67.79	0.85	12.60	V				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B28 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5065.68	-62.57	-25	-37.57	-78.77	-74.33	0.94	12.70	Н				
	7598.52	-57.79	-25	-32.79	-79.16	-67.80	1.69	11.70	Н				
Middle	10131.36	-55.29	-25	-30.29	-79.65	-65.95	1.44	12.10	Н				
Middle	5065.68	-63.09	-25	-38.09	-78.84	-74.85	0.94	12.70	V				
	7598.52	-58.22	-25	-33.22	-79.21	-68.23	1.69	11.70	V				
	10131.36	-56.92	-25	-31.92	-79.82	-67.58	1.44	12.10	V				

	LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5061.18	-62.88	-25	-37.88	-79.08	-74.64	0.94	12.70	Н				
	7591.77	-57.37	-25	-32.37	-78.74	-67.38	1.69	11.70	Н				
Middle	10122.36	-55.18	-25	-30.18	-79.54	-65.84	1.44	12.10	Н				
Middle	5061.18	-63.46	-25	-38.46	-79.21	-75.22	0.94	12.70	V				
	7591.77	-58.18	-25	-33.18	-79.17	-68.19	1.69	11.70	V				
	10122.36	-56.67	-25	-31.67	-79.57	-67.33	1.44	12.10	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B29 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5056.68	-62.85	-25	-37.85	-79.05	-74.61	0.94	12.70	Н				
	7585.02	-57.46	-25	-32.46	-78.83	-67.47	1.69	11.70	Н				
Middle	10113.36	-55.15	-25	-30.15	-79.51	-65.81	1.44	12.10	Н				
Middle	5056.68	-63.32	-25	-38.32	-79.07	-75.08	0.94	12.70	V				
	7585.02	-57.90	-25	-32.90	-78.89	-67.91	1.69	11.70	V				
	10113.36	-56.65	-25	-31.65	-79.55	-67.31	1.44	12.10	V				

	LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	5052.18	-62.56	-25	-37.56	-78.76	-74.32	0.94	12.70	Н				
	7578.27	-57.48	-25	-32.48	-78.85	-67.49	1.69	11.70	Н				
Middle	10104.36	-54.81	-25	-29.81	-79.17	-65.47	1.44	12.10	Н				
Middle	5052.18	-63.20	-25	-38.20	-78.95	-74.96	0.94	12.70	V				
	7578.27	-57.83	-25	-32.83	-78.82	-67.84	1.69	11.70	V				
	10104.36	-55.99	-25	-30.99	-78.89	-66.65	1.44	12.10	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B30 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

			LTE Band 1:	2 / 1.4MHz /	OPSK / RB S	Size 1 Offset	0		
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1398.14	-45.24	-13	-32.24	-50.56	-51.93	0.56	9.40	Н
	2097.21	-55.10	-13	-42.10	-60.84	-62.81	0.74	10.60	Н
	2796.28	-57.16	-13	-44.16	-65.97	-66.76	0.85	12.60	Н
Lowest	3495.8	-52.56	-13	-39.56	-64.08	-62.12	0.89	12.60	Н
Lowest	1398.14	-47.33	-13	-34.33	-51.41	-54.02	0.56	9.40	V
	2097.21	-55.36	-13	-42.36	-60.94	-63.07	0.74	10.60	V
	2796.28	-57.79	-13	-44.79	-65.93	-67.39	0.85	12.60	V
	3495.8	-49.42	-13	-36.42	-60.54	-58.98	0.89	12.60	V
	1413.74	-42.43	-13	-29.43	-48.15	-49.12	0.56	9.40	Н
	2120.61	-53.72	-13	-40.72	-59.46	-61.43	0.74	10.60	Н
	2827.48	-57.25	-13	-44.25	-66.06	-66.85	0.85	12.60	Н
Middle	3534.35	-53.91	-13	-40.91	-65.43	-63.47	0.89	12.60	Н
Middle	1413.74	-42.89	-13	-29.89	-47.92	-49.58	0.56	9.40	V
	2120.61	-52.26	-13	-39.26	-58.08	-59.97	0.74	10.60	V
	2827.48	-52.67	-13	-39.67	-60.81	-62.27	0.85	12.60	V
	3534.35	-49.32	-13	-36.32	-60.44	-58.88	0.89	12.60	V
	1429.34	-42.07	-13	-29.07	-47.82	-48.76	0.56	9.40	Н
	2144.01	-53.93	-13	-40.93	-59.67	-61.64	0.74	10.60	Н
	2858.68	-51.94	-13	-38.94	-60.75	-61.54	0.85	12.60	Н
l limbact	3573.8	-52.71	-13	-39.71	-64.23	-62.27	0.89	12.60	Н
Highest	1429.34	-40.89	-13	-27.89	-46.20	-47.58	0.56	9.40	V
	2144.01	-53.40	-13	-40.40	-58.98	-61.11	0.74	10.60	V
	2858.68	-49.64	-13	-36.64	-57.99	-59.24	0.85	12.60	V
	3573.8	-46.41	-13	-33.41	-57.53	-55.97	0.89	12.60	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B31 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	1398.3	-60.91	-13	-47.91	-63.74	-67.60	0.56	9.40	Н				
	2097.45	-59.31	-13	-46.31	-65.05	-67.02	0.74	10.60	Н				
Lowest	2796.6	-58.17	-13	-45.17	-66.98	-67.77	0.85	12.60	Н				
Lowest	1398.3	-61.54	-13	-48.54	-63.20	-68.23	0.56	9.40	V				
	2097.45	-59.71	-13	-46.71	-65.29	-67.42	0.74	10.60	V				
	2796.6	-58.52	-13	-45.52	-66.66	-68.12	0.85	12.60	V				
	1412.3	-58.31	-13	-45.31	-61.14	-65.00	0.56	9.40	Н				
	2118.45	-60.32	-13	-47.32	-66.06	-68.03	0.74	10.60	Н				
Middle	2824.6	-56.54	-13	-43.54	-65.35	-66.14	0.85	12.60	Н				
Middle	1412.3	-60.09	-13	-47.09	-61.75	-66.78	0.56	9.40	V				
	2118.45	-60.65	-13	-47.65	-66.23	-68.36	0.74	10.60	V				
	2824.6	-57.77	-13	-44.77	-65.91	-67.37	0.85	12.60	V				
	1427	-57.51	-13	-44.51	-60.34	-64.20	0.56	9.40	Н				
	2140.5	-59.91	-13	-46.91	-65.65	-67.62	0.74	10.60	Н				
Liabaat	2854	-57.39	-13	-44.39	-66.20	-66.99	0.85	12.60	Н				
Highest	1427	-58.98	-13	-45.98	-60.64	-65.67	0.56	9.40	V				
	2140.5	-58.69	-13	-45.69	-64.27	-66.40	0.74	10.60	V				
	2854	-57.27	-13	-44.27	-65.41	-66.87	0.85	12.60	V				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B32 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1398.5	-60.53	-13	-47.53	-63.36	-67.22	0.56	9.40	Н
	2097.75	-60.14	-13	-47.14	-65.88	-67.85	0.74	10.60	Н
Lowest	2797	-57.74	-13	-44.74	-66.55	-67.34	0.85	12.60	Н
Lowest	1398.5	-61.79	-13	-48.79	-63.45	-68.48	0.56	9.40	V
	2097.75	-60.64	-13	-47.64	-66.22	-68.35	0.74	10.60	V
	2797	-58.11	-13	-45.11	-66.25	-67.71	0.85	12.60	V
	1410.5	-58.81	-13	-45.81	-61.64	-65.50	0.56	9.40	Н
	2115.75	-60.79	-13	-47.79	-66.53	-68.50	0.74	10.60	Н
Middle	2821	-56.95	-13	-43.95	-65.76	-66.55	0.85	12.60	Н
Middle	1410.5	-58.68	-13	-45.68	-60.34	-65.37	0.56	9.40	V
	2115.75	-55.62	-13	-42.62	-61.20	-63.33	0.74	10.60	V
	2821	-58.49	-13	-45.49	-66.63	-68.09	0.85	12.60	V
	1422.5	-58.71	-13	-45.71	-61.54	-65.40	0.56	9.40	Н
Highest	2133.75	-60.94	-13	-47.94	-66.68	-68.65	0.74	10.60	Н
	2845	-56.65	-13	-43.65	-65.46	-66.25	0.85	12.60	Н
	1422.5	-59.18	-13	-46.18	-60.84	-65.87	0.56	9.40	V
	2133.75	-59.10	-13	-46.10	-64.68	-66.81	0.74	10.60	V
	2845	-58.20	-13	-45.20	-66.34	-67.80	0.85	12.60	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B33 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1399	-60.02	-13	-47.02	-62.85	-66.71	0.56	9.40	Н
	2098.5	-59.89	-13	-46.89	-65.63	-67.60	0.74	10.60	Н
Lowest	2798	-58.03	-13	-45.03	-66.84	-67.63	0.85	12.60	Н
Lowest	1399	-61.82	-13	-48.82	-63.48	-68.51	0.56	9.40	V
	2098.5	-60.30	-13	-47.30	-65.88	-68.01	0.74	10.60	V
	2798	-58.30	-13	-45.30	-66.44	-67.90	0.85	12.60	V
	1406	-58.45	-13	-45.45	-61.28	-65.14	0.56	9.40	Н
	2109	-59.54	-13	-46.54	-65.28	-67.25	0.74	10.60	Н
Middle	2812	-57.49	-13	-44.49	-66.30	-67.09	0.85	12.60	Н
Middle	1406	-59.74	-13	-46.74	-61.40	-66.43	0.56	9.40	V
	2109	-59.71	-13	-46.71	-65.29	-67.42	0.74	10.60	V
	2812	-57.25	-13	-44.25	-65.39	-66.85	0.85	12.60	V
	1413	-57.22	-13	-44.22	-60.05	-63.91	0.56	9.40	Н
Highest	2119.5	-60.51	-13	-47.51	-66.25	-68.22	0.74	10.60	Н
	2826	-57.10	-13	-44.10	-65.91	-66.70	0.85	12.60	Н
	1413	-58.59	-13	-45.59	-60.25	-65.28	0.56	9.40	V
	2119.5	-60.53	-13	-47.53	-66.11	-68.24	0.74	10.60	V
	2826	-58.20	-13	-45.20	-66.34	-67.80	0.85	12.60	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B34 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1408.68	-35.62	-13	-22.62	-42.00	-42.31	0.56	9.40	Н
	2113.02	-53.79	-13	-40.79	-59.53	-61.50	0.74	10.60	Н
Lowest	2817.36	-54.99	-13	-41.99	-63.80	-64.59	0.85	12.60	Н
Lowest	1408.68	-35.08	-13	-22.08	-40.84	-41.77	0.56	9.40	V
	2113.02	-54.24	-13	-41.24	-59.82	-61.95	0.74	10.60	V
	2817.36	-53.63	-13	-40.63	-61.77	-63.23	0.85	12.60	V
	1415.68	-34.30	-13	-21.30	-40.79	-40.99	0.56	9.40	Н
	2123.58	-51.81	-13	-38.81	-57.64	-59.52	0.74	10.60	Н
Middle	2831.36	-57.08	-13	-44.08	-65.89	-66.68	0.85	12.60	Н
Middle	1415.68	-32.57	-13	-19.57	-38.41	-39.26	0.56	9.40	V
	2123.58	-49.34	-13	-36.34	-55.90	-57.05	0.74	10.60	V
	2831.36	-53.30	-13	-40.30	-61.44	-62.90	0.85	12.60	V
	1422.68	-35.69	-13	-22.69	-42.06	-42.38	0.56	9.40	Н
	2134.02	-51.38	-13	-38.38	-57.41	-59.09	0.74	10.60	Н
Highest	2845.36	-56.60	-13	-43.60	-65.41	-66.20	0.85	12.60	Н
	1422.68	-33.02	-13	-20.02	-38.81	-39.71	0.56	9.40	V
	2134.02	-50.41	-13	-37.41	-56.62	-58.12	0.74	10.60	V
	2845.36	-54.37	-13	-41.37	-62.51	-63.97	0.85	12.60	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B35 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1409.18	-35.02	-13	-22.02	-41.45	-41.71	0.56	9.40	Н
	2113.77	-53.81	-13	-40.81	-59.55	-61.52	0.74	10.60	Н
Lowest	2818.36	-55.30	-13	-42.30	-64.11	-64.90	0.85	12.60	Н
Lowest	1409.18	-35.77	-13	-22.77	-41.54	-42.46	0.56	9.40	V
	2113.77	-54.39	-13	-41.39	-59.97	-62.10	0.74	10.60	V
	2818.36	-53.84	-13	-40.84	-61.98	-63.44	0.85	12.60	V
	1411.18	-34.52	-13	-21.52	-40.99	-41.21	0.56	9.40	Н
	2116.77	-53.37	-13	-40.37	-59.11	-61.08	0.74	10.60	Н
Middle	2822.36	-56.00	-13	-43.00	-64.81	-65.60	0.85	12.60	Н
Middle	1411.18	-35.11	-13	-22.11	-40.87	-41.80	0.56	9.40	V
	2116.77	-53.13	-13	-40.13	-58.71	-60.84	0.74	10.60	V
	2822.36	-51.47	-13	-38.47	-59.61	-61.07	0.85	12.60	V
	1413.18	-35.52	-13	-22.52	-41.91	-42.21	0.56	9.40	Н
	2119.77	-50.96	-13	-37.96	-57.17	-58.67	0.74	10.60	Н
Highest	2826.36	-56.04	-13	-43.04	-64.85	-65.64	0.85	12.60	Н
	1413.18	-33.79	-13	-20.79	-39.65	-40.48	0.56	9.40	V
	2119.77	-50.11	-13	-37.11	-56.52	-57.82	0.74	10.60	V
	2826.36	-50.84	-13	-37.84	-58.98	-60.44	0.85	12.60	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2ACCJB066 Page Number : B36 of B36
Report Issued Date : Aug. 16, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5