

### **MEASUREMENT 1**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 33 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Low
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

### Low Band SAR (Channel 20050):

Frequency (MHz)	1720.000000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	-0.990000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 1 of 46






Maximum location: X=8.00, Y=9.00 SAR Peak: 1.64 W/kg

SAR 10g (W/Kg)	0.540404
SAR 1g (W/Kg)	0.990981







### **MEASUREMENT 2**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 35 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

### Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	1.900000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 3 of 46






Maximum location: X=8.00, Y=9.00 SAR Peak: 1.59 W/kg

SAR 10g (W/Kg)	0.531152
SAR 1g (W/Kg)	0.961109





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>



### **MEASUREMENT 3**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 33 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	High
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

### High Band SAR (Channel 20300):

Frequency (MHz)	1745.000000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	-1.210000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 5 of 46






Maximum location: X=8.00, Y=10.00 SAR Peak: 1.59 W/kg

SAR 10g (W/Kg)	0.521858
SAR 1g (W/Kg)	0.955254







#### **MEASUREMENT 4**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 35 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	0.530000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Fax: +86 (0) 755 36698525

Phone: +86 (0) 755 36698555


Page 7 of 46






Maximum location: X=-8.00, Y=15.00 SAR Peak: 1.35 W/kg

SAR 10g (W/Kg)	0.411627
SAR 1g (W/Kg)	0.780405





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>



### **MEASUREMENT 5**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 34 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	-1.010000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1




Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 9 of 46






Maximum location: X=-15.00, Y=-27.00 SAR Peak: 0.12 W/kg

SAR 10g (W/Kg)	0.009323
SAR 1g (W/Kg)	0.035644







### **MEASUREMENT 6**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 30 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	0.520000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 11 of 46






Maximum location: X=9.00, Y=-25.00 SAR Peak: 0.85 W/kg

SAR 10g (W/Kg)	0.269101
SAR 1g (W/Kg)	0.504369





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525

Page 12 of 46



### **MEASUREMENT 7**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 34 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 99

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	1.700000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 13 of 46






Maximum location: X=0.00, Y=8.00 SAR Peak: 0.28 W/kg

SAR 10g (W/Kg)	0.067184
SAR 1g (W/Kg)	0.134258





Page 14 of 46



#### **MEASUREMENT 8**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 34 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_50RB_RB offset 25

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	-2.650000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 15 of 46






Maximum location: X=17.00, Y=8.00 SAR Peak: 1.31 W/kg

SAR 10g (W/Kg)	0.414268
SAR 1g (W/Kg)	0.767217





Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>



### **MEASUREMENT 9**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 29 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_50RB_RB offset 25

### **B. SAR Measurement Results**

### Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	3.030000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 17 of 46






Maximum location: X=-8.00, Y=9.00 SAR Peak: 1.05 W/kg

SAR 10g (W/Kg)	0.336444
SAR 1g (W/Kg)	0.625553







### **MEASUREMENT 10**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 38 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middleer
Signal	QPSK_50RB_RB offset 25

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	-2.600000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 19 of 46






Maximum location: X=-8.00, Y=0.00 SAR Peak: 0.19 W/kg

SAR 10g (W/Kg)	0.027326
SAR 1g (W/Kg)	0.073089





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>



#### **MEASUREMENT 11**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 34 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_50RB_RB offset 25

### **B. SAR Measurement Results**

### Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	0.820000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 21 of 46






Maximum location: X=8.00, Y=-24.00 SAR Peak: 0.69 W/kg

SAR 10g (W/Kg)	0.204207
SAR 1g (W/Kg)	0.385526







### **MEASUREMENT 12**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 37 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_50RB_RB offset 25

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	4.010000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1




Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 23 of 46






Maximum location: X=7.00, Y=8.00 SAR Peak: 0.25 W/kg

SAR 10g (W/Kg)	0.055219
SAR 1g (W/Kg)	0.115497







#### **MEASUREMENT 13**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.25

Measurement duration: 9 minutes 36 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band4 (20MHz)
Channels	Middle
Signal	QPSK_100RB_RB offset 0

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 20175):

Frequency (MHz)	1732.500000
Relative permittivity (real part)	53.560397
Conductivity (S/m)	1.468859
Power drift (%)	-3.050000
Ambient Temperature:	22.4°C
Liquid Temperature:	21.9°C
ConvF:	5.51
Crest factor:	1:1




Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 25 of 46






Maximum location: X=22.00, Y=-16.00 SAR Peak: 0.85 W/kg

SAR 10g (W/Kg)	0.291639
SAR 1g (W/Kg)	0.510821







### **MEASUREMENT 14**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 13 minutes 11 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 49

### **B. SAR Measurement Results**

### Middle Band SAR (Channel 23790):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	2.060000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 27 of 46






Maximum location: X=0.00, Y=24.00 SAR Peak: 0.28 W/kg

SAR 10g (W/Kg)	0.145911
SAR 1g (W/Kg)	0.203629





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a> Email: Service@morlab.cn



### **MEASUREMENT 15**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 32 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 49

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 23790):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	-3.010000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 29 of 46






Maximum location: X=-9.00, Y=24.00 SAR Peak: 0.19 W/kg

SAR 10g (W/Kg)	0.066900
SAR 1g (W/Kg)	0.091495







#### **MEASUREMENT 16**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 30 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 49

### **B. SAR Measurement Results**

### Middle Band SAR (Channel 23790):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	-1.340000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 31 of 46






Maximum location: X=-24.00, Y=8.00 SAR Peak: 0.09 W/kg

SAR 10g (W/Kg)	0.015276
SAR 1g (W/Kg)	0.032390





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a> Email: Service@morlab.cn



### **MEASUREMENT 17**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 32 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 49

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 23790):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	3.030000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 33 of 46






Maximum location: X=7.00, Y=-16.00 SAR Peak: 0.26 W/kg

SAR 10g (W/Kg)	0.114329
SAR 1g (W/Kg)	0.174318







### **MEASUREMENT 18**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 33 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_1RB_RB offset 49

### **B. SAR Measurement Results**

## Middle Band SAR (Channel 23790):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	-2.860000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 35 of 46






Maximum location: X=1.00, Y=24.00 SAR Peak: 0.23 W/kg

SAR 10g (W/Kg)	0.076337
SAR 1g (W/Kg)	0.124720







#### **MEASUREMENT 19**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 37 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_25RB_RB offset 24

### **B. SAR Measurement Results**

Middle Band SAR (Channel 23900):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	1.470000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 37 of 46






Maximum location: X=8.00, Y=17.00 SAR Peak: 0.25 W/kg

SAR 10g (W/Kg)	0.127830
SAR 1g (W/Kg)	0.177821







### **MEASUREMENT 20**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 35 seconds


### A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_25RB_RB offset 24

### **B. SAR Measurement Results**

Middle Band SAR (Channel 23900):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	3.110000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 39 of 46






Maximum location: X=1.00, Y=20.00 SAR Peak: 0.14 W/kg

SAR 10g (W/Kg)	0.052884
SAR 1g (W/Kg)	0.069176







### **MEASUREMENT 21**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 31 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_25RB_RB offset 24

### **B. SAR Measurement Results**

Middle Band SAR (Channel 23900):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	-3.050000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1




Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>


Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 41 of 46



Maximum location: X=-8.00, Y=9.00 SAR Peak: 0.06 W/kg

SAR 10g (W/Kg)	0.012661
SAR 1g (W/Kg)	0.022306







### **MEASUREMENT 22**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 33 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_25RB_RB offset 24

### **B. SAR Measurement Results**

Middle Band SAR (Channel 23900):

Frequency (MHz)	71.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	-2.580000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 43 of 46






Maximum location: X=6.00, Y=-15.00 SAR Peak: 0.22 W/kg

SAR 10g (W/Kg)	0.087631
SAR 1g (W/Kg)	0.126151







### **MEASUREMENT 23**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2014.6.27

Measurement duration: 9 minutes 39 seconds


# A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	Body
Band	LTE Band17 (10MHz)
Channels	Middle
Signal	QPSK_25RB_RB offset 24

### **B. SAR Measurement Results**

Middle Band SAR (Channel 23800):

Frequency (MHz)	710.000000
Relative permittivity (real part)	55.230144
Conductivity (S/m)	0.981447
Power drift (%)	2.900000
Ambient Temperature:	22.7°C
Liquid Temperature:	22.1°C
ConvF:	6.96
Crest factor:	1:1



Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>


Phone: +86 (0) 755 36698555 Fax: +86 (0) 755 36698525


Page 45 of 46



Maximum location: X=0.00, Y=32.00 SAR Peak: 0.15 W/kg

SAR 10g (W/Kg)	0.056471
SAR 1g (W/Kg)	0.091996





Shenzhen Morlab Communications Technology Co., Ltd

Web site: <a href="http://www.morlab.cn/">http://www.morlab.cn/</a>
Email: <a href="mailto:Service@morlab.cn">Service@morlab.cn</a>

Phone: +86 (0) 755 36698555

Fax: +86 (0) 755 36698525