RADIO FREQUENCY EXPOSURE

1. Limit

According to §1.1310 and §2.1091 RF exposure is calculated.

Table: Limits for General Population/Uncontrolled Exposure

Frequency Range	Power Density (S)
(MHz)	(mW/cm2)
0.3-1.34	*(100)
1.34-30	*(180/f ²)
30–300	0.2
300-1500	f/1500
1500-100,000	1.0

F = frequency in MHz

Maximum Permissible Exposure

The MPE was calculated at 20cm to show compliance with the power density limit.

 $S = PG/4\pi R^2$

S = Power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna.

Note:

1. Manufacturer declared that the maximum antenna gain is 5.0dBi(Max.) when single antenna transmits.

Because signal is correlated, the maximum antenna gain when two antennas simultaneously transmit is 8.01Max.) by calculating.

- 2. Manufacturer declared that the nearest distance between human and the EUT is 20cm.
- 3. Only record worst case data.

^{* =} Plane-wave equivalent power density

2.Test Results

Standalone MPE

5G WIFI

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm²)
		36	12.44	12.0±1.0	19.9526	0.0251	1.0
		40	11.65	12.0±1.0	19.9526	0.0251	1.0
	Antenna	48	11.13	12.0±1.0	19.9526	0.0251	1.0
	1	149	13.53	13.0±1.0	25.1189	0.0316	1.0
		157	13.89	13.0±1.0	25.1189	0.0316	1.0
802.11a		165	13.52	13.0±1.0	25.1189	0.0316	1.0
002.11a		36	11.51	11.0±1.0	15.8489	0.0199	1.0
		40	10.30	11.0±1.0	15.8489	0.0199	1.0
	Antenna	48	10.05	11.0±1.0	15.8489	0.0199	1.0
	2	149	11.96	11.0±1.0	15.8489	0.0199	1.0
		157	11.85	11.0±1.0	15.8489	0.0199	1.0
		165	11.89	11.0±1.0	15.8489	0.0199	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm²)
		36	10.33	10.0±1.0	12.5893	0.0158	1.0
		40	10.09	10.0±1.0	12.5893	0.0158	1.0
	Antenna 1	48	9.12	10.0±1.0	12.5893	0.0158	1.0
		149	12.77	12.0±1.0	19.9526	0.0251	1.0
		157	12.86	12.0±1.0	19.9526	0.0251	1.0
802.11n20		165	12.87	12.0±1.0	19.9526	0.0251	1.0
802.111120		36	10.18	9.50±1.0	11.2202	0.0141	1.0
		40	9.86	9.50±1.0	11.2202	0.0141	1.0
	Antenna 2	48	8.87	9.50±1.0	11.2202	0.0141	1.0
	Antenna 2	149	10.99	10.0±1.0	12.5893	0.0158	1.0
		157	10.64	10.0±1.0	12.5893	0.0158	1.0
		165	10.80	10.0±1.0	12.5893	0.0158	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm²)
		38	10.84	10.0±1.0	12.5893	0.0158	1.0
	Antenna 1	46	9.00	10.0±1.0	12.5893	0.0158	1.0
		151	11.03	11.0±1.0	15.8489	0.0199	1.0
802.11n40		159	11.81	11.0±1.0	15.8489	0.0199	1.0
802.111140		38	10.48	10.0±1.0	12.5893	0.0158	1.0
	Antenna	46	9.58	10.0±1.0	12.5893	0.0158	1.0
	2	151	9.20	9.0±1.0	10.0000	0.0126	1.0
		159	9.09	9.0±1.0	10.0000	0.0126	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
		36	9.91	10.0 ± 1.0	12.5893	0.0158	1.0
		40	9.01	10.0±1.0	12.5893	0.0158	1.0
	Antenna 1	48	9.26	10.0±1.0	12.5893	0.0158	1.0
		149	10.53	11.0±1.0	15.8489	0.0199	1.0
		157	11.75	11.0±1.0	15.8489	0.0199	1.0
802.11AC20		165	11.28	11.0±1.0	15.8489	0.0199	1.0
802.11AC20		36	9.66	10.0±1.0	12.5893	0.0158	1.0
		40	10.15	10.0±1.0	12.5893	0.0158	1.0
	Antonno 2	48	9.08	10.0±1.0	12.5893	0.0158	1.0
	Antenna 2	149	9.32	10.0±1.0	12.5893	0.0158	1.0
		157	10.68	10.0±1.0	12.5893	0.0158	1.0
		165	10.24	10.0±1.0	12.5893	0.0158	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm²)
		38	11.20	10.3 ± 1.0	13.4896	0.0170	1.0
	Antenna	46	9.29	10.3±1.0	13.4896	0.0170	1.0
	1	151	10.91	11.0±1.0	15.8489	0.0199	1.0
802.11AC40		159	11.10	11.0±1.0	15.8489	0.0199	1.0
802.11AC40		38	10.55	10.0 ± 1.0	12.5893	0.0158	1.0
	Antenna	46	9.51	10.0±1.0	12.5893	0.0158	1.0
	2	151	9.02	9.0±1.0	10.0000	0.0126	1.0
		159	8.94	9.0±1.0	10.0000	0.0126	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
	Antenna	42	9.66	10.0±1.0	12.5893	0.0158	1.0
802.11AC80	1	155	9.37	10.0±1.0	12.5893	0.0158	1.0
602.11AC60	Antenna	42	10.25	10.0±1.0	12.5893	0.0158	1.0
	2	155	8.42	9.0±1.0	10.0000	0.0126	1.0

2.4G WIFI:

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
	Antenna	1	15.24	16.0 ± 1.0	50.1187	0.0630	1.0
	1	6	16.27	16.0 ± 1.0	50.1187	0.0630	1.0
802.11b	ı	11	16.81	16.0±1.0	50.1187	0.0630	1.0
Antenna 2	Antonno	1	15.76	16.0.±1.5	56.2341	0.0707	1.0
	6	16.22	16.0.±1.5	56.2341	0.0707	1.0	
	2	11	17.09	16.0.±1.5	56.2341	0.0707	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
	Antenna 1	1	13.36	14.0.±1.5	35.4813	0.0446	1.0
		6	14.28	14.0.±1.5	35.4813	0.0446	1.0
902.11a		11	15.04	14.0.±1.5	35.4813	0.0446	1.0
802.11g		1	15.01	15.0±1.0	39.8107	0.0501	1.0
	Antenna 2	6	15.44	15.0±1.0	39.8107	0.0501	1.0
		11	15.43	15.0±1.0	39.8107	0.0501	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm²)
	Antenna	1	13.43	14.0±1.0	31.6228	0.0398	1.0
	1	6	13.94	14.0±1.0	31.6228	0.0398	1.0
902 11 20	'	11	14.98	14.0±1.0	31.6228	0.0398	1.0
802.11n20 Antenna	Antonno	1	15.43	15.0±1.0	39.8107	0.0501	1.0
	Antenna 2	6	15.31	15.0±1.0	39.8107	0.0501	1.0
		11	14.87	15.0±1.0	39.8107	0.0501	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
	Antenna	3	13.63	14.0 ± 1.0	31.6228	0.0398	1.0
	1	6	13.56	14.0 ± 1.0	31.6228	0.0398	1.0
802.11n40	ı	9	14.32	14.0±1.0	31.6228	0.0398	1.0
	Antonno	3	14.90	15.0 ± 1.0	39.8107	0.0501	1.0
	Antenna 2	6	14.82	15.0±1.0	39.8107	0.0501	1.0
		9	15.75	15.0±1.0	39.8107	0.0501	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
	Antenna						
	1		-				
ВТ	'		-				
3.0-GFSK	Antenna	1	6.30	6.0±1.0	5.0119	0.0063	1.0
	2	40	6.01	6.0±1.0	5.0119	0.0063	1.0
	2	79	5.92	6.0±1.0	5.0119	0.0063	1.0
Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm²)
	A . (
	Antenna						
BT 3.0- Pi/4	1						
DQPSK	A = 4 = = = =	1	4.88	5.0±1.0	3.9811	0.0050	1.0
	Antenna 2	40	5.44	5.0±1.0	3.9811	0.0050	1.0
	2	79	4.42	5.0±1.0	3.9811	0.0050	1.0
Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm²)	Limit (mW/cm ²)
	Antenna						
ВТ	1						
3.0-8DPSK		1	4.91	5.0±1.0	3.9811	0.0050	1.0
	Antenna	40	5.45	5.0±1.0	3.9811	0.0050	1.0
	2	79	4.30	5.0±1.0	3.9811	0.0050	1.0

Test	Mode	Channel	ANT Power (dBm)	ANT Max. Tune Up Power (dBm)	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm ²)	Limit (mW/cm ²)
BT LE-GFSK	Antenna 1						
	Antenna 2	1	2.95	3.0±1.0	2.5119	0.0032	1.0
		19	3.48	3.0±1.0	2.5119	0.0032	1.0
		40	3.81	3.0±1.0	2.5119	0.0032	1.0

Simultaneous transmission MPE

According to KDB447498 for Transmitters used in mobile exposure conditions for simultaneous transmission operations;

∑ of MPE ratios ≤ 1.0

Mode	Channel No.	Frequency (MHz)	∑ MPE ratios	Limit	Results		
Antenna 1 + Antenna 2							
	36	5180	N/A	1.000	Pass		
	40	5200	N/A	1.000	Pass		
IEEE 902 446	48	5240	N/A	1.000	Pass		
IEEE 802.11a	149	5745	N/A	1.000	Pass		
	157	5785	N/A	1.000	Pass		
	165	5825	N/A	1.000	Pass		
	36	5180	0.0299	1.000	Pass		
	40	5200	0.0299	1.000	Pass		
IEEE 802.11n20	48	5240	0.0299	1.000	Pass		
IEEE 802.111120	149	5745	0.0409	1.000	Pass		
	157	5785	0.0409	1.000	Pass		
	165	5825	0.0409	1.000	Pass		
	38	5190	0.0316	1.000	Pass		
IEEE 000 44 = 40	46	5230	0.0316	1.000	Pass		
IEEE 802.11n40	151	5755	0.0325	1.000	Pass		
	159	5795	0.0325	1.000	Pass		
	36	5180	0.0316	1.000	Pass		
	40	5200	0.0316	1.000	Pass		
IEEE	48	5240	0.0316	1.000	Pass		
802.11AC20	149	5745	0.0357	1.000	Pass		
	157	5785	0.0357	1.000	Pass		
	165	5825	0.0357	1.000	Pass		
	38	5190	0.0328	1.000	Pass		
IEEE	46	5230	0.0328	1.000	Pass		
802.11AC40	151	5755	0.0325	1.000	Pass		
	159	5795	0.0325	1.000	Pass		
IEEE	42	5210	0.0316	1.000	Pass		
802.11AC80	155	5775	0.0284	1.000	Pass		
	1	2412	N/A	1.000	Pass		
IEEE 802.11b	6	2442	N/A	1.000	Pass		
	11	2462	N/A	1.000	Pass		

IEEE 802.11g	1	2412	N/A	1.000	Pass
	6	2442	N/A	1.000	Pass
	11	2462	N/A	1.000	Pass
IEEE 802.11n HT20	1	2412	0.0899	1.000	Pass
	6	2442	0.0899	1.000	Pass
	11	2462	0.0899	1.000	Pass
IEEE 802.11n HT40	3	2422	0.0899	1.000	Pass
	6	2442	0.0899	1.000	Pass
	9	2452	0.0899	1.000	Pass
	1	2402	N/A	1.000	Pass
BT 3.0-GFSK	40	2441	N/A	1.000	Pass
	79	2480	N/A	1.000	Pass
BT 3.0- Pi/4	1	2402	N/A	1.000	Pass
DQPSK	40	2441	N/A	1.000	Pass
	79	2480	N/A	1.000	Pass
	1	2402	N/A	1.000	Pass
BT 3.0-8DPSK	40	2441	N/A	1.000	Pass
	79	2480	N/A	1.000	Pass
	1	2402	N/A	1.000	Pass
BT LE-GFSK	20	2440	N/A	1.000	Pass
	40	2480	N/A	1.000	Pass

Note: The estimation distance is 20cm

Conclusion

The measurement results comply with the FCC Limit per 47 CFR 2.1091 for the uncontrolled RF Exposure of mobile device.