



 $Test of \ HBM \ type \ T10F \ S2, \ T10F \ S3, \ T10F \ S4, \ T10F \ S5, \ T10F \ S6 \ to \ 47 \ CFR \ Part \ 15C, \ RSS-Gen \ and \ RSS-210$

ANNEX 3 TO TEST REPORT # EMCC-040197BCA, 2015-02-18

PHOTOGRAPHS OF EUT; INTERNAL VIEW		
EQUIPMENT UNDER TEST:		
Trade Name: Type Designation(s): Serial Number:	T10 T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 Type S2: Rotor: 150230092, Stator: Test sample, no serial number Type S3: Rotor: 121330133, Stator: Test sample, no serial number Type S4: Rotor: 154630085, Stator: Test sample, no serial number Type S5: Rotor: 180630016, Stator: Test sample, no serial number Type S6: Rotor: 173330052, Stator: Test sample, no serial number	
Equipment Class: Manufacturer: Address: Phone:	Low Power Transceiver Hottinger Baldwin Messtechnik GmbH Im Tiefen See 45 64293 Darmstadt Germany +49 6151 803-681	
Fax:	+49 6151 803-98790	
RELEVANT STANDARD(S):	47 CFR Part 15C, RSS-210 Issue 8	
MEASUREMENT PROCEDURE	:	
⊠ RSS-Gen Issue 4		

CONTENTS		Page
1	Internal Photos of T10F ROTOR	2
2	Internal Photos of T10F STATOR	5



Test of HBM type T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 to 47 CFR Part 15C, RSS-Gen and RSS-210

1 INTERNAL PHOTOS OF T10F ROTOR




Entire EUT installed on a test fixture

Rotor with PCB

intentionally left blank




Rotor PCB T10F S2-S4, front side*



Rotor PCB T10F S2-S4, rear side*




Rotor PCB T10F S5-S6, front side*



Internal pictures provided by customer.



Test of HBM type T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 to 47 CFR Part 15C, RSS-Gen and RSS-210



Rotor PCB T10FS S2, front side*



Rotor PCB T10FS S2, rear side*




Rotor PCB T10FS S3, front side*



Rotor PCB T10FS S3, rear side*



Rotor PCB T10FS S4, front side*



Rotor PCB T10FS S4, rear side*

^{*} Internal pictures provided by customer.




Test of HBM type T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 to 47 CFR Part 15C, RSS-Gen and RSS-210




Rotor PCB T10FS S5, front side*



Rotor PCB T10FS S5, rear side*



Rotor PCB T10FS S6 , front side*



Rotor PCB T10FS S5, rear side*

^{*} Internal pictures provided by customer.



Test of HBM type T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 to 47 CFR Part 15C, RSS-Gen and RSS-210

2 INTERNAL PHOTOS OF T10F STATOR



intentionally left blank

Stator with PCBs

Entire EUT, stator installed on a test fixture



Stator PCB T10F, G-Modul, frontside*

^{*} Internal pictures provided by customer.



Test of HBM type T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 to 47 CFR Part 15C, RSS-Gen and RSS-210



Stator PCB T10F, F-Modul, front side*




Stator PCB T10F, N-Modul, front side*

^{*} Internal pictures provided by customer.





Test of HBM type T10F S2, T10F S3, T10F S4, T10F S5, T10F S6 to 47 CFR Part 15C, RSS-Gen and RSS-210



Stator PCB T10F, U-Modul, front side*

^{*} Internal pictures provided by customer.