

# APPENDIX REPORT

Project No.	SHT1911051203EW	Radio Specification	GSM
Test sample No.	YPHT19110512009	Model No.	iData K1S
Start test date	2019/12/23	Finish date	2019/12/23
Temperature	25°C	Humidity	50%
Test Engineer	Jess He	Auditor	<i>William.wang</i>

Appendix clause	Test item	Result
A	Conducted Output Power	PASS
B	Peak-to-Average Ratio	PASS
C	26 dB Bandwidth and Occupied Bandwidth	PASS
D	Band edge	PASS
E	Conducted Spurious Emission	PASS
F	Frequency Stability	PASS

## 8.1 Appendix A: Conducted Output Power

### Test Result

Band	Channel	PCL	Power(dBm)	Limit(dBm)	Verdict
GSM850	128	5	32.40	38.5	PASS
GSM850	190	5	32.49	38.5	PASS
GSM850	251	5	32.61	38.5	PASS
GSM1900	512	0	29.97	33	PASS
GSM1900	661	0	30.32	33	PASS
GSM1900	810	0	30.25	33	PASS

Band	Channel	PCL	Slot	Power(dBm)	Limit(dBm)	Verdict
GPRS850	128	5	1	32.59	38.5	PASS
GPRS850	128	5	2	32.05	38.5	PASS
GPRS850	128	5	3	30.52	38.5	PASS
GPRS850	128	5	4	29.00	38.5	PASS
GPRS850	190	5	1	32.62	38.5	PASS
GPRS850	190	5	2	32.09	38.5	PASS
GPRS850	190	5	3	30.56	38.5	PASS
GPRS850	190	5	4	29.07	38.5	PASS
GPRS850	251	5	1	32.66	38.5	PASS
GPRS850	251	5	2	32.14	38.5	PASS
GPRS850	251	5	3	30.63	38.5	PASS
GPRS850	251	5	4	29.14	38.5	PASS
GPRS1900	512	0	1	29.97	33	PASS
GPRS1900	512	0	2	29.38	33	PASS
GPRS1900	512	0	3	27.82	33	PASS
GPRS1900	512	0	4	26.31	33	PASS
GPRS1900	661	0	1	30.30	33	PASS
GPRS1900	661	0	2	29.72	33	PASS
GPRS1900	661	0	3	28.18	33	PASS
GPRS1900	661	0	4	26.68	33	PASS
GPRS1900	810	0	1	30.20	33	PASS
GPRS1900	810	0	2	29.65	33	PASS
GPRS1900	810	0	3	28.12	33	PASS
GPRS1900	810	0	4	26.63	33	PASS


Band	Channel	PCL	Slot	Power(dBm)	Limit(dBm)	Verdict
EGPRS850	128	8	1	27.55	38.5	PASS
EGPRS850	128	8	2	26.58	38.5	PASS
EGPRS850	128	8	3	24.88	38.5	PASS
EGPRS850	128	8	4	23.64	38.5	PASS
EGPRS850	190	8	1	27.26	38.5	PASS
EGPRS850	190	8	2	26.58	38.5	PASS
EGPRS850	190	8	3	24.35	38.5	PASS
EGPRS850	190	8	4	24.23	38.5	PASS
EGPRS850	251	8	1	27.25	38.5	PASS
EGPRS850	251	8	2	26.71	38.5	PASS
EGPRS850	251	8	3	24.26	38.5	PASS
EGPRS850	251	8	4	23.04	38.5	PASS
EGPRS1900	512	2	1	25.52	33	PASS
EGPRS1900	512	2	2	24.73	33	PASS
EGPRS1900	512	2	3	22.77	33	PASS
EGPRS1900	512	2	4	22.91	33	PASS
EGPRS1900	661	2	1	25.44	33	PASS
EGPRS1900	661	2	2	24.72	33	PASS
EGPRS1900	661	2	3	22.56	33	PASS
EGPRS1900	661	2	4	21.48	33	PASS
EGPRS1900	810	2	1	24.92	33	PASS
EGPRS1900	810	2	2	24.71	33	PASS
EGPRS1900	810	2	3	22.23	33	PASS
EGPRS1900	810	2	4	20.88	33	PASS


## 8.2 Appendix B: Peak-to-Average Ratio


### Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
GSM850	128	2.62	13	PASS
GSM850	190	2.63	13	PASS
GSM850	251	2.63	13	PASS
GPRS850	128	2.64	13	PASS
GPRS850	190	2.62	13	PASS
GPRS850	251	2.64	13	PASS
EGPRS850	128	5.42	13	PASS
EGPRS850	190	5.46	13	PASS
EGPRS850	251	5.46	13	PASS
GSM1900	512	2.66	13	PASS
GSM1900	661	2.66	13	PASS
GSM1900	810	2.66	13	PASS
GPRS1900	512	2.67	13	PASS
GPRS1900	661	2.66	13	PASS
GPRS1900	810	2.68	13	PASS
EGPRS1900	512	5.48	13	PASS
EGPRS1900	661	5.55	13	PASS
EGPRS1900	810	5.56	13	PASS

## Test Graphs












GSM1900-512




GSM1900-661



GSM1900-810







## 8.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth


### Test Result


Band	Channel	Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit(kHz)	Verdict
GSM850	128	245.86	316.8	---	PASS
GSM850	190	245.31	316.4	---	PASS
GSM850	251	246.36	313.9	---	PASS
GPRS850	128	243.13	317.3	---	PASS
GPRS850	190	245.78	315.8	---	PASS
GPRS850	251	245.47	314.0	---	PASS
EGPRS850	128	251.43	312.2	---	PASS
EGPRS850	190	253.45	319.8	---	PASS
EGPRS850	251	248.78	314.3	---	PASS
GSM1900	512	243.68	315.0	---	PASS
GSM1900	661	245.69	317.7	---	PASS
GSM1900	810	244.23	307.9	---	PASS
GPRS1900	512	244.51	317.5	---	PASS
GPRS1900	661	244.51	308.3	---	PASS
GPRS1900	810	242.75	316.2	---	PASS
EGPRS1900	512	251.95	317.6	---	PASS
EGPRS1900	661	251.45	314.0	---	PASS
EGPRS1900	810	249.66	317.5	---	PASS


## Test Graphs














## 8.4 Appendix D: Band Edge

### Test Result

Band	Channel	Value(dBm)	Limit(dBm)	Verdict
GSM850	128	-27.58	-13	PASS
GSM850	251	-26.55	-13	PASS
GPRS850	128	-27.52	-13	PASS
GPRS850	251	-26.73	-13	PASS
EGPRS850	128	-36.15	-13	PASS
EGPRS850	251	-36.77	-13	PASS
GSM1900	512	-28.13	-13	PASS
GSM1900	810	-29.71	-13	PASS
GPRS1900	512	-29.99	-13	PASS
GPRS1900	810	-29.45	-13	PASS
EGPRS1900	512	-37.88	-13	PASS
EGPRS1900	810	-39.00	-13	PASS

## Test Graphs




GSM850-128





GSM850-251



GPRS850-128









## 8.5 Appendix E: Conducted Spurious Emission


### Test Result


Band	Channel	Frequency Range(Mhz)	Value(dBm)	Limit(dBm)	Verdict
GSM850	128	30~1000	-41.52	-13	PASS
GSM850	128	1000~10000	-26.46	-13	PASS
GSM850	190	30~1000	-40.86	-13	PASS
GSM850	190	1000~10000	-26.94	-13	PASS
GSM850	251	30~1000	-41.74	-13	PASS
GSM850	251	1000~10000	-26.59	-13	PASS
GPRS850	128	30~1000	-40.60	-13	PASS
GPRS850	128	1000~10000	-26.88	-13	PASS
GPRS850	190	30~1000	-41.02	-13	PASS
GPRS850	190	1000~10000	-26.45	-13	PASS
GPRS850	251	30~1000	-41.19	-13	PASS
GPRS850	251	1000~10000	-26.57	-13	PASS
EGPRS850	128	30~1000	-41.27	-13	PASS
EGPRS850	128	1000~10000	-27.24	-13	PASS
EGPRS850	190	30~1000	-41.37	-13	PASS
EGPRS850	190	1000~10000	-27.03	-13	PASS
EGPRS850	251	30~1000	-41.27	-13	PASS
EGPRS850	251	1000~10000	-26.75	-13	PASS
GSM1900	512	30~1000	-41.11	-13	PASS
GSM1900	512	1000~20000	-20.20	-13	PASS
GSM1900	661	30~1000	-41.20	-13	PASS
GSM1900	661	1000~20000	-20.62	-13	PASS
GSM1900	810	30~1000	-40.92	-13	PASS
GSM1900	810	1000~20000	-19.15	-13	PASS
GPRS1900	512	30~1000	-40.53	-13	PASS
GPRS1900	512	1000~20000	-20.03	-13	PASS
GPRS1900	661	30~1000	-41.06	-13	PASS
GPRS1900	661	1000~20000	-20.11	-13	PASS
GPRS1900	810	30~1000	-40.75	-13	PASS
GPRS1900	810	1000~20000	-20.26	-13	PASS
EGPRS1900	512	30~1000	-40.88	-13	PASS
EGPRS1900	512	1000~20000	-19.96	-13	PASS
EGPRS1900	661	30~1000	-41.19	-13	PASS
EGPRS1900	661	1000~20000	-20.35	-13	PASS
EGPRS1900	810	30~1000	-41.44	-13	PASS
EGPRS1900	810	1000~20000	-20.05	-13	PASS


## Test Graphs































EGPRS1900-512-30~1000



EGPRS1900-512-1000~20000



EGPRS1900-661-30~1000



## 8.6 Appendix F: Frequency Stability

### Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VL	TN	3.87	0.004701	2.5	PASS
GSM850	128	VN	TN	3.23	0.003917	2.5	PASS
GSM850	128	VH	TN	5.00	0.006072	2.5	PASS
GSM850	190	VL	TN	6.30	0.007525	2.5	PASS
GSM850	190	VN	TN	9.75	0.011655	2.5	PASS
GSM850	190	VH	TN	7.97	0.009532	2.5	PASS
GSM850	251	VL	TN	8.43	0.009928	2.5	PASS
GSM850	251	VN	TN	8.30	0.009776	2.5	PASS
GSM850	251	VH	TN	8.33	0.009814	2.5	PASS
GPRS850	128	VL	TN	-7.88	-0.009558	2.5	PASS
GPRS850	128	VN	TN	-0.68	-0.000823	2.5	PASS
GPRS850	128	VH	TN	1.78	0.002154	2.5	PASS
GPRS850	190	VL	TN	1.13	0.001351	2.5	PASS
GPRS850	190	VN	TN	4.16	0.004978	2.5	PASS
GPRS850	190	VH	TN	1.97	0.002354	2.5	PASS
GPRS850	251	VL	TN	1.00	0.001179	2.5	PASS
GPRS850	251	VN	TN	2.10	0.002472	2.5	PASS
GPRS850	251	VH	TN	0.94	0.001103	2.5	PASS
EGPRS850	128	VL	TN	-5.39	-0.006542	2.5	PASS
EGPRS850	128	VN	TN	-7.75	-0.009401	2.5	PASS
EGPRS850	128	VH	TN	-9.75	-0.011830	2.5	PASS
EGPRS850	190	VL	TN	-6.62	-0.007911	2.5	PASS
EGPRS850	190	VN	TN	-1.68	-0.002007	2.5	PASS
EGPRS850	190	VH	TN	-1.32	-0.001582	2.5	PASS
EGPRS850	251	VL	TN	-4.10	-0.004831	2.5	PASS
EGPRS850	251	VN	TN	-5.78	-0.006809	2.5	PASS
EGPRS850	251	VH	TN	-3.52	-0.004146	2.5	PASS
GSM1900	512	VL	TN	19.57	0.010575	2.5	PASS
GSM1900	512	VN	TN	21.02	0.011360	2.5	PASS
GSM1900	512	VH	TN	21.50	0.011622	2.5	PASS
GSM1900	661	VL	TN	14.46	0.007694	2.5	PASS
GSM1900	661	VN	TN	9.14	0.004860	2.5	PASS
GSM1900	661	VH	TN	12.04	0.006406	2.5	PASS
GSM1900	810	VL	TN	23.67	0.012392	2.5	PASS
GSM1900	810	VN	TN	16.72	0.008757	2.5	PASS

GSM1900	810	VH	TN	23.96	0.012544	2.5	PASS
GPRS1900	512	VL	TN	12.01	0.006491	2.5	PASS
GPRS1900	512	VN	TN	13.46	0.007277	2.5	PASS
GPRS1900	512	VH	TN	7.68	0.004153	2.5	PASS
GPRS1900	661	VL	TN	18.76	0.009978	2.5	PASS
GPRS1900	661	VN	TN	10.98	0.005839	2.5	PASS
GPRS1900	661	VH	TN	5.07	0.002696	2.5	PASS
GPRS1900	810	VL	TN	12.98	0.006796	2.5	PASS
GPRS1900	810	VN	TN	14.66	0.007675	2.5	PASS
GPRS1900	810	VH	TN	9.49	0.004970	2.5	PASS
EGPRS1900	512	VL	TN	4.81	0.002600	2.5	PASS
EGPRS1900	512	VN	TN	5.91	0.003193	2.5	PASS
EGPRS1900	512	VH	TN	11.24	0.006073	2.5	PASS
EGPRS1900	661	VL	TN	16.14	0.008587	2.5	PASS
EGPRS1900	661	VN	TN	4.10	0.002181	2.5	PASS
EGPRS1900	661	VH	TN	3.33	0.001769	2.5	PASS
EGPRS1900	810	VL	TN	2.87	0.001505	2.5	PASS
EGPRS1900	810	VN	TN	16.95	0.008875	2.5	PASS
EGPRS1900	810	VH	TN	8.01	0.004193	2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VN	-30	5.97	0.007247	2.5	PASS
GSM850	128	VN	-20	3.00	0.003643	2.5	PASS
GSM850	128	VN	-10	5.13	0.006228	2.5	PASS
GSM850	128	VN	0	7.46	0.009049	2.5	PASS
GSM850	128	VN	10	9.52	0.011556	2.5	PASS
GSM850	128	VN	20	10.56	0.012809	2.5	PASS
GSM850	128	VN	30	13.59	0.016492	2.5	PASS
GSM850	128	VN	40	8.27	0.010028	2.5	PASS
GSM850	128	VN	50	12.49	0.015160	2.5	PASS
GSM850	190	VN	-30	4.71	0.005634	2.5	PASS
GSM850	190	VN	-20	7.91	0.009455	2.5	PASS
GSM850	190	VN	-10	7.49	0.008953	2.5	PASS
GSM850	190	VN	0	14.46	0.017289	2.5	PASS
GSM850	190	VN	10	13.11	0.015668	2.5	PASS
GSM850	190	VN	20	11.59	0.013854	2.5	PASS
GSM850	190	VN	30	12.04	0.014395	2.5	PASS
GSM850	190	VN	40	13.66	0.016324	2.5	PASS
GSM850	190	VN	50	13.27	0.015861	2.5	PASS
GSM850	251	VN	-30	4.84	0.005706	2.5	PASS
GSM850	251	VN	-20	4.55	0.005363	2.5	PASS

GSM850	251	VN	-10	7.91	0.009319	2.5	PASS
GSM850	251	VN	0	11.85	0.013960	2.5	PASS
GSM850	251	VN	10	10.94	0.012895	2.5	PASS
GSM850	251	VN	20	10.07	0.011868	2.5	PASS
GSM850	251	VN	30	15.21	0.017915	2.5	PASS
GSM850	251	VN	40	10.01	0.011791	2.5	PASS
GSM850	251	VN	50	7.65	0.009015	2.5	PASS
GPRS850	128	VN	-30	0.58	0.000705	2.5	PASS
GPRS850	128	VN	-20	-2.07	-0.002507	2.5	PASS
GPRS850	128	VN	-10	-1.00	-0.001214	2.5	PASS
GPRS850	128	VN	0	-0.26	-0.000313	2.5	PASS
GPRS850	128	VN	10	-1.29	-0.001567	2.5	PASS
GPRS850	128	VN	20	2.23	0.002703	2.5	PASS
GPRS850	128	VN	30	1.10	0.001332	2.5	PASS
GPRS850	128	VN	40	1.16	0.001410	2.5	PASS
GPRS850	128	VN	50	2.58	0.003134	2.5	PASS
GPRS850	190	VN	-30	1.81	0.002161	2.5	PASS
GPRS850	190	VN	-20	2.78	0.003319	2.5	PASS
GPRS850	190	VN	-10	4.00	0.004785	2.5	PASS
GPRS850	190	VN	0	0.19	0.000232	2.5	PASS
GPRS850	190	VN	10	2.52	0.003010	2.5	PASS
GPRS850	190	VN	20	5.23	0.006252	2.5	PASS
GPRS850	190	VN	30	9.27	0.011076	2.5	PASS
GPRS850	190	VN	40	9.52	0.011385	2.5	PASS
GPRS850	190	VN	50	4.71	0.005634	2.5	PASS
GPRS850	251	VN	-30	0.39	0.000456	2.5	PASS
GPRS850	251	VN	-20	5.46	0.006428	2.5	PASS
GPRS850	251	VN	-10	-3.97	-0.004679	2.5	PASS
GPRS850	251	VN	0	2.94	0.003461	2.5	PASS
GPRS850	251	VN	10	1.74	0.002054	2.5	PASS
GPRS850	251	VN	20	10.30	0.012134	2.5	PASS
GPRS850	251	VN	30	8.33	0.009814	2.5	PASS
GPRS850	251	VN	40	9.01	0.010612	2.5	PASS
GPRS850	251	VN	50	6.78	0.007988	2.5	PASS
EGPRS850	128	VN	-30	-0.55	-0.000666	2.5	PASS
EGPRS850	128	VN	-20	-11.88	-0.014415	2.5	PASS
EGPRS850	128	VN	-10	-8.59	-0.010420	2.5	PASS
EGPRS850	128	VN	0	-5.23	-0.006346	2.5	PASS
EGPRS850	128	VN	10	-3.65	-0.004426	2.5	PASS
EGPRS850	128	VN	20	1.87	0.002272	2.5	PASS
EGPRS850	128	VN	30	2.13	0.002585	2.5	PASS
EGPRS850	128	VN	40	3.75	0.004544	2.5	PASS

EGPRS850	128	VN	50	3.03	0.003682	2.5	PASS
EGPRS850	190	VN	-30	1.32	0.001582	2.5	PASS
EGPRS850	190	VN	-20	0.84	0.001003	2.5	PASS
EGPRS850	190	VN	-10	-4.46	-0.005326	2.5	PASS
EGPRS850	190	VN	0	-4.68	-0.005596	2.5	PASS
EGPRS850	190	VN	10	-1.78	-0.002123	2.5	PASS
EGPRS850	190	VN	20	3.91	0.004670	2.5	PASS
EGPRS850	190	VN	30	1.55	0.001852	2.5	PASS
EGPRS850	190	VN	40	1.97	0.002354	2.5	PASS
EGPRS850	190	VN	50	3.23	0.003859	2.5	PASS
EGPRS850	251	VN	-30	-0.97	-0.001141	2.5	PASS
EGPRS850	251	VN	-20	1.16	0.001369	2.5	PASS
EGPRS850	251	VN	-10	-0.29	-0.000342	2.5	PASS
EGPRS850	251	VN	0	-6.17	-0.007265	2.5	PASS
EGPRS850	251	VN	10	-2.81	-0.003309	2.5	PASS
EGPRS850	251	VN	20	3.45	0.004070	2.5	PASS
EGPRS850	251	VN	30	1.58	0.001864	2.5	PASS
EGPRS850	251	VN	40	-3.16	-0.003728	2.5	PASS
EGPRS850	251	VN	50	-1.13	-0.001331	2.5	PASS
GSM1900	512	VN	-30	20.44	0.011046	2.5	PASS
GSM1900	512	VN	-20	20.11	0.010871	2.5	PASS
GSM1900	512	VN	-10	18.79	0.010156	2.5	PASS
GSM1900	512	VN	0	17.56	0.009493	2.5	PASS
GSM1900	512	VN	10	49.72	0.026873	2.5	PASS
GSM1900	512	VN	20	32.32	0.017467	2.5	PASS
GSM1900	512	VN	30	51.30	0.027728	2.5	PASS
GSM1900	512	VN	40	48.20	0.026053	2.5	PASS
GSM1900	512	VN	50	44.52	0.024063	2.5	PASS
GSM1900	661	VN	-30	15.50	0.008243	2.5	PASS
GSM1900	661	VN	-20	13.59	0.007230	2.5	PASS
GSM1900	661	VN	-10	20.28	0.010785	2.5	PASS
GSM1900	661	VN	0	18.05	0.009600	2.5	PASS
GSM1900	661	VN	10	27.35	0.014546	2.5	PASS
GSM1900	661	VN	20	18.37	0.009772	2.5	PASS
GSM1900	661	VN	30	23.28	0.012382	2.5	PASS
GSM1900	661	VN	40	23.21	0.012348	2.5	PASS
GSM1900	661	VN	50	23.08	0.012279	2.5	PASS
GSM1900	810	VN	-30	21.99	0.011513	2.5	PASS
GSM1900	810	VN	-20	21.76	0.011394	2.5	PASS
GSM1900	810	VN	-10	17.47	0.009146	2.5	PASS
GSM1900	810	VN	0	20.28	0.010617	2.5	PASS
GSM1900	810	VN	10	24.86	0.013017	2.5	PASS

GSM1900	810	VN	20	25.12	0.013152	2.5	PASS
GSM1900	810	VN	30	25.73	0.013474	2.5	PASS
GSM1900	810	VN	40	25.54	0.013372	2.5	PASS
GSM1900	810	VN	50	25.67	0.013440	2.5	PASS
GPRS1900	512	VN	-30	9.69	0.005235	2.5	PASS
GPRS1900	512	VN	-20	10.98	0.005933	2.5	PASS
GPRS1900	512	VN	-10	6.72	0.003630	2.5	PASS
GPRS1900	512	VN	0	13.20	0.007137	2.5	PASS
GPRS1900	512	VN	10	11.43	0.006177	2.5	PASS
GPRS1900	512	VN	20	7.91	0.004275	2.5	PASS
GPRS1900	512	VN	30	12.98	0.007015	2.5	PASS
GPRS1900	512	VN	40	13.69	0.007399	2.5	PASS
GPRS1900	512	VN	50	16.11	0.008708	2.5	PASS
GPRS1900	661	VN	-30	2.65	0.001408	2.5	PASS
GPRS1900	661	VN	-20	7.78	0.004139	2.5	PASS
GPRS1900	661	VN	-10	5.23	0.002782	2.5	PASS
GPRS1900	661	VN	0	4.52	0.002404	2.5	PASS
GPRS1900	661	VN	10	6.46	0.003435	2.5	PASS
GPRS1900	661	VN	20	7.94	0.004225	2.5	PASS
GPRS1900	661	VN	30	5.65	0.003005	2.5	PASS
GPRS1900	661	VN	40	18.08	0.009617	2.5	PASS
GPRS1900	661	VN	50	8.17	0.004345	2.5	PASS
GPRS1900	810	VN	-30	5.62	0.002942	2.5	PASS
GPRS1900	810	VN	-20	10.36	0.005427	2.5	PASS
GPRS1900	810	VN	-10	10.56	0.005528	2.5	PASS
GPRS1900	810	VN	0	10.82	0.005663	2.5	PASS
GPRS1900	810	VN	10	5.91	0.003094	2.5	PASS
GPRS1900	810	VN	20	12.95	0.006779	2.5	PASS
GPRS1900	810	VN	30	12.53	0.006559	2.5	PASS
GPRS1900	810	VN	40	20.08	0.010515	2.5	PASS
GPRS1900	810	VN	50	20.34	0.010650	2.5	PASS
EGPRS1900	512	VN	-30	5.55	0.003001	2.5	PASS
EGPRS1900	512	VN	-20	11.11	0.006003	2.5	PASS
EGPRS1900	512	VN	-10	5.26	0.002844	2.5	PASS
EGPRS1900	512	VN	0	10.17	0.005497	2.5	PASS
EGPRS1900	512	VN	10	9.01	0.004869	2.5	PASS
EGPRS1900	512	VN	20	7.85	0.004240	2.5	PASS
EGPRS1900	512	VN	30	13.59	0.007346	2.5	PASS
EGPRS1900	512	VN	40	42.20	0.022807	2.5	PASS
EGPRS1900	512	VN	50	22.37	0.012093	2.5	PASS
EGPRS1900	661	VN	-30	3.29	0.001752	2.5	PASS
EGPRS1900	661	VN	-20	6.75	0.003589	2.5	PASS

EGPRS1900	661	VN	-10	4.78	0.002542	2.5	PASS
EGPRS1900	661	VN	0	7.97	0.004242	2.5	PASS
EGPRS1900	661	VN	10	12.85	0.006835	2.5	PASS
EGPRS1900	661	VN	20	9.88	0.005255	2.5	PASS
EGPRS1900	661	VN	30	0.45	0.000240	2.5	PASS
EGPRS1900	661	VN	40	14.30	0.007608	2.5	PASS
EGPRS1900	661	VN	50	22.18	0.011798	2.5	PASS
EGPRS1900	810	VN	-30	12.14	0.006356	2.5	PASS
EGPRS1900	810	VN	-20	14.37	0.007523	2.5	PASS
EGPRS1900	810	VN	-10	3.91	0.002046	2.5	PASS
EGPRS1900	810	VN	0	8.43	0.004412	2.5	PASS
EGPRS1900	810	VN	10	6.30	0.003297	2.5	PASS
EGPRS1900	810	VN	20	5.46	0.002857	2.5	PASS
EGPRS1900	810	VN	30	10.11	0.005291	2.5	PASS
EGPRS1900	810	VN	40	20.44	0.010701	2.5	PASS
EGPRS1900	810	VN	50	18.24	0.009552	2.5	PASS

-----End of the Report -----