Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Two in one convertible notebook Trade Mark: YUKO


Test Model: A1162

Environmental Conditions


	Temperature:	22.6 ° C							
	Relative Humidity:	51.3%							
ATM Pressure:		100.0 kPa							
	Test Engineer:	Mina.xu							
	Supervised by:	Jayden.Zhuo							

D.1 Duty Cycle


Test Mode	est Mode Test Channel		Duty Cycle[%]	Verdict
11B	2437	Ant1	98.64	PASS
11G	2437	Ant1	98.41	PASS
11N20SISO	2437	Ant1	98.30	PASS
11N40SISO	2437	Ant1	98.58	PASS





Duty Cycle_11G_2437_Ant1



Page 2 of 46









D.2 Maximum Conducted Peak Output Power


Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
	LCH	17.48	30	30 PASS 30 PASS
11B	MCH	17.39	30	PASS
	HCH	17.29	30	PASS
	LCH	16.51	30	PASS
11G	MCH	16.48	30	PASS
116	HCH	16.33	30	PASS
	LCH	16.54	30	PASS
11N20SISO	MCH	16.26	30	PASS
	HCH	16.11	30	PASS
	LCH	15.21	30	PASS
11N40SISO	MCH	15.23	30	PASS
	HCH	15.38	30	PASS


D.3 Maximum Power Spectral Density


Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	1.944	8	PASS
11B	MCH	2.625	8	PASS
	HCH	2.773	8	PASS
	LCH	-3.052	8	PASS
11G	MCH	-3.163	8	PASS
	HCH	-2.150	8	PASS
	LCH	-2.701	8	PASS
11N20SISO	MCH	-3.006	8	PASS
	HCH	-2.571	8	PASS
	LCH	-6.574	8	PASS
11N40SISO	MCH	-5.815	8	PASS
	HCH	-5.640	8	PASS





















D.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	9.136	≥0.5	PASS
11B	MCH	9.206	≥0.5	PASS
	HCH	9.136	≥0.5	PASS
	LCH	15.15	≥0.5	PASS PASS
11G	MCH	15.15	≥0.5	
	HCH	15.16	≥0.5	PASS
	LCH	15.16	≥0.5	PASS
11N20SISO	MCH	15.16	≥0.5	PASS
	HCH	15.13	≥0.5	PASS
	LCH	35.17	≥0.5	PASS
11N40SISO	MCH	35.17	≥0.5	PASS
	HCH	35.17	≥0.5	PASS





















D.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdic t
	LCH	6.164	-43.599	-13.836	PASS
11B	MCH	7.424	-44.489	-12.576	PASS
	HCH	7.765	-44.986	-12.235	PASS
	LCH	2.03	-44.935	-17.970	PASS
11G	MCH	1.918	-44.185	-18.082	PASS
	HCH	2.509	-44.702	-17.491	PASS
	LCH	2.346	-43.698	-17.654	PASS
11N20	MCH	2.047	-43.443	-17.953	PASS
SISO	НСН	2.262	-44.309	-17.738	PASS
	LCH	-1.118	-44.518	-21.118	PASS
11N40	MCH	-0.871	-43.825	-20.871	PASS
SISO	HCH	-0.644	-44.872	-20.644	PASS




































D.6 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
=	LCH	6.791	-42.044	-13.21	PASS
11B	HCH	7.482	-36.877	-12.52	PASS
440	LCH	1.908	-43.211	-18.09	PASS
11G	HCH	2.833	-45.042	-17.17	PASS
	LCH	2.140	-42.078	-17.86	PASS
11N20SISO	HCH	2.921	-43.714	-17.08	PASS
	LCH	-1.004	-34.185	-21	PASS
11N40SISO	HCH	-0.393	-33.444	-20.39	PASS











D.7 Restrict-band band-edge measurements


Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-47.58	2.0	0	49.65	PEAK	74	PASS
	2412	Ant1	2310.0	-58.87	2.0	0	38.36	AV	54	PASS
	2412	Ant1	2390.0	-48.19	2.0	0	49.04	PEAK	74	PASS
440	2412	Ant1	2390.0	-58.44	2.0	0	38.79	AV	54	PASS
118	2462	Ant1	2483.5	-48.86	2.0	0	48.37	PEAK	74	PASS
	2462	Ant1	2483.5	-58.23	2.0	0	39.00	AV	54	PASS
	2462	Ant1	2500.0	-47.74	2.0	0	49.49	PEAK	74	PASS
	2462	Ant1	2500.0	-58.04	2.0	0	39.19	AV	54	PASS
	2412	Ant1	2310.0	-47.51	2.0	0	49.72	PEAK	74	PASS
	2412	Ant1	2310.0	-58.84	2.0	0	38.39	AV	54	PASS
	2412	Ant1	2390.0	-47.20	2.0	0	50.03	PEAK	74	PASS
110	2412	Ant1	2390.0	-57.80	2.0	0	39.43	AV	54	PASS
116	2462	Ant1	2483.5	-47.67	2.0	0	49.56	PEAK	74	PASS
	2462	Ant1	2483.5	-57.63	2.0	0	39.60	AV	54	PASS
	2462	Ant1	2500.0	-47.70	2.0	0	49.53	PEAK	74	PASS
	2462	Ant1	2500.0	-57.80	2.0	0	39.43	AV	54	PASS
	2412	Ant1	2310.0	-47.85	2.0	0	49.38	PEAK	74	PASS
	2412	Ant1	2310.0	-58.85	2.0	0	38.38	AV	54	PASS
	2412	Ant1	2390.0	-48.06	2.0	0	49.17	PEAK	74	PASS
	2412	Ant1	2390.0	-57.76	2.0	0	39.47	AV	54	PASS
SISO	2462	Ant1	2483.5	-47.67	2.0	0	49.56	PEAK	74	PASS
	2462	Ant1	2483.5	-57.54	2.0	0	39.69	AV	54	PASS
	2462	Ant1	2500.0	-46.56	2.0	0	50.67	PEAK	74	PASS
	2462	Ant1	2500.0	-57.77	2.0	0	39.46	AV	54	PASS
11N40	2422	Ant1	2310.0	-47.70	2.0	0	49.53	PEAK	74	PASS
SISO	2422	Ant1	2310.0	-58.82	2.0	0	38.41	AV	54	PASS


2422	Ant1	2390.0	-47.80	2.0	0	49.43	PEAK	74	PASS
2422	Ant1	2390.0	-57.36	2.0	0	39.87	AV	54	PASS
2452	Ant1	2483.5	-46.74	2.0	0	50.49	PEAK	74	PASS
2452	Ant1	2483.5	-57.12	2.0	0	40.11	AV	54	PASS
2452	Ant1	2500.0	-47.87	2.0	0	49.36	PEAK	74	PASS
2452	Ant1	2500.0	-57.76	2.0	0	39.47	AV	54	PASS


FCC ID: 2ADQN-A1162


Report No.: LCS180413027AEC

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.














Restrict-band band-edge measurements_11B_2462_Ant1_AV















Restrict-band band-edge measurements_11G_2462_Ant1_AV







Restrict-band band-edge measurements_11N20SISO_2412_Ant1_AV








Restrict-band band-edge measurements_11N20SISO_2462_Ant1_AV











Restrict-band band-edge measurements_11N40SISO_2452_Ant1_AV

