Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Two in one convertible notebook Trade Mark: YUKO

Test Model: A1162

Environmental Conditions

	Temperature:	22.6 ° C							
	Relative Humidity:	51.3%							
ATM Pressure: Test Engineer: Supervised by:		100.0 kPa							
		Mina.xu							
		Jayden.Zhuo							


C.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant0	98.64	PASS
11G	2437	Ant0	98.41	PASS
11N20SISO	2437	Ant0	98.43	PASS
11N40SISO	2437	Ant0	98.84	PASS


Start Freq

gilent Spectrum Analyzer - Swept SA 03:59:23 PM Apr 26, 2018 TRACE 1 2 3 4 5 6 TYPE WWWWWWW DET P P P P P P Frequency Center Freq 2.437000000 GHz Avg Type: Log-Pwr GHZ PNO: Fast → Trig: Free Run IFGain:Low #Atten: 40 dB **Auto Tune** Mkr3 2.817 ms 8.76 dBm Ref 30.00 dBm 20.0 Center Freq 10.0 2.437000000 GHz 0.00 10.0 -20.0 2.437000000 GHz -30.0 -40.1


Duty Cycle_11B_2437_Ant0




Duty Cycle_11G_2437_Ant0



Duty Cycle_11N20SISO_2437_Ant0



Duty Cycle_11N40SISO_2437_Ant0





C.2 Maximum Conducted Peak Output Power

Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
	LCH	17.65	30	PASS
11B	MCH	17.48	30	PASS
	HCH	17.78	30	PASS
	LCH	16.52	30	PASS
11G	MCH	16.26	30	PASS
	HCH	16.48	30	PASS
	LCH	16.22	30	PASS
11N20SISO	MCH	16.15	30	PASS
	HCH	16.03	30	PASS
	LCH	15.54	30	PASS
11N40SISO	MCH	15.62	30	PASS
	HCH	15.48	30	PASS

C.3 Maximum Power Spectral Density


Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	2.639	8	PASS
11B	MCH	2.567	8	PASS
	HCH	2.697	8	PASS
	LCH	-2.729	8	PASS
11G	MCH	-2.753	8	PASS
	HCH	-2.410	8	PASS
	LCH	-3.550	8	PASS
11N20SISO	MCH	-2.736	8	PASS
	HCH	-2.247	8	PASS
	LCH	-6.529	8	PASS
11N40SISO	MCH	-6.364	8	PASS
	HCH	-5.923	8	PASS






C.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	9.150	≥0.5	PASS
11B	MCH	9.161	≥0.5	PASS
	HCH	9.122	≥0.5	PASS
	LCH	15.14	≥0.5	PASS
11G	MCH	14.45	≥0.5	PASS
	HCH	15.02	≥0.5	PASS
	LCH	15.14	≥0.5	PASS
11N20SISO	MCH	15.09	≥0.5	PASS
	HCH	15.16	≥0.5	PASS
	LCH	35.15	≥0.5	PASS
11N40SISO	MCH	35.12	≥0.5	PASS
	HCH	35.15	≥0.5	PASS








C.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdic t
	LCH	6.919	-45.052	-13.081	PASS
11B	MCH	7.21	-45.184	-12.790	PASS
	HCH	7.662	-44.428	-12.338	PASS
	LCH	1.945	-44.349	-18.055	PASS
11G	MCH	2.284	-44.734	-17.716	PASS
	НСН	2.359	-44.192	-17.641	PASS
	LCH	2.029	-43.723	-17.971	PASS
11N20	MCH	2.127	-44.214	-17.873	PASS
SISO	НСН	2.785	-44.800	-17.215	PASS
	LCH	-1.094	-44.725	-21.094	PASS
11N40	MCH	-0.873	-44.817	-20.873	PASS
SISO	НСН	-0.498	-44.768	-20.498	PASS


































C.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
4.45	LCH	6.390	-42.391	-13.61	PASS
11B	HCH	7.638	-37.037	-12.36	PASS
	LCH	2.254	-43.710	-17.75	PASS
11G	HCH	2.637	-44.187	-17.36	PASS
	LCH	1.342	-42.521	-18.66	PASS
11N20SISO	HCH	2.875	-42.765	-17.13	PASS
	LCH	-1.043	-34.902	-21.04	PASS
11N40SISO	HCH	-0.453	-33.023	-20.45	PASS








C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant0	2310.0	-47.12	2.0	0	50.11	PEAK	74	PASS
	2412	Ant0	2310.0	-58.91	2.0	0	38.32	AV	54	PASS
	2412	Ant0	2390.0	-47.00	2.0	0	50.23	PEAK	74	PASS
445	2412	Ant0	2390.0	-58.42	2.0	0	38.81	AV	54	PASS
11B	2462	Ant0	2483.5	-46.66	2.0	0	50.57	PEAK	74	PASS
	2462	Ant0	2483.5	-58.29	2.0	0	38.94	AV	54	PASS
	2462	Ant0	2500.0	-48.40	2.0	0	48.83	PEAK	74	PASS
	2462	Ant0	2500.0	-58.08	2.0	0	39.15	AV	54	PASS
	2412	Ant0	2310.0	-47.98	2.0	0	49.25	PEAK	74	PASS
	2412	Ant0	2310.0	-58.86	2.0	0	38.37	AV	54	PASS
	2412	Ant0	2390.0	-47.63	2.0	0	49.60	PEAK	74	PASS
	2412	Ant0	2390.0	-57.90	2.0	0	39.33	AV	54	PASS
11G	2462	Ant0	2483.5	-46.30	2.0	0	50.93	PEAK	74	PASS
	2462	Ant0	2483.5	-57.61	2.0	0	39.62	AV	54	PASS
	2462	Ant0	2500.0	-46.28	2.0	0	50.95	PEAK	74	PASS
	2462	Ant0	2500.0	-57.80	2.0	0	39.43	AV	54	PASS
	2412	Ant0	2310.0	-48.43	2.0	0	48.80	PEAK	74	PASS
	2412	Ant0	2310.0	-58.87	2.0	0	38.36	AV	54	PASS
	2412	Ant0	2390.0	-46.69	2.0	0	50.54	PEAK	74	PASS
11N20	2412	Ant0	2390.0	-58.66	2.0	0	38.57	AV	54	PASS
SISO	2462	Ant0	2483.5	-47.11	2.0	0	50.12	PEAK	74	PASS
	2462	Ant0	2483.5	-57.54	2.0	0	39.69	AV	54	PASS
	2462	Ant0	2500.0	-47.17	2.0	0	50.06	PEAK	74	PASS
	2462	Ant0	2500.0	-57.84	2.0	0	39.39	AV	54	PASS
11N40	2422	Ant0	2310.0	-47.37	2.0	0	49.86	PEAK	74	PASS
SISO	2422	Ant0	2310.0	-58.87	2.0	0	38.36	AV	54	PASS


<u>S</u>	<u>SHENZHEN I</u>	CS COMP.	<i>LIANCE</i>	TESTING LA	ABORATORY L	FCC ID: 2ADQ	Report No.: LCS180413027AEC					
		2422	Ant0	2390.0	-46.15	2.0	0	51.08	PEAK	74	PASS]
		2422	Ant0	2390.0	-57.31	2.0	0	39.92	AV	54	PASS]
		2452	Ant0	2483.5	-46.05	2.0	0	51.18	PEAK	74	PASS	
		2452	Ant0	2483.5	-57.18	2.0	0	40.05	AV	54	PASS	
		2452	Ant0	2500.0	-46.66	2.0	0	50.57	PEAK	74	PASS]
		2452	Ant0	2500.0	-57.79	2.0	0	39.44	AV	54	PASS	










Restrict-band band-edge measurements_11B_2462_Ant0_PEAK




Restrict-band band-edge measurements_11B_2462_Ant0_AV










Restrict-band band-edge measurements_11G_2412_Ant0_AV










Restrict-band band-edge measurements_11G_2462_Ant0_AV










Restrict-band band-edge measurements_11N20SISO_2412_Ant0_AV










Restrict-band band-edge measurements_11N20SISO_2462_Ant0_AV






Restrict-band band-edge measurements_11N40SISO_2422_Ant0_AV







Restrict-band band-edge measurements_11N40SISO_2452_Ant0_AV

