Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: LTE GSM/WCDMA Smartphone


Trade Mark: DOOGEE Test Model: S60 Lite

Environmental Conditions


	Temperature:	24.2 ° C					
	Relative Humidity:	54.1%					
ATM Pressure:		100.0 kPa					
Test Engineer:		Tom.Liu					
	Supervised by:	Jayden.Zhuo					


C.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS
11N40SISO	2437	Ant1	100	PASS












Duty Cycle_11N40SISO_2437_Ant1





C.2 Maximum Conducted Output Power

Mode	Channel	Meas.Level Peak [dBm]	Meas.Level Average [dBm]	Limit [dBm]	Verdict
	LCH	18.64	16.15	30	PASS
11B	MCH	18.45	16.80	30	PASS
	HCH	18.27	16.54	30	PASS
	LCH	17.70	15.42	30	PASS
11G	MCH	17.33	15.49	30	PASS
	HCH	17.54	15.37	30	PASS
	LCH	16.70	14.34	30	PASS
11N20SISO	MCH	16.71	14.13	30	PASS
	HCH	16.27	14.61	30	PASS
	LCH	16.87	14.53	30	PASS
11N40SISO	MCH	16.62	14.55	30	PASS
	HCH	16.05	14.38	30	PASS

C.3 Maximum Power Spectral Density


Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	-2.196	8	PASS
11B	MCH	-1.347	8	PASS
	HCH	-1.638	8	PASS
	LCH	-3.708	8	PASS
11G	MCH	-2.993	8	PASS
	HCH	-3.380	8	PASS
	LCH	-2.735	8	PASS
11N20SISO	MCH	-2.157	8	PASS
	HCH	-2.659	8	PASS
	LCH	-7.399	8	PASS
11N40SISO	MCH	-7.417	8	PASS
	HCH	-6.984	8	PASS





C.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	9.153	≥0.5	PASS
11B	MCH	9.156	≥0.5	PASS
	HCH	9.151	≥0.5	PASS
	LCH	16.40	≥0.5	PASS
11G	MCH	16.42	≥0.5	PASS
	HCH	16.40	≥0.5	PASS
	LCH	17.62	≥0.5	PASS
11N20SISO	MCH	17.65	≥0.5	PASS
	HCH	17.62	≥0.5	PASS
	LCH	36.36	≥0.5	PASS
11N40SISO	MCH	36.43	≥0.5	PASS
	HCH	36.39	≥0.5	PASS





C.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdic
mode	9	i ioi [abiii]	maxi Eovoi [abiii]		vo. a.o


<u>SHENZHEN</u>	LCS COMPLI	ANCE TESTING LABORATORY L	TD. FCC ID: 2ADTE-S60LITE	Report No.: LCS181	213041AED
					t
	LCH	3.018	-44.274	-16.982	PASS
11B	MCH	3.893	-43.769	-16.107	PASS
	HCH	3.758	-42.431	-16.242	PASS
	LCH	-0.824	-44.221	-20.824	PASS
11G	MCH	-0.613	-42.940	-20.613	PASS
	HCH	-0.547	-44.506	-20.547	PASS
	LCH	-0.584	-44.431	-20.584	PASS
11N20	MCH	-0.228	-44.189	-20.228	PASS
SISO	HCH	-0.236	-44.630	-20.236	PASS
	LCH	-4.39	-44.189	-24.390	PASS
11N40	MCH	-4.889	-43.739	-24.889	PASS
SISO	НСН	-4.007	-43.920	-24.007	PASS


































C.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
445	LCH	3.071	-50.493	-16.93	PASS
11B	HCH	3.815	-48.981	-16.19	PASS
	LCH	-0.864	-50.573	-20.86	PASS
11G	HCH	-0.449	-43.884	-20.45	PASS
4411000100	LCH	-0.765	-45.433	-20.77	PASS
11N20SISO	HCH	-0.105	-42.407	-20.11	PASS
	LCH	-4.263	-43.705	-24.26	PASS
11N40SISO	HCH	-4.025	-39.860	-24.03	PASS







C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-44.28	2.0	0	52.98	PEAK	74	PASS
	2412	Ant1	2310.0	-54.28	2.0	0	42.97	AV	54	PASS
	2412	Ant1	2390.0	-43.55	2.0	0	53.71	PEAK	74	PASS
445	2412	Ant1	2390.0	-53.76	2.0	0	43.50	AV	54	PASS
11B	2462	Ant1	2483.5	-42.98	2.0	0	54.28	PEAK	74	PASS
	2462	Ant1	2483.5	-52.36	2.0	0	44.90	AV	54	PASS
	2462	Ant1	2500.0	-43.20	2.0	0	54.05	PEAK	74	PASS
	2462	Ant1	2500.0	-53.67	2.0	0	43.59	AV	54	PASS
	2412	Ant1	2310.0	-43.81	2.0	0	53.45	PEAK	74	PASS
	2412	Ant1	2310.0	-54.42	2.0	0	42.83	AV	54	PASS
	2412	Ant1	2390.0	-38.00	2.0	0	59.26	PEAK	74	PASS
	2412	Ant1	2390.0	-51.87	2.0	0	45.39	AV	54	PASS
11G	2462	Ant1	2483.5	-34.05	2.0	0	63.20	PEAK	74	PASS
	2462	Ant1	2483.5	-46.95	2.0	0	50.31	AV	54	PASS
	2462	Ant1	2500.0	-42.08	2.0	0	55.18	PEAK	74	PASS
	2462	Ant1	2500.0	-53.81	2.0	0	43.45	AV	54	PASS
	2412	Ant1	2310.0	-44.71	2.0	0	52.55	PEAK	74	PASS
	2412	Ant1	2310.0	-54.39	2.0	0	42.87	AV	54	PASS
	2412	Ant1	2390.0	-33.33	2.0	0	63.92	PEAK	74	PASS
11N20	2412	Ant1	2390.0	-50.14	2.0	0	47.12	AV	54	PASS
SISO	2462	Ant1	2483.5	-32.43	2.0	0	64.83	PEAK	74	PASS
	2462	Ant1	2483.5	-45.50	2.0	0	51.76	AV	54	PASS
	2462	Ant1	2500.0	-42.83	2.0	0	54.42	PEAK	74	PASS
	2462	Ant1	2500.0	-53.79	2.0	0	43.47	AV	54	PASS
11N40	2422	Ant1	2310.0	-45.01	2.0	0	52.25	PEAK	74	PASS
SISO	2422	Ant1	2310.0	-54.40	2.0	0	42.85	AV	54	PASS


<u>SF</u>	HENZHEN I	LCS COMP	LIANCE	TESTING LA	ABORATORY L	FCC ID: 2ADTE-S60LITE Report No			<u>: LCS181213041AED</u>		
		2422	Ant1	2390.0	-34.21	2.0	0	63.05	PEAK	74	PASS
		2422	Ant1	2390.0	-45.53	2.0	0	51.72	AV	54	PASS
		2452	Ant1	2483.5	-37.85	2.0	0	59.41	PEAK	74	PASS
		2452	Ant1	2483.5	-50.51	2.0	0	46.75	AV	54	PASS
		2452	Ant1	2500.0	-43.13	2.0	0	54.13	PEAK	74	PASS
		2452	Ant1	2500.0	-53.76	2.0	0	43.50	AV	54	PASS




Restrict-band band-edge measurements_11B_2412_Ant1_AV




Restrict-band band-edge measurements_11B_2462_Ant1_PEAK




Restrict-band band-edge measurements_11B_2462_Ant1_AV




Restrict-band band-edge measurements_11G_2412_Ant1_PEAK





Restrict-band band-edge measurements_11G_2412_Ant1_AV






Restrict-band band-edge measurements_11G_2462_Ant1_AV







Restrict-band band-edge measurements_11N20SISO_2412_Ant1_AV




Restrict-band band-edge measurements_11N20SISO_2462_Ant1_PEAK




Restrict-band band-edge measurements_11N20SISO_2462_Ant1_AV




Restrict-band band-edge measurements_11N40SISO_2422_Ant1_PEAK



Restrict-band band-edge measurements_11N40SISO_2422_Ant1_AV



Restrict-band band-edge measurements_11N40SISO_2452_Ant1_PEAK



Restrict-band band-edge measurements_11N40SISO_2452_Ant1_AV

