
LTE Band 5

Peak-to-Average Ratio


Mode					
Mod.	QP	SK	16C	Limit: 13dB	
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.8	5.01	4.12	6.03	
Middle CH	4.38	4.84	4.99	5.86	PASS
Highest CH	3.48	4.99	4.38	6.03	

Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A5-1 of 30



Report No.: FG5N2627B




Report No.: FG5N2627B

26dB Bandwidth

Mode	LTE Band 5 : 26dB BW(MHz)											
BW	1.41	MHz	3N	lHz	5M	lHz	101	ИHz	15N	ИНz	201	ИHz
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	1.22	1.21	2.97	3	4.92	4.88	9.79	9.85	-	-	-	-
Middle CH	1.24	1.23	2.98	3.05	4.92	4.9	9.75	9.75	-	-	-	-
Highest CH	1.24	1.23	2.98	3.03	4.83	4.95	9.77	9.67	-	-	-	-


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A5-4 of 30




Page Number : A5-5 of 30

Report No.: FG5N2627B




Page Number : A5-6 of 30

Report No.: FG5N2627B



Page Number : A5-7 of 30

Report No.: FG5N2627B



Page Number : A5-8 of 30


Report No.: FG5N2627B

Occupied Bandwidth

Mode	LTE Band 5 : 99%OBW(MHz)											
BW	1.4	ИНz	31/	lHz	5N	lHz	101	ИHz	15N	ИHz	201	ИHz
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	1.09	1.09	2.7	2.73	4.5	4.49	9.05	9.07	-	-	-	-
Middle CH	1.09	1.1	2.71	2.72	4.5	4.51	9.03	8.99	-	-	-	-
Highest CH	1.09	1.09	2.73	2.72	4.47	4.5	9.07	8.95	-	-	-	-


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A5-9 of 30




Page Number : A5-10 of 30

Report No.: FG5N2627B




Page Number : A5-11 of 30

Report No.: FG5N2627B



Page Number : A5-12 of 30

Report No.: FG5N2627B




Page Number : A5-13 of 30

Report No.: FG5N2627B


Conducted Band Edge

Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A5-14 of 30




Report No.: FG5N2627B




Page Number : A5-16 of 30

Report No.: FG5N2627B




Page Number : A5-17 of 30

Report No.: FG5N2627B




Page Number : A5-18 of 30

Report No.: FG5N2627B




Page Number : A5-19 of 30

Report No.: FG5N2627B



Page Number : A5-20 of 30

Report No.: FG5N2627B




Report Template No.: BU5-FGLTE Version 1.5

: A5-21 of 30

Page Number

Report No.: FG5N2627B




Page Number : A5-22 of 30

Report No.: FG5N2627B

Conducted Spurious Emission


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A5-23 of 30



Page Number : A5-24 of 30


Report No.: FG5N2627B



SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : A5-25 of 30

Report No.: FG5N2627B




Page Number : A5-26 of 30

Report No.: FG5N2627B



Page Number : A5-27 of 30

Report No.: FG5N2627B



Page Number : A5-28 of 30

Report No.: FG5N2627B



Page Number : A5-29 of 30

Report No.: FG5N2627B

Frequency Stability

Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
_		BW 10MHz	2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0013	
40	Normal Voltage	0.0007	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0011	
0	Normal Voltage	0.0006	
-10	Normal Voltage	0.0011	PASS
-20	Normal Voltage	0.0017	
-30	Normal Voltage	0.0002	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0001	

Report No.: FG5N2627B

: A5-30 of 30

Page Number

Note: Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.5 V. ; Maximum Voltage =4.2 V

SPORTON INTERNATIONAL INC.