



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A74 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A75 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A76 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A77 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A78 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A79 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A80 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A81 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A82 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

## Frequency Stability

Test (	Conditions	LTE Band 2 (QPSK) / Middle Channel	Limit
		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0059	
40	Normal Voltage	0.0027	
30	Normal Voltage	0.0021	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0048	
0	Normal Voltage	0.0074	
-10	Normal Voltage	0.0160	PASS
-20	Normal Voltage	0.0245	
-30	Normal Voltage	0.0293	
20	Maximum Voltage	0.0085	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0032	

#### Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A83 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test 0	Conditions	LTE Band 4 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0063	
40	Normal Voltage	0.0006	
30	Normal Voltage	0.0029	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0040	
0	Normal Voltage	0.0110	
-10	Normal Voltage	0.0162	PASS
-20	Normal Voltage	0.0225	
-30	Normal Voltage	0.0242	
20	Maximum Voltage	0.0104	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0029	

### Note:

- 1. Normal Voltage =3.85V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : A84 of A84
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

# **Appendix B. Test Results of Radiated Test**



	LTE Band 2 / 1.4MHz (Average)											
Ohamad		RB		Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	1	23.32	0.2147	23.58	0.2280					
Middle	QPSK	3	3	23.29	0.2133	23.04	0.2015					
Highest		1	5	23.59	0.2286	23.14	0.2063					
Lowest		1	3	22.31	0.1701	22.05	0.1603					
Middle	16QAM	1	3	22.21	0.1665	21.61	0.1448					
Highest		1	0	22.22	0.1668	21.60	0.1447					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 3MHz (Average)											
Ohammal	Modulation	RB		Horizo	ontal	Vertical						
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	8	23.09	0.2037	23.39	0.2180					
Middle	QPSK	1	8	23.12	0.2051	22.79	0.1903					
Highest		1	0	23.35	0.2164	22.91	0.1952					
Lowest		1	8	22.36	0.1724	22.21	0.1665					
Middle	16QAM	1	8	22.19	0.1655	21.62	0.1451					
Highest		1	8	22.27	0.1688	21.62	0.1452					
Limit	EIRI	o < 2W		Res	sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B1 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 5MHz (Average)											
Ohamad		F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	23.25	0.2112	23.41	0.2194					
Middle	QPSK	1	0	23.19	0.2086	22.82	0.1913					
Highest		1	12	23.32	0.2150	22.88	0.1943					
Lowest		1	24	22.19	0.1656	22.01	0.1590					
Middle	16QAM	1	0	22.01	0.1590	21.55	0.1430					
Highest		1	12	22.16	0.1643	21.52	0.1418					
Limit	EIRI	o < 2W		Result		PASS						

	LTE Band 2 / 10MHz (Average)											
011	Madulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	25	23.15	0.2064	23.26	0.2118					
Middle	QPSK	1	0	23.25	0.2114	22.86	0.1933					
Highest		1	49	23.28	0.2127	22.81	0.1908					
Lowest		1	0	22.23	0.1669	22.09	0.1617					
Middle	16QAM	1	25	22.01	0.1588	21.57	0.1434					
Highest		1	25	22.16	0.1643	21.52	0.1419					
Limit	EIRP < 2W		Result		PASS							

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B2 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz (Average)											
Channal		F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	23.35	0.2163	23.43	0.2205					
Middle	QPSK	1	74	23.36	0.2168	23.21	0.2092					
Highest		1	0	23.29	0.2131	22.79	0.1902					
Lowest		1	0	22.24	0.1675	22.14	0.1637					
Middle	16QAM	1	37	22.09	0.1618	21.80	0.1514					
Highest		1	0	22.08	0.1614	21.56	0.1432					
Limit	EIRI	o < 2W		Result		PASS						

	LTE Band 2 / 20MHz (Average)											
01	Modulation	RB		Horizo	ontal	Vert	ical					
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	23.70	0.2345	23.30	0.2140					
Middle	QPSK	1	0	23.75	0.2369	23.01	0.2000					
Highest		1	0	23.39	0.2180	22.56	0.1802					
Lowest		1	0	22.21	0.1663	22.10	0.1622					
Middle	16QAM	1	49	22.18	0.1652	21.78	0.1507					
Highest		1	0	22.11	0.1626	21.63	0.1455					
Limit	EIRI	EIRP < 2W			sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B3 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz (Average)											
Ohamad	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	0	19.80	0.0955	20.28	0.1068					
Middle	QPSK	1	0	20.72	0.1179	21.36	0.1368					
Highest		3	0	20.74	0.1186	21.69	0.1475					
Lowest		1	3	19.15	0.0822	19.31	0.0853					
Middle	16QAM	1	0	19.95	0.0989	20.27	0.1064					
Highest		1	3	19.94	0.0986	20.70	0.1175					
Limit	EIRI	o < 1W		Result		PASS						

	LTE Band 4 / 3MHz (Average)											
	Madulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	8	20.04	0.1009	20.43	0.1105					
Middle	QPSK	1	8	20.97	0.1251	21.58	0.1439					
Highest		1	8	20.78	0.1196	21.73	0.1490					
Lowest		1	8	19.13	0.0818	19.28	0.0847					
Middle	16QAM	1	8	19.92	0.0982	20.19	0.1044					
Highest		1	0	20.02	0.1005	20.65	0.1163					
Limit	EIRI	O < 1W		Res	sult	PASS						

	LTE Band 4 / 5MHz (Average)											
<b>0</b> 1 1	Madulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	24	20.15	0.1034	20.66	0.1163					
Middle	QPSK	1	12	20.92	0.1235	21.69	0.1474					
Highest		1	12	21.26	0.1337	21.82	0.1519					
Lowest		1	24	19.32	0.0855	19.37	0.0865					
Middle	16QAM	1	12	19.56	0.0904	20.28	0.1067					
Highest		1	0	19.98	0.0995	20.66	0.1164					
Limit	EIRI	O < 1W		Res	sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B4 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4/ 10MHz (Average)											
Channel	Na dedada a	RB		Horizo	ontal	Verti	ical					
Chamie	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	49	20.07	0.1017	20.60	0.1148					
Middle	QPSK	1	0	20.69	0.1172	21.56	0.1431					
Highest		1	0	21.09	0.1285	21.82	0.1522					
Lowest		1	49	19.45	0.0880	19.77	0.0948					
Middle	16QAM	1	25	20.00	0.1000	20.35	0.1085					
Highest		1	0	20.04	0.1008	20.61	0.1150					
Limit	EIRI	o < 1W		Result		PASS						

	LTE Band 4 / 15MHz (Average)													
Channal	Modulation	F	RB	Horiz	ontal	Vertical								
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)							
Lowest		1	74	20.34	0.1081	21.10	0.1289							
Middle	QPSK	1	37	21.09	0.1286	21.78	0.1507							
Highest		1	0	21.19	0.1314	21.76	0.1498							
Lowest		1	74	19.41	0.0873	19.84	0.0964							
Middle	16QAM	1	37	19.55	0.0902	20.28	0.1067							
Highest	1	1	0	19.86	0.0968	20.44	0.1107							
Limit	EIRI	P < 1W		Res	sult	PASS								

	LTE Band 4 / 20MHz (Average)													
Channal	Modulation	F	RB	Horiz	ontal	Vertical								
Channel	Woddiation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)							
Lowest		1	0	19.86	0.0968	20.30	0.1072							
Middle	QPSK	1	0	20.57	0.1140	21.17	0.1310							
Highest		1	0	20.60	0.1147	21.60	0.1446							
Lowest		1	99	19.18	0.0828	19.35	0.0861							
Middle	16QAM	1	0	19.94	0.0986	20.20	0.1047							
Highest		1	0	19.71	0.0935	20.42	0.1102							
Limit	EIRI	O < 1W		Res	sult	PASS								

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B5 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

## **Radiated Spurious Emission**

	LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3758.92	-49.63	-13	-36.63	-63.18	-55.67	6.56	12.60	Н					
	5638.38	-46.39	-13	-33.39	-62.33	-51.49	8.00	13.10	Н					
Middle	7517.84	-43.91	-13	-30.91	-62.65	-45.64	9.57	11.30	Н					
ivildale	3758.92	-39.13	-13	-26.13	-53.69	-45.17	6.56	12.60	V					
	5638.38	-44.75	-13	-31.75	-62.10	-49.85	8.00	13.10	V					
	7517.84	-42.18	-13	-29.18	-60.58	-43.91	9.57	11.30	V					

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3757.48	-47.22	-13	-34.22	-60.77	-53.26	6.56	12.60	Н					
	5636.22	-43.70	-13	-30.70	-59.64	-48.80	8.00	13.10	Н					
Middle	7514.96	-41.89	-13	-28.89	-60.63	-43.62	9.57	11.30	Н					
Middle	3757.48	-39.01	-13	-26.01	-53.58	-45.05	6.56	12.60	V					
	5636.22	-44.50	-13	-31.50	-61.85	-49.60	8.00	13.10	V					
	7514.96	-40.49	-13	-27.49	-58.89	-42.22	9.57	11.30	V					

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B6 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3755.68	-44.95	-13	-31.95	-58.50	-50.99	6.56	12.60	Н					
	5633.52	-44.57	-13	-31.57	-60.51	-49.67	8.00	13.10	Н					
Middle	7511.36	-32.48	-13	-19.48	-53.71	-34.21	9.57	11.30	Н					
Middle -	3755.68	-33.89	-13	-20.89	-49.55	-39.93	6.56	12.60	V					
	5633.52	-46.18	-13	-33.18	-63.53	-51.28	8.00	13.10	V					
	7511.36	-32.08	-13	-19.08	-53.53	-33.81	9.57	11.30	V					

	LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3751	-45.79	-13	-32.79	-59.34	-51.83	6.56	12.60	Н					
	5626.5	-42.76	-13	-29.76	-58.70	-47.86	8.00	13.10	Н					
Middle	7502	-32.65	-13	-19.65	-53.80	-34.38	9.57	11.30	Н					
ivildale	3751	-34.75	-13	-21.75	-50.15	-40.79	6.56	12.60	V					
	5626.5	-44.63	-13	-31.63	-61.98	-49.73	8.00	13.10	V					
	7502	-33.62	-13	-20.62	-54.66	-35.35	9.57	11.30	V					

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B7 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3746.68	-35.71	-13	-22.71	-50.82	-41.75	6.56	12.60	Н					
	5620.02	-38.10	-13	-25.10	-55.11	-43.20	8.00	13.10	Н					
Middle	7493.36	-31.75	-13	-18.75	-53.26	-33.48	9.57	11.30	Н					
Middle	3746.68	-34.95	-13	-21.95	-50.29	-40.99	6.56	12.60	V					
	5620.02	-44.60	-13	-31.60	-61.95	-49.70	8.00	13.10	V					
	7493.36	-31.81	-13	-18.81	-53.36	-33.54	9.57	11.30	V					

	LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3742.18	-46.39	-13	-33.39	-59.94	-52.43	6.56	12.60	Н					
	5613.27	-43.10	-13	-30.10	-59.04	-48.20	8.00	13.10	Н					
Middle	7484.36	-31.64	-13	-18.64	-53.17	-33.37	9.57	11.30	Н					
ivildale	3742.18	-36.03	-13	-23.03	-51.27	-42.07	6.56	12.60	V					
	5613.27	-45.06	-13	-32.06	-62.41	-50.16	8.00	13.10	V					
	7484.36	-34.76	-13	-21.76	-55.74	-36.49	9.57	11.30	V					

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B8 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3463.74	-41.87	-13	-28.87	-57.66	-50.10	4.37	12.60	Н					
	5195.61	-47.80	-13	-34.80	-67.58	-55.56	4.94	12.70	Н					
Middle	6927.48	-38.93	-13	-25.93	-61.12	-44.31	6.32	11.70	Н					
Middle	3463.74	-43.30	-13	-30.30	-59.01	-51.53	4.37	12.60	V					
	5195.61	-48.29	-13	-35.29	-68.40	-56.05	4.94	12.70	V					
	6927.48	-43.07	-13	-30.07	-64.51	-48.45	6.32	11.70	V					

	LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3462.48	-41.71	-13	-28.71	-57.50	-49.94	4.37	12.60	Н					
	5193.72	-46.93	-13	-33.93	-66.71	-54.69	4.94	12.70	Н					
Middle	6924.96	-41.77	-13	-28.77	-63.15	-47.15	6.32	11.70	Н					
ivildale	3462.48	-43.48	-13	-30.48	-59.19	-51.71	4.37	12.60	V					
	5193.72	-42.32	-13	-29.32	-62.43	-50.08	4.94	12.70	V					
	6924.96	-43.61	-13	-30.61	-65.05	-48.99	6.32	11.70	V					

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B9 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3460.68	-40.79	-13	-27.79	-56.58	-49.02	4.37	12.60	Н					
	5191.02	-44.59	-13	-31.59	-64.37	-52.35	4.94	12.70	Н					
Middle	6921.36	-43.02	-13	-30.02	-64.40	-48.40	6.32	11.70	Н					
Middle	3460.68	-42.47	-13	-29.47	-58.18	-50.70	4.37	12.60	V					
	5191.02	-46.96	-13	-33.96	-67.07	-54.72	4.94	12.70	V					
	6921.36	-43.09	-13	-30.09	-64.53	-48.47	6.32	11.70	V					

	LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0													
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)					
	3456.18	-39.60	-13	-26.60	-55.47	-47.83	4.37	12.60	Н					
	5184.27	-47.51	-13	-34.51	-67.29	-55.27	4.94	12.70	Н					
Middle	6912.36	-43.02	-13	-30.02	-64.40	-48.40	6.32	11.70	Н					
ivildale	3456.18	-41.39	-13	-28.39	-57.1	-49.62	4.37	12.60	V					
	5184.27	-47.60	-13	-34.60	-67.71	-55.36	4.94	12.70	V					
	6912.36	-44.35	-13	-31.35	-65.79	-49.73	6.32	11.70	V					

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B10 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0										
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)	
Middle	3451.68	-38.63	-13	-25.63	-54.66	-46.86	4.37	12.60	Н	
	5177.52	-44.25	-13	-31.25	-64.03	-52.01	4.94	12.70	Н	
	6903.36	-42.68	-13	-29.68	-64.06	-48.06	6.32	11.70	Н	
	3451.68	-40.55	-13	-27.55	-56.26	-48.78	4.37	12.60	V	
	5177.52	-47.76	-13	-34.76	-67.87	-55.52	4.94	12.70	V	
	6903.36	-43.13	-13	-30.13	-64.57	-48.51	6.32	11.70	V	

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)		
Middle	3447.18	-38.23	-13	-25.23	-54.30	-46.46	4.37	12.60	Н		
	5170.77	-48.43	-13	-35.43	-68.21	-56.19	4.94	12.70	Н		
	6894.36	-42.91	-13	-29.91	-64.29	-48.29	6.32	11.70	Н		
	3447.18	-40.54	-13	-27.54	-56.25	-48.77	4.37	12.6	V		
	5170.77	-42.90	-13	-29.90	-63.01	-50.66	4.94	12.7	V		
	6894.36	-42.82	-13	-29.82	-64.26	-48.20	6.32	11.7	V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-7372 Page Number : B11 of B11
Report Issued Date : Oct. 27, 2016
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5