

User Manual

Product name : WIFI Group Controller

Model NO. : FC-PB-WIFI03



Brief Description:

This controller support IOS 6.0 version and Android version 2.2 above.

It can achieve remote control ,switch light,adjust brightness,CT,Dimmer,music and timer functions.There are 16 million colors and dozens of light changing modes.In addition.This controller is designed for LED strips, module etc. After easy installation and settings, you can use your Phone (IOS 6.0 or Android 2.2 version or above) to control.Once you make the device connects the router which will realize group control. Controlled devices quantity will depend on the performance of router.In theory the router can control 251 devices, General home routers can control 20 pcs device or so.to achieve the maximum number of control devices should disconnecting the other connected device (computer) .controlled distance is also depends on the router.in controlled lighting does not affect the mobile Internet access.It can keep light memory(when restart,it will auto keep previous status before shutdown).

It can be used widely in bedroom ,living room ,entertaining place and operating atmosphere etc.

Shenzhen FeiCan Technology Co., Limited
Tangqian village, Guanlan Street, Longhua District, Shenzhen, China

ADD: 5F, B Block of E Building, Lianchuang Industrial Area, Zhangge

TEL:0755-66609352

FAX:0755-21503635

E-mail:info@feicanled.com

<http://feicanled.en.alibaba.com/>

Technical Specification:

Suitable Phone OS: IOS version 6.0 above or Android 2.2 version above.

Receiving sensitivity: 802.11b CCK (-10dBm); 802.11g OFDM(-15dBm)

Group control quantity:20-25 lamps (Router can only connects lights)

Software language: English , Chinese.

Working Temperature:-20℃-60℃

Working Voltage: DC12V-24V

Output channel: 3CH/RGB

Effective Remote Distance: It will depends on the router signal transmission

N.W: 52g

G.W: 119g

Size:86*45*23mm

APP installing instruction

a.Download website: <http://www.leddreamlight.com/Download1.html>

b.Install it by QR code:



Operating Instructions:

The initial state of powering is hotspot model after connect power it will emitted FC_XXX signal then open your phone to connect the signal. your router will send the password and ID to controller through DreamColor, if operating correctly, the device will be automatically added to the router. after configuration is complete, then make your mobile phone to connect with the router. you can realize group control through DreamColor software.

Connecting Router

1.Open your phone or tablet settings WLAN interface to connect FC-XXX, For example: the screen displayed the phone has been connected to the device SSID,(FC-867)


as following picture.



2. Please open the software Dream Color and it will prompt you the control ways. (because this device with single control and group control functions). You can choose control (single control) or join Router (group control) as you want. If you click direct control then you can enter into RGB, CT, Dimmer, Music and Timer functions to control one device.

If you click join Router and you will enter into the group control. please refer to the below operation steps.

3. Click the button **Join Router** then enter your router's name (SSID) and password, the device will be added to the router automatically. The device will blink green 6 times when the device has added to the router successfully. If connecting failure the device will blink red color 6 times, **follow the above steps to connect other devices you want control successively.**




4. If the controllers successfully connect your router and the device will become a client state, then the signal FC-XXX will disappear in WLAN. If you find FC-XXX signals in the list of mobile phones WLAN. it will testify the device is restored to factory condition, so you need to connect router with device again. Pay attention: After the device is powered off then power on again, the device will connect to the router before connected automatically. The following


picture shown the controller device has been connected to the router successfully. Click the table cell can rename the device.

How to controlling:


1.After connecting successfully then open Dream Color to click scenes interface,This application with built-in models as bedroom,livingroom,washroom.kitchen,restaurant, office, study room.Users can also edit custom scene.



2.The scenes interface is divided into two groups, the first group is the built-in scenes and it can not be deleted. Another group is custom scenes, user can through the mobile phone camera to take picture or use image as the custom scene . Custom scenes can be deleted.




3.For example: click the scenes bedroom to enter into the interface and it will show the connected led control devices, if no control device, please click “+” to enter into online interface to choose the device you want to control than save it.



After connected successfully, please enter into RGB CT,Dimmer,Music and Timer interface to control.



1.Click to enter the following interface:




2.Click to turn on/off.





3. Click to select the color, slide to choose brightness.





4.Click to select the color mode , as following:




Click  to adjust the speed and click  to adjust brightness.




5. Click  to enter into single color dimmer mode, as following:




6. Click **Mode** to select the color mode , as following:





7. Click **CT** to enter into color temperature model, as following:




8. Click  to enter into the color mode , as following:




9. Click  to enter into the music mode, as following:



10. Click  to choose the music you prefer, as following:



11. Click **Edit** to edit colors you prefer, as following:



12.The edited color will be running following the music melody,then you can click




to adjust the sensitivity.




13.Click

to set timer on/off.



Typical Application:



FAQ

A.It can not find the device ID as FC-XXX in WLAN, how to do?

Answer: If it is happened, please make sure if the APP downloaded in your phone is "Dream Color.

B.second,Please make sure if the controller connects power and led strips well.

C.Finally,enter into APP "online "interface to refresh again, once the controllers connect router successfully and it will be disappear in WLAN so you need to find it in APP "online "surface then offline them,After that, please back to WALN,If shows no device ID, please try to shorten the distance of phone and router.if still shows no device ID,please power off router and controller , then power on controller only after 30s.finally, you can find it in WALN.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.