



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A250 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A251 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A252 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A253 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A254 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A255 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A256 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A257 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A258 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A259 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A260 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A261 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A262 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A263 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A264 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0

Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0004	
40	Normal Voltage	0.0045	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0016	
0	Normal Voltage	0.0009	
-10	Normal Voltage	0.0026	PASS
-20	Normal Voltage	0.0024	
-30	Normal Voltage	0.0038	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0007	
20	Battery End Point	0.0012	

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.4 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

Sporton International (Kunshan) Inc.

FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG

TEL: +86-512-57900158

Page Number : A265 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report No.: FG931208B

Report Template No.: BU5-FGLTE Version 2.0

Test Conditions		LTE Band 4 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0021	
40	Normal Voltage	0.0022	
30	Normal Voltage	0.0023	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0014	
0	Normal Voltage	0.0012	
-10	Normal Voltage	0.0016	PASS
-20	Normal Voltage	0.0025	
-30	Normal Voltage	0.0018	
20	Maximum Voltage	0.0023	
20	Normal Voltage	0.0033	
20	Battery End Point	0.0004	

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.4 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A266 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0

Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
_		BW 10MHz	2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0001	
40	Normal Voltage	0.0018	
30	Normal Voltage	0.0040	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0046	
0	Normal Voltage	0.0069	
-10	Normal Voltage	0.0051	PASS
-20	Normal Voltage	0.0033	
-30	Normal Voltage	0.0010	
20	Maximum Voltage	0.0051	
20	Normal Voltage	0.0060	
20	Battery End Point	0.0012	

Note: Normal Voltage =3.85 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.4 V.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A267 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report No.: FG931208B

Report Template No.: BU5-FGLTE Version 2.0

Test Conditions		LTE Band 7 (QPSK) / Middle Channel		
		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0023		
40	Normal Voltage	0.0035		
30	Normal Voltage	0.0008		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0029		
0	Normal Voltage	0.0032		
-10	Normal Voltage	0.0012	PASS	
-20	Normal Voltage	0.0004		
-30	Normal Voltage	0.0023		
20	Maximum Voltage	0.0006		
20	Normal Voltage	0.0024		
20	Battery End Point	0.0027		

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.4 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A268 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0

Test Conditions		LTE Band 38 (QPSK) / Middle Channel		
		BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0008		
40	Normal Voltage	0.0029		
30	Normal Voltage	0.0034		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0018		
0	Normal Voltage	0.0018		
-10	Normal Voltage	0.0003	PASS	
-20	Normal Voltage	0.0022		
-30	Normal Voltage	0.0003		
20	Maximum Voltage	0.0016		
20	Normal Voltage	0.0001		
20	Battery End Point	0.0024		

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.4 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : A269 of A269
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0

Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

	LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
	3741	-59.38	-13	-46.38	-71.64	2.641	14.90	Н		
	5613.27	-57.43	-13	-44.43	-69.29	2.94	14.80	Н		
	7482	-50.86	-13	-37.86	-60.63	3.39	13.16	Н		
Middle	9354	-44.31	-13	-31.31	-54.79	4.00	14.48	Н		
ivildale	3742.18	-59.04	-13	-46.04	-68.88	4.49	14.32	V		
	5613	-57.22	-13	-44.22	-67.47	4.94	15.19	V		
	7482	-50.86	-13	-37.86	-60.75	5.01	14.90	V		
	9354	-45.56	-13	-32.56	-54.68	5.57	14.69	V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
	3447	-53.45	-13	-40.45	-64.19	2.604	13.34	Н		
	5170.77	-58.95	-13	-45.95	-69.46	3.011	13.52	Н		
Middle	6894	-54.61	-13	-41.61	-64.81	3.271	13.47	Н		
Middle	3447	-53.38	-13	-40.38	-64.12	2.604	13.34	V		
	5172	-58.97	-13	-45.97	-69.48	3.011	13.52	V		
	6894	-54.39	-13	-41.39	-64.59	3.271	13.47	V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
	1664	-70.70	-13	-57.70	-77.67	1.58	10.70	Н	
	2496.27	-65.60	-13	-52.60	-73.85	2.102	12.50	Н	
	3328.36	-66.44	-13	-53.44	-75.33	2.856	13.90	Н	
Middle	4161	-60.08	-13	-47.08	-68.54	2.689	13.30	Н	
ivildale	1664	-68.05	-13	-55.05	-75.81	3.09	13.00	V	
	2496	-63.31	-13	-50.31	-72.08	3.18	14.10	V	
	3328.36	-65.46	-13	-52.46	-72.70	3.31	12.70	V	
	4161	-57.25	-13	-44.25	-64.84	3.41	13.15	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : B1 of B2
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0

	LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
	5052	-56.26	-25	-31.26	-66.47	3.03	13.24	Н		
	7580	-46.37	-25	-21.37	-55.82	3.56	13.01	Н		
	10104	-41.25	-25	-16.25	-50.77	3.92	13.44	Н		
	12630	-55.12	-25	-30.12	-65.04	4.44	14.36	Н		
Middle	15156	-43.63	-25	-18.63	-54.00	4.77	15.14	Н		
ivildale	5052	-55.36	-25	-30.36	-65.57	3.03	13.24	V		
	7580	-45.81	-25	-20.81	-55.26	3.56	13.01	V		
	10104	-41.87	-25	-16.87	-51.39	3.92	13.44	V		
	12630	-54.11	-25	-29.11	-64.03	4.44	14.36	V		
	15156	-42.40	-25	-17.40	-52.77	4.77	15.14	V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 38 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
	5172	-60.18	-25	-35.18	-70.39	3.03	13.24	Н		
	7756	-42.42	-25	-17.42	-51.87	3.56	13.01	Н		
	10344	-51.41	-25	-26.41	-60.93	3.92	13.44	Н		
	12930	-56.30	-25	-31.30	-66.22	4.44	14.36	Н		
Middle	15516	-45.53	-25	-20.53	-55.90	4.77	15.14	Н		
ivildale	5172	-62.89	-25	-37.89	-73.10	3.03	13.24	V		
	7760	-45.17	-25	-20.17	-54.62	3.56	13.01	V		
	10344	-50.51	-25	-25.51	-60.03	3.92	13.44	V		
	12930	-56.92	-25	-31.92	-66.84	4.44	14.36	V		
	15516	-53.51	-25	-28.51	-63.88	4.77	15.14	V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-RMSC3EG Page Number : B2 of B2
Report Issued Date : May 30, 2019
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 2.0