




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A133 of A142 Report Issued Date : Jun. 20, 2018 Report Version : Rev. 01




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A134 of A142 Report Issued Date : Jun. 20, 2018 Report Version : Rev. 01




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A135 of A142 Report Issued Date : Jun. 20, 2018 Report Version : Rev. 01




TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A136 of A142
Report Issued Date : Jun. 20, 2018
Report Version : Rev. 01



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A137 of A142
Report Issued Date : Jun. 20, 2018
Report Version : Rev. 01



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A138 of A142
Report Issued Date : Jun. 20, 2018
Report Version : Rev. 01



TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A139 of A142 Report Issued Date : Jun. 20, 2018 Report Version : Rev. 01

Frequency Stability

Test (Conditions	LTE Band 5 (QPSK) / Middle Channel		
		BW 10MHz	2.5ppm	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0017		
40	Normal Voltage	0.0010		
30	Normal Voltage	0.0036		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0044		
0	Normal Voltage	0.0049		
-10	Normal Voltage	0.0008	PASS	
-20	Normal Voltage	0.0050		
-30	Normal Voltage	0.0060		
20	Maximum Voltage	0.0020		
20	Normal Voltage	0.0004		
20	Battery End Point	0.0041		

Note: Normal Voltage =3.85 V.; Battery End Point (BEP) =3.7 V.; Maximum Voltage =4.4 V.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A140 of A142
Report Issued Date : Jun. 20, 2018
Report Version : Rev. 01

Test Conditions		LTE Band 7 (QPSK) / Middle Channel		
T	Welfe	BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0006		
40	Normal Voltage	0.0001		
30	Normal Voltage	0.0012		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0011		
0	Normal Voltage	0.0016		
-10	Normal Voltage	0.0003	PASS	
-20	Normal Voltage	0.0014		
-30	Normal Voltage	0.0017		
20	Maximum Voltage	0.0004		
20	Normal Voltage	0.0002		
20	Battery End Point	0.0015		

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.7 V.; Maximum Voltage =4.4 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A141 of A142 Report Issued Date : Jun. 20, 2018 Report Version : Rev. 01

Test Conditions		LTE Band 41 (QPSK) / Middle Channel		
	Valla va	BW 10MHz	Note 2.	
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0003		
40	Normal Voltage	0.0003		
30	Normal Voltage	0.0017		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0006		
0	Normal Voltage	0.0018		
-10	Normal Voltage	0.0021	PASS	
-20	Normal Voltage	0.0007		
-30	Normal Voltage	0.0023		
20	Maximum Voltage	0.0002		
20	Normal Voltage	0.0005		
20	Battery End Point	0.0015		

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.7 V.; Maximum Voltage =4.4 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : A142 of A142 Report Issued Date : Jun. 20, 2018 Report Version : Rev. 01

Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

	LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)		
Middle	1664	-59.16	-13	-46.16	-61.79	1.22	6.00	Н		
	2496	-58.64	-13	-45.64	-60.98	1.53	6.02	Н		
	3327	-59.46	-13	-46.46	-63.65	1.76	8.10	Н		
	1664	-58.82	-13	-45.82	-61.45	1.22	6.00	V		
	2496	-59.24	-13	-46.24	-61.58	1.53	6.02	V		
	3327	-59.34	-13	-46.34	-63.53	1.76	8.10	V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Middle	5052	-64.00	-25	-39.00	-71.36	1.76	9.12	Н	
	7578	-48.47	-25	-23.47	-58.44	2.16	12.13	Н	
	10107	-60.50	-25	-35.50	-70.38	2.22	12.10	Н	
	5052	-63.81	-25	-38.81	-71.17	1.76	9.12	V	
	7578	-53.69	-25	-28.69	-63.66	2.16	12.13	V	
	10107	-61.25	-25	-36.25	-71.13	2.22	12.10	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 41 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Middle	5169	-62.24	-25	-37.24	-69.22	2.40	9.38	Н	
	7752	-53.52	-25	-28.52	-63.07	2.97	12.51	Н	
	10332	-60.68	-25	-35.68	-69.29	3.49	12.10	Н	
	5169	-61.93	-25	-36.93	-68.91	2.40	9.38	V	
	7752	-48.77	-25	-23.77	-58.32	2.97	12.51	V	
	10332	-59.58	-25	-34.58	-68.19	3.49	12.10	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: 2AFZZ-XMSE10A Page Number : B1 of B1
Report Issued Date : Jun. 20, 2018

Report No.: FG850814B

Report Version : Rev. 01