



#### **Conducted Spurious Emission**




SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : A41-22 of 28





SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978









# Frequency Stability

Test (	Conditions	LTE Band 41 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0122	
40	Normal Voltage	0.0120	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0123	
0	Normal Voltage	0.0115	
-10	Normal Voltage	0.0006	PASS
-20	Normal Voltage	0.0003	
-30	Normal Voltage	0.0008	
20	Maximum Voltage	0.0121	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0120	

Report No.: FG712102B

#### Note:

- 1. Normal Voltage =3.9 V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.3 V..
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

SPORTON INTERNATIONAL INC. Page Number : A41-28 of 28

TEL: 886-3-327-3456 FAX: 886-3-328-4978

#### **Appendix B. Test Results of ERP/EIRP and Radiated Test**

## **ERP/EIRP**

	LTE Band 2 / 1.4MHz (Average)										
Channal	Channel Mode	R	В	Horiz	ontal	Vert	ical				
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		3	1	18.63	0.0729	19.92	0.0982				
Middle	QPSK	3	1	19.20	0.0832	20.68	0.1169				
Highest		3	1	20.18	0.1042	21.50	0.1413				
Lowest		1	3	17.78	0.0600	19.19	0.0830				
Middle	16QAM	1	3	18.28	0.0673	19.81	0.0957				
Highest		1	3	19.35	0.0861	20.82	0.1208				
Limit	EIRP <	: 2W		Result		PASS					

	LTE Band 2 / 3MHz (Average)										
Channel	Mode	R	В	Horiz	ontal	Vertical					
Channel	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	18.61	0.0726	19.96	0.0991				
Middle	QPSK	1	0	19.09	0.0811	20.65	0.1161				
Highest		1	0	19.93	0.0984	21.39	0.1377				
Lowest		1	0	17.81	0.0604	19.26	0.0843				
Middle	16QAM	1	0	18.27	0.0671	19.79	0.0953				
Highest		1	0	19.16	0.0824	20.72	0.1180				
Limit	EIRP <	: 2W		Res	sult	PA	SS				

	LTE Band 2 / 5MHz (Average)										
Channel	Channel Mode		В	Horiz	ontal	Vert	ical				
Chamilei	Ivioue	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	18.71	0.0743	19.94	0.0986				
Middle	QPSK	1	0	19.10	0.0813	20.62	0.1153				
Highest	]	1	0	19.92	0.0982	21.48	0.1406				
Lowest		1	0	17.92	0.0619	19.18	0.0828				
Middle	16QAM	1	0	18.22	0.0664	19.81	0.0957				
Highest	]	1	0	19.05	0.0804	20.62	0.1153				
Limit	EIRP <	EIRP < 2W			sult	PASS					

	LTE Band 2 / 10MHz (Average)										
Channel	Mode	R	В	Horiz	ontal	Vert	ical				
Channel	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	18.91	0.0778	20.21	0.1050				
Middle	QPSK	1	0	19.34	0.0859	20.85	0.1216				
Highest		1	0	19.66	0.0925	21.39	0.1377				
Lowest		1	0	18.14	0.0652	19.47	0.0885				
Middle	16QAM	1	0	18.53	0.0713	20.12	0.1028				
Highest		1	0	18.88	0.0773	20.67	0.1167				
Limit	EIRP <	: 2W		Res	sult	PA	SS				

LTE Band 2 / 15MHz (Average)										
Channel	Mode	R	В	Horiz	ontal	Vert	ical			
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)			
Lowest		1	0	18.76	0.0752	20.07	0.1016			
Middle	QPSK	1	0	19.06	0.0805	20.70	0.1175			
Highest		1	0	19.50	0.0891	21.35	0.1365			
Lowest		1	0	18.05	0.0638	19.30	0.0851			
Middle	16QAM	1	0	18.42	0.0695	19.98	0.0995			
Highest		1	0	18.78	0.0755	20.60	0.1148			
Limit	EIRP <	: 2W		Res	sult	PASS				

	LTE Band 2 / 20MHz (Average)										
Channel	Mode	R	В	Horizontal		Vertical					
Chainei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	19.05	0.0804	20.28	0.1067				
Middle	QPSK	1	0	19.26	0.0843	20.88	0.1225				
Highest		1	0	19.61	0.0914	21.24	0.1330				
Lowest		1	0	18.24	0.0667	19.56	0.0904				
Middle	16QAM	1	0	18.65	0.0733	20.16	0.1038				
Highest		1	0	18.91	0.0778	20.61	0.1151				
Limit	EIRP <	2W		Res	sult	PA	SS				

	LTE Band 4 / 1.4MHz (Average)										
Channel	nel Mode	R	В	Horiz	ontal	Vert	ical				
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		3	1	17.89	0.0615	17.38	0.0547				
Middle	QPSK	3	1	17.46	0.0557	16.90	0.0490				
Highest		3	1	17.29	0.0536	17.05	0.0507				
Lowest		1	3	16.92	0.0492	16.51	0.0448				
Middle	16QAM	1	3	16.61	0.0458	16.13	0.0410				
Highest		1	3	16.39	0.0436	16.24	0.0421				
Limit	EIRP <	: 1W	<u> </u>	Result		PASS					

	LTE Band 4 / 3MHz (Average)										
Channel	Mode	R	В	Horiz	ontal	Vert	ical				
Chamilei	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	17.83	0.0607	17.38	0.0547				
Middle	QPSK	1	0	17.43	0.0553	16.89	0.0489				
Highest		1	0	17.20	0.0525	17.01	0.0502				
Lowest		1	8	17.04	0.0506	16.53	0.0450				
Middle	16QAM	1	8	16.79	0.0478	16.21	0.0418				
Highest		1	8	16.60	0.0457	16.38	0.0435				
Limit	EIRP <	1W		Res	sult	PA	SS				

	LTE Band 4 / 5MHz (Average)										
Channel	Mode	R	В	Horizontal		Vertical					
Chamilei	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	18.03	0.0635	17.39	0.0548				
Middle	QPSK	1	0	17.73	0.0593	16.95	0.0495				
Highest		1	0	17.55	0.0569	17.24	0.0530				
Lowest		1	0	17.27	0.0533	16.38	0.0435				
Middle	16QAM	1	0	16.90	0.0490	16.14	0.0411				
Highest	]	1	0	16.62	0.0459	16.41	0.0438				
Limit	EIRP <	: 1W		Res	sult	PA	SS				

	LTE Band 4 / 10MHz (Average)										
Channel	annel Mode	R	В	Horiz	ontal	Vert	ical				
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	17.88	0.0614	17.47	0.0558				
Middle	QPSK	1	0	17.59	0.0574	16.89	0.0489				
Highest		1	0	17.41	0.0551	17.01	0.0502				
Lowest		1	0	17.07	0.0509	16.56	0.0453				
Middle	16QAM	1	0	16.70	0.0468	16.06	0.0404				
Highest		1	0	16.72	0.0470	16.28	0.0425				
Limit	EIRP <	: 1W	<u> </u>	Res	sult	PA	SS				

	LTE Band 4 / 15MHz (Average)										
Channel	Mode	R	В	Horiz	ontal	Vert	ical				
Chamilei	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	17.92	0.0619	17.54	0.0568				
Middle	QPSK	1	0	17.78	0.0600	17.09	0.0512				
Highest		1	0	17.33	0.0541	16.75	0.0473				
Lowest		1	0	17.09	0.0512	16.56	0.0453				
Middle	16QAM	1	0	16.99	0.0500	16.18	0.0415				
Highest		1	0	16.38	0.0435	15.69	0.0371				
Limit	EIRP <	: 1W		Res	sult	PASS					

	LTE Band 4 / 20MHz (Average)											
Channel	Mode	RB		Horizontal		Vertical						
Chamilei	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	17.90	0.0617	17.55	0.0569					
Middle	QPSK	1	0	17.83	0.0607	17.15	0.0519					
Highest		1	0	17.41	0.0551	16.77	0.0475					
Lowest		1	0	16.99	0.0500	16.62	0.0459					
Middle	16QAM	1	0	16.90	0.0490	16.24	0.0421					
Highest		1	0	16.49	0.0446	15.77	0.0378					
Limit	EIRP <	: 1W		Res	sult	PASS						

	LTE Band 5 / 1.4MHz (Average)											
Channel	Mode	RB		Horiz	Horizontal		ical					
Channel		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	1	8.04	0.0064	15.48	0.0353					
Middle	QPSK	3	1	6.88	0.0049	14.48	0.0281					
Highest		3	1	6.58	0.0045	14.16	0.0261					
Lowest		1	3	7.09	0.0051	14.79	0.0301					
Middle	16QAM	1	3	6.02	0.0040	13.75	0.0237					
Highest		1	3	5.77	0.0038	13.33	0.0215					
Limit	ERP <	7W		Res	sult	PASS						

	LTE Band 5 / 3MHz (Average)											
Channel	Mode	RB		Horizontal		Vert	ical					
Chamilei		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	8	7.86	0.0061	15.42	0.0348					
Middle	QPSK	1	8	6.98	0.0050	14.62	0.0290					
Highest		1	8	6.73	0.0047	14.22	0.0264					
Lowest		1	8	7.20	0.0052	14.70	0.0295					
Middle	16QAM	1	8	6.21	0.0042	13.82	0.0241					
Highest		1	8	5.85	0.0038	13.52	0.0225					
Limit	ERP < 7W			Res	sult	PASS						

	LTE Band 5 / 5MHz (Average)											
Channel	Mode	RB		Horizontal		Vertical						
Chamilei	Wode	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	0	7.68	0.0059	15.50	0.0355					
Middle	QPSK	1	0	6.81	0.0048	14.76	0.0299					
Highest		1	0	6.20	0.0042	14.55	0.0285					
Lowest		1	0	7.02	0.0050	14.69	0.0294					
Middle	16QAM	1	0	6.13	0.0041	13.94	0.0248					
Highest	]	1	0	5.52	0.0036	13.73	0.0236					
Limit	ERP <	7W		Re	sult	PASS						

	LTE Band 5 / 10MHz (Average)											
Channel	Mode	RB		Horiz	Horizontal		ical					
Channel	Wode	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	0	7.75	0.0060	15.48	0.0353					
Middle	QPSK	1	0	7.05	0.0051	14.81	0.0303					
Highest		1	0	6.48	0.0044	14.50	0.0282					
Lowest		1	49	6.72	0.0047	14.03	0.0253					
Middle	16QAM	1	49	6.11	0.0041	13.89	0.0245					
Highest		1	49	5.58	0.0036	13.53	0.0225					
Limit	ERP < 7W			Res	sult	PA	SS					

	LTE Band 7 / 5MHz (Average)										
Channel	Mode	R	В	Horiz	ontal	Vert	ical				
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	20.84	0.1213	21.29	0.1346				
Middle	QPSK	1	0	20.67	0.1167	21.01	0.1262				
Highest		1	0	19.94	0.0986	20.39	0.1094				
Lowest		1	0	19.98	0.0995	20.52	0.1127				
Middle	16QAM	1	0	19.81	0.0957	20.06	0.1014				
Highest		1	0	19.10	0.0813	19.58	0.0908				
Limit	EIRP <	2W		Res	sult	PASS					

	LTE Band 7 / 10MHz (Average)											
Channel	Mode	R	В	Horiz	ontal	Vert	ical					
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	49	20.84	0.1213	21.31	0.1352					
Middle	QPSK	1	49	20.73	0.1183	20.88	0.1225					
Highest		1	49	20.22	0.1052	20.21	0.1050					
Lowest		1	49	19.98	0.0995	20.54	0.1132					
Middle	16QAM	1	49	19.96	0.0991	19.98	0.0995					
Highest		1	49	19.36	0.0863	19.45	0.0881					
Limit	EIRP <	EIRP < 2W			sult	PASS						

	LTE Band 7 / 15MHz (Average)											
Channel	Mode	RB		Horizontal		Vertical						
Chamilei	Ivioue	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	74	20.63	0.1156	21.37	0.1371					
Middle	QPSK	1	74	20.60	0.1148	21.00	0.1259					
Highest		1	74	19.84	0.0964	20.32	0.1076					
Lowest		1	0	20.10	0.1023	20.57	0.1140					
Middle	16QAM	1	0	19.94	0.0986	20.26	0.1062					
Highest		1	0	19.42	0.0875	19.85	0.0966					
Limit	EIRP <	2W		Res	sult	PASS						

LTE Band 7 / 20MHz (Average)												
Channel	Marila	R	RB	Horiz	ontal	Vert	ical					
	Mode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	20.89	0.1227	21.33	0.1358					
Middle	QPSK	1	0	20.83	0.1211	21.29	0.1346					
Highest	]	1	0	20.24	0.1057	20.76	0.1191					
Lowest		1	0	20.16	0.1038	20.42	0.1102					
Middle	16QAM	1	0	20.07	0.1016	20.47	0.1114					
Highest		1	0	19.41	0.0873	19.88	0.0973					
Limit	EIRP <	EIRP < 2W			sult	PA	SS					

	LTE Band 41 / 5MHz (Average)											
Channel	Mode	RB		Horiz	Horizontal		ical					
Chaine		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.62	0.1828	22.96	0.1977					
Middle	QPSK	1	0	19.72	0.0938	20.31	0.1074					
Highest		1	0	20.02	0.1005	20.88	0.1225					
Lowest		1	12	21.73	0.1489	22.07	0.1611					
Middle	16QAM	1	12	19.34	0.0859	19.56	0.0904					
Highest		1	12	18.79	0.0757	20.05	0.1012					
Limit	EIRP <	: 2W		Res	sult	PASS						

	LTE Band 41 / 10MHz (Average)											
Channel	Mode	R	В	Horiz	ontal	Vert	ical					
Channel	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	49	22.07	0.1611	22.54	0.1795					
Middle	QPSK	1	49	19.67	0.0927	19.89	0.0975					
Highest		1	49	19.36	0.0863	20.52	0.1127					
Lowest		1	49	21.43	0.1390	21.80	0.1514					
Middle	16QAM	1	49	18.89	0.0774	19.16	0.0824					
Highest	]	1	49	18.55	0.0716	19.79	0.0953					
Limit	EIRP <	2W		Res	sult	PA	PASS					

	LTE Band 41 / 15MHz (Average)											
Channel	Mode	RB		Horizontal		Vertical						
Chamilei		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.72	0.1871	23.15	0.2065					
Middle	QPSK	1	0	20.37	0.1089	20.58	0.1143					
Highest		1	0	19.14	0.0820	20.35	0.1084					
Lowest		1	0	22.03	0.1596	22.47	0.1766					
Middle	16QAM	1	0	19.20	0.0832	19.67	0.0927					
Highest	]	1	0	18.32	0.0679	19.53	0.0897					
Limit	EIRP <	2W		Res	sult	PASS						

	LTE Band 41 / 20MHz (Average)											
Channel	Mode	R	В	Horiz	ontal	Vertical						
Channel	Iviode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.67	0.1849	23.08	0.2032					
Middle	QPSK	1	0	20.04	0.1009	20.50	0.1122					
Highest	1	1	0	20.24	0.1057	20.49	0.1119					
Lowest		1	99	20.97	0.1250	21.49	0.1409					
Middle	16QAM	1	99	18.68	0.0738	19.04	0.0802					
Highest		1	99	18.27	0.0671	19.44	0.0879					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 38 / 5MHz (Average)											
Channel	Mode	R	В	Horiz	ontal	Vertical						
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	19.92	0.0982	20.41	0.1099					
Middle	QPSK	1	0	19.55	0.0902	19.83	0.0962					
Highest		1	0	19.28	0.0847	18.92	0.0780					
Lowest		1	12	19.63	0.0918	19.41	0.0873					
Middle	16QAM	1	12	19.13	0.0818	18.95	0.0785					
Highest		1	12	19.04	0.0802	18.11	0.0647					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 38 / 10MHz (Average)											
Channel	Mode	R	В	Horiz	ontal	Vertical						
Chamilei	Wiode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	20.02	0.1005	20.45	0.1109					
Middle	QPSK	1	0	19.81	0.0957	20.05	0.1012					
Highest		1	0	19.69	0.0931	19.40	0.0871					
Lowest		1	0	19.15	0.0822	19.84	0.0964					
Middle	16QAM	1	0	18.94	0.0783	19.23	0.0838					
Highest		1	0	18.76	0.0752	18.53	0.0713					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 38 / 15MHz (Average)											
Channel	Mode	R	В	Horiz	ontal	Vertical						
Chamilei	Wode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	20.04	0.1009	20.42	0.1102					
Middle	QPSK	1	0	19.92	0.0982	20.12	0.1028					
Highest		1	0	19.63	0.0918	19.45	0.0881					
Lowest		1	0	19.13	0.0818	19.57	0.0906					
Middle	16QAM	1	0	19.04	0.0802	19.26	0.0843					
Highest	]	1	0	18.76	0.0752	18.65	0.0733					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 38 / 20MHz (Average)											
Channel	Mode	R	RB	Horiz	ontal	Vertical						
Channel	Iviode	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	20.03	0.1007	20.49	0.1119					
Middle	QPSK	1	0	20.03	0.1007	20.16	0.1038					
Highest	]	1	0	19.62	0.0916	19.62	0.0916					
Lowest		1	0	19.15	0.0822	19.58	0.0908					
Middle	16QAM	1	0	19.15	0.0822	19.33	0.0857					
Highest	]	1	0	19.16	0.0824	18.78	0.0755					
Limit	EIRP < 2W			Res	sult	PASS						

# **Radiated Spurious Emission**

## LTE Band 2

	LTE Band 2 / 1.4MHz / QPSK											
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)			
	3700	-56.51	-13	-43.51	-50.17	-63.08	1.67	8.24	Н			
	5550	-63.45	-13	-50.45	-64	-70.52	2.65	9.72	Н			
	7400	-59.80	-13	-46.80	-65.73	-68.94	2.46	11.60	Н			
									Н			
									Н			
									Н			
									Н			
Lowest	3700	-59.61	-13	-46.61	-53.02	-66.18	1.67	8.24	V			
Lowest	5550	-63.76	-13	-50.76	-64.27	-70.83	2.65	9.72	V			
	7400	-59.36	-13	-46.36	-65.59	-68.50	2.46	11.60	V			
									V			
									V			
						_			V			
									V			
									V			
									V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

				LTE Band 2	/ 3MHz / QPS	SK			
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3700	-57.84	-13	-44.84	-51.5	-64.41	1.67	8.24	Н
	5550	-63.38	-13	-50.38	-63.93	-70.45	2.65	9.72	Н
	7400	-60.04	-13	-47.04	-65.97	-69.18	2.46	11.60	Н
									Н
									Н
									Н
Lawast									Н
Lowest	3700	-62.01	-13	-49.01	-55.42	-68.58	1.67	8.24	V
	5550	-63.76	-13	-50.76	-64.27	-70.83	2.65	9.72	V
	7400	-59.61	-13	-46.61	-65.84	-68.75	2.46	11.60	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978

				LTE Band 2	5MHz / QPS	SK			
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3700	-58.78	-13	-45.78	-52.44	-65.35	1.67	8.24	Н
	5550	-63.27	-13	-50.27	-63.82	-70.34	2.65	9.72	Н
	7401	-59.96	-13	-46.96	-65.94	-69.10	2.46	11.60	Н
									Н
									Н
									Н
Lowest									Н
Lowest	3700	-62.22	-13	-49.22	-55.63	-68.79	1.67	8.24	V
	5550	-63.36	-13	-50.36	-63.87	-70.43	2.65	9.72	V
	7401	-59.45	-13	-46.45	-65.73	-68.59	2.46	11.60	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 2 /	10MHz / QP	SK			
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3700	-57.69	-13	-44.69	-51.34	-64.26	1.67	8.24	Н
	5551	-63.19	-13	-50.19	-63.74	-70.26	2.65	9.72	Н
	7402	-59.85	-13	-46.85	-65.83	-68.99	2.46	11.60	Н
									Н
									Н
									Н
Laurant									Н
Lowest	3700	-61.92	-13	-48.92	-55.33	-68.49	1.67	8.24	V
	5551	-63.60	-13	-50.60	-64.11	-70.67	2.65	9.72	V
	7402	-59.58	-13	-46.58	-65.86	-68.72	2.46	11.60	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978

	LTE Band 2 / 15MHz / QPSK										
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)		
	3700	-59.23	-13	-46.23	-52.89	-65.80	1.67	8.24	Н		
	5552	-62.97	-13	-49.97	-63.52	-70.04	2.65	9.72	Н		
	7403	-59.76	-13	-46.76	-65.74	-68.91	2.46	11.61	Н		
									Н		
									Н		
									Н		
Lowest									Н		
Lowest	3700	-62.98	-13	-49.98	-56.39	-69.55	1.67	8.24	V		
	5552	-63.94	-13	-50.94	-64.45	-71.01	2.65	9.72	V		
	7403	-59.37	-13	-46.37	-65.65	-68.52	2.46	11.61	V		
									V		
									V		
									V		
									V		

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 2 /	20MHz / QP	SK			
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3702	-57.76	-13	-44.76	-51.42	-64.33	1.67	8.24	Н
	5553	-63.53	-13	-50.53	-64.08	-70.60	2.66	9.72	Н
	7404	-59.42	-13	-46.42	-65.4	-68.57	2.46	11.61	Н
									Н
									Н
									Н
1									Н
Lowest	3702	-62.10	-13	-49.10	-55.51	-68.67	1.67	8.24	V
	5553	-63.61	-13	-50.61	-64.12	-70.68	2.66	9.72	V
	7404	-59.47	-13	-46.47	-65.75	-68.62	2.46	11.61	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978

## LTE Band 4

			L	TE Band 4 /	1.4MHz / QP	SK			
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3507	-58.46	-13	-45.46	-51.82	-64.86	1.61	8.01	Н
	5261	-64.30	-13	-51.30	-64.1	-71.51	2.49	9.70	Н
	7014	-59.88	-13	-46.88	-64.83	-68.12	2.59	10.83	Н
									Н
									Н
									Н
Llighoot									Н
Highest	3507	-62.48	-13	-49.48	-55.53	-68.88	1.61	8.01	V
	5261	-64.34	-13	-51.34	-64.02	-71.55	2.49	9.70	V
	7014	-59.55	-13	-46.55	-64.8	-67.79	2.59	10.83	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

				LTE Band 4	/ 3MHz / QPS	SK			
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3504	-59.46	-13	-46.46	-52.82	-65.86	1.61	8.00	Н
	5256	-64.05	-13	-51.05	-63.8	-71.27	2.48	9.70	Н
	7008	-59.67	-13	-46.67	-64.58	-67.90	2.59	10.82	Н
									Н
									Н
									Н
Llighoot									Н
Highest	3504	-62.63	-13	-49.63	-55.68	-69.03	1.61	8.00	V
	5256	-64.46	-13	-51.46	-64.09	-71.68	2.48	9.70	V
	7008	-59.51	-13	-46.51	-64.72	-67.74	2.59	10.82	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-4 of 14

				LTE Band 4	/ 5MHz / QPS	SK			
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3500	-59.08	-13	-46.08	-52.44	-65.48	1.60	8.00	Н
	5250	-64.43	-13	-51.43	-64.18	-71.65	2.48	9.70	Н
	7001	-59.78	-13	-46.78	-64.69	-67.99	2.59	10.80	Н
									Н
									Н
									Н
Llighoot									Н
Highest	3500	-61.97	-13	-48.97	-55.02	-68.37	1.60	8.00	V
	5250	-65.18	-13	-52.18	-64.81	-72.40	2.48	9.70	V
	7001	-59.27	-13	-46.27	-64.48	-67.48	2.59	10.80	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 4 /	10MHz / QP	SK			
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3491	-60.83	-13	-47.83	-54.19	-67.19	1.60	7.96	Н
	5236	-64.01	-13	-51.01	-63.72	-71.24	2.47	9.70	Н
	6982	-59.94	-13	-46.94	-64.78	-68.12	2.60	10.78	Н
									Н
									Н
									Н
Lliab oot									Н
Highest	3491	-64.64	-13	-51.64	-57.69	-71.00	1.60	7.96	V
	5236	-64.17	-13	-51.17	-63.74	-71.40	2.47	9.70	V
	6982	-60.00	-13	-47.00	-65.14	-68.18	2.60	10.78	V
									V
									V
									V
<u> </u>									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-5 of 14

			L	TE Band 4 /	15MHz / QP	SK			
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3451	-56.23	-13	-43.23	-49.49	-62.43	1.59	7.78	Н
	5177	-61.04	-13	-48.04	-60.61	-68.30	2.44	9.70	Н
	6903	-60.02	-13	-47.02	-64.54	-68.08	2.62	10.68	Н
									Н
									Н
									Н
Middle									Н
Middle	3451	-58.96	-13	-45.96	-51.93	-65.16	1.59	7.78	V
	5177	-64.01	-13	-51.01	-63.43	-71.27	2.44	9.70	V
	6903	-59.73	-13	-46.73	-64.52	-67.79	2.62	10.68	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 4 /	20MHz / QP	SK			
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3469	-55.36	-13	-42.36	-48.65	-61.63	1.59	7.86	Н
	5205	-64.65	-13	-51.65	-64.27	-71.89	2.46	9.70	Н
	6941	-59.93	-13	-46.93	-64.59	-68.05	2.61	10.73	Н
									Н
									Н
									Н
Llighoot									Н
Highest	3469	-58.57	-13	-45.57	-51.57	-64.84	1.59	7.86	V
	5205	-64.94	-13	-51.94	-64.41	-72.18	2.46	9.70	V
	6941	-59.52	-13	-46.52	-64.46	-67.64	2.61	10.73	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978

## LTE Band 5

			L	TE Band 5 /	1.4MHz / QP	SK			
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	1696	-69.90	-13	-56.90	-56.82	-71.50	1.00	4.75	Н
	2543	-65.26	-13	-52.26	-56.02	-67.24	1.30	5.43	Н
	3390	-68.57	-13	-55.57	-61.72	-72.37	1.57	7.52	Н
									Н
									Н
									Н
Llighoot									Н
Highest	1696	-70.93	-13	-57.93	-57.92	-72.53	1.00	4.75	V
	2543	-65.78	-13	-52.78	-56.57	-67.76	1.30	5.43	V
	3390	-68.74	-13	-55.74	-61.63	-72.54	1.57	7.52	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

				LTE Band 5	3MHz/QPS	SK			
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	1692	-68.94	-13	-55.94	-55.86	-70.56	1.00	4.76	Н
	2538	-68.53	-13	-55.53	-59.23	-70.51	1.30	5.43	Н
	3384	-67.95	-13	-54.95	-61.07	-71.72	1.57	7.49	Н
									Н
									Н
									Н
Llighoot									Н
Highest	1692	-70.65	-13	-57.65	-57.64	-72.27	1.00	4.76	V
	2538	-68.18	-13	-55.18	-58.91	-70.16	1.30	5.43	V
	3384	-68.84	-13	-55.84	-61.7	-72.61	1.57	7.49	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-7 of 14

				LTE Band 5	/ 5MHz / QPS	SK		LTE Band 5 / 5MHz / QPSK											
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)										
	1688	-68.79	-13	-55.79	-55.63	-70.42	1.00	4.77	Н										
	2532	-68.60	-13	-55.60	-59.3	-70.57	1.30	5.43	Н										
	3377	-68.19	-13	-55.19	-61.31	-71.93	1.57	7.46	Н										
									Н										
									Н										
									Н										
Llighoot									Н										
Highest	1688	-70.33	-13	-57.33	-57.27	-71.96	1.00	4.77	V										
	2532	-69.46	-13	-56.46	-60.19	-71.43	1.30	5.43	V										
	3377	-68.35	-13	-55.35	-61.21	-72.09	1.57	7.46	V										
									V										
									V										
									V										
									V										

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 5 /	10MHz / QP	SK			
Channel	Frequency (MHz)	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	1680	-66.77	-13	-53.77	-53.61	-68.42	0.99	4.80	Н
	2518	-68.23	-13	-55.23	-58.87	-70.20	1.30	5.41	Н
	3358	-68.03	-13	-55.03	-61.11	-71.70	1.56	7.38	Н
									Н
									Н
									Н
∐iah oot									Н
Highest	1679	-69.59	-13	-56.59	-56.53	-71.25	0.99	4.80	V
	2518	-69.72	-13	-56.72	-60.4	-71.69	1.30	5.41	V
	3360	-67.68	-13	-54.68	-60.51	-71.35	1.56	7.38	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-8 of 14

## LTE Band 7

				LTE Band 7	5MHz/QPS	SK			
Channel	Frequency (MHz)	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5130	-54.08	-25	-29.08	-53.52	-61.37	2.41	9.70	Н
	7698	-43.65	-25	-18.65	-50.28	-53.20	2.37	11.92	Н
	10260	-56.10	-25	-31.10	-69.47	-65.71	2.69	12.30	Н
									Н
									Н
									Н
Llighoot									Н
Highest	5130	-54.82	-25	-29.82	-54.08	-62.11	2.41	9.70	V
	7698	-37.94	-25	-12.94	-44.77	-47.49	2.37	11.92	V
	10260	-57.25	-25	-32.25	-69.52	-66.86	2.69	12.30	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 7 /	10MHz / QP	SK			
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5118	-53.95	-25	-28.95	-53.35	-61.25	2.40	9.70	Н
	7680	-41.19	-25	-16.19	-47.78	-50.73	2.37	11.91	Н
	10242	-55.76	-25	-30.76	-69.12	-65.36	2.69	12.30	Н
									Н
									Н
									Н
Llighoot									Н
Highest	5118	-55.39	-25	-30.39	-54.6	-62.69	2.40	9.70	V
	7680	-35.09	-25	-10.09	-41.89	-44.63	2.37	11.91	V
	10242	-54.22	-25	-29.22	-66.44	-63.82	2.69	12.30	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978

		LTE Band 7 / 15MHz / QPSK											
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5112	-55.26	-25	-30.26	-54.66	-62.56	2.40	9.70	Н				
	7668	-40.51	-25	-15.51	-47.07	-50.04	2.38	11.90	Н				
	10224	-52.35	-25	-27.35	-65.69	-61.94	2.69	12.29	Н				
	12780	-51.01	-25	-26.01	-67.68	-60.87	2.87	12.74	Н				
									Н				
									Н				
Llighoot									Н				
Highest	5112	-55.63	-25	-30.63	-54.84	-62.93	2.40	9.70	V				
	7668	-36.38	-25	-11.38	-43.16	-45.91	2.38	11.90	V				
	10224	-51.56	-25	-26.56	-63.72	-61.15	2.69	12.29	V				
	12780	-51.24	-25	-26.24	-67.21	-61.10	2.87	12.74	V				
									V				
									V				
									V				

: B2-10 of 14

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			L	TE Band 7 /	20MHz / QP	SK			
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5100	-61.52	-25	-36.52	-60.87	-68.83	2.39	9.70	Н
	7656	-41.58	-25	-16.58	-48.14	-51.09	2.38	11.89	Н
	10206	-54.76	-25	-29.76	-68.09	-64.35	2.70	12.28	Н
									Н
									Н
									Н
Lliab oot									Н
Highest	5100	-61.71	-25	-36.71	-60.87	-69.02	2.39	9.70	V
	7656	-37.59	-25	-12.59	-44.37	-47.10	2.38	11.89	V
	10206	-52.84	-25	-27.84	-64.95	-62.43	2.70	12.28	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC. Page Number

TEL: 886-3-327-3456 FAX: 886-3-328-4978

## LTE Band 38

			L	TE Band 38	/ 5MHz / QP	SK			
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5140	-62.59	-25	-37.59	-62.08	-69.87	2.42	9.70	Н
	7710	-39.01	-25	-14.01	-45.68	-48.57	2.36	11.93	Н
	10278	-56.52	-25	-31.52	-69.9	-66.14	2.69	12.31	Н
									Н
									Н
									Н
Lowest									Н
Lowest	5140	-64.59	-25	-39.59	-63.9	-71.87	2.42	9.70	V
	7710	-38.11	-25	-13.11	-44.97	-47.67	2.36	11.93	V
	10278	-57.05	-25	-32.05	-69.37	-66.67	2.69	12.31	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			Ľ	TE Band 38	/ 10MHz / QF	PSK			
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5141	-64.26	-25	-39.26	-63.75	-71.54	2.42	9.70	Н
	7710	-42.03	-25	-17.03	-48.7	-51.59	2.36	11.93	Н
	10278	-56.50	-25	-31.50	-69.88	-66.12	2.69	12.31	Н
									Н
									Н
									Н
Lowest									Н
Lowest	5141	-64.70	-25	-39.70	-64.01	-71.98	2.42	9.70	V
	7710	-38.82	-25	-13.82	-45.68	-48.38	2.36	11.93	V
	10278	-57.37	-25	-32.37	-69.69	-66.99	2.69	12.31	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-11 of 14

		LTE Band 38 / 15MHz / QPSK											
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5178	-60.35	-25	-35.35	-59.92	-67.61	2.44	9.70	Н				
	7764	-41.25	-25	-16.25	-48.03	-50.86	2.34	11.96	Н				
	10350	-56.29	-25	-31.29	-69.73	-65.94	2.69	12.34	Н				
									Н				
									Н				
									Н				
Middle									Н				
Middle	5178	-63.56	-25	-38.56	-62.98	-70.82	2.44	9.70	V				
	7764	-37.17	-25	-12.17	-44.11	-46.78	2.34	11.96	V				
	10350	-56.40	-25	-31.40	-68.94	-66.05	2.69	12.34	V				
									V				
									V				
									V				
									V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			Ľ	TE Band 38	20MHz / QF	PSK			
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5202	-57.49	-25	-32.49	-57.11	-64.74	2.45	9.70	Н
	7806	-43.82	-25	-18.82	-50.67	-53.47	2.33	11.98	Н
	10404	-56.78	-25	-31.78	-70.26	-66.45	2.69	12.36	Н
									Н
									Н
									Н
Lighaat									Н
Highest	5202	-56.79	-25	-31.79	-56.26	-64.04	2.45	9.70	V
	7806	-38.16	-25	-13.16	-45.15	-47.81	2.33	11.98	V
	10404	-57.33	-25	-32.33	-70.03	-67.00	2.69	12.36	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-12 of 14

## LTE Band 41

			L	TE Band 41	/ 5MHz / QP	SK			
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5208	-64.06	-25	-39.06	-63.73	-71.30	2.46	9.70	Н
	7806	-32.90	-25	-7.90	-39.75	-42.55	2.33	11.98	Н
	10413	-56.22	-25	-31.22	-69.71	-65.89	2.69	12.37	Н
									Н
									Н
									Н
Middle									Н
Middle	5208	-61.56	-25	-36.56	-61.9	-68.80	2.46	9.70	V
	7806	-28.20	-25	-3.20	-35.19	-37.85	2.33	11.98	V
	10413	-56.89	-25	-31.89	-69.64	-66.56	2.69	12.37	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			Ľ	TE Band 41	/ 10MHz / QF	PSK			
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5202	-63.63	-25	-38.63	-63.25	-70.88	2.45	9.70	Н
	7800	-34.41	-25	-9.41	-41.26	-44.06	2.33	11.98	Н
	10404	-56.27	-25	-31.27	-69.75	-65.94	2.69	12.36	Н
									Н
									Н
									Н
Middle									Н
Middle	5202	-61.03	-25	-36.03	-60.5	-68.28	2.45	9.70	V
	7800	-28.91	-25	-3.91	-35.9	-38.56	2.33	11.98	V
	10404	-57.09	-25	-32.09	-69.79	-66.76	2.69	12.36	V
									V
									V
									V
		•							V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : B2-13 of 14

		LTE Band 41 / 15MHz / QPSK											
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5196	-64.25	-25	-39.25	-63.87	-71.50	2.45	9.70	Н				
	7794	-34.55	-25	-9.55	-41.4	-44.19	2.33	11.98	Н				
	10395	-56.28	-25	-31.28	-69.76	-65.94	2.69	12.36	Н				
									Н				
									Н				
									Н				
Middle									Н				
Middle	5196	-61.42	-25	-36.42	-60.89	-68.67	2.45	9.70	V				
	7794	-30.09	-25	-5.09	-37.08	-39.73	2.33	11.98	V				
	10395	-56.90	-25	-31.90	-69.6	-66.56	2.69	12.36	V				
									V				
									V				
									V				
									V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			Ľ	TE Band 41	/ 20MHz / QF	PSK			
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	5190	-64.37	-25	-39.37	-63.94	-71.62	2.45	9.70	Н
	7788	-34.02	-25	-9.02	-40.83	-43.66	2.34	11.97	Н
	10386	-55.97	-25	-30.97	-69.43	-65.63	2.69	12.35	Н
									Н
									Н
									Н
Middle									Н
Middle	5190	-62.55	-25	-37.55	-61.97	-69.80	2.45	9.70	V
	7788	-32.25	-25	-7.25	-39.21	-41.89	2.34	11.97	V
	10386	-56.91	-25	-31.91	-69.55	-66.57	2.69	12.35	V
									V
									V
									V
İ									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL INC. Page Number : B2-14 of 14

TEL: 886-3-327-3456 FAX: 886-3-328-4978