



Stop 27 GHz






Stop 27 GHz











Stop 27 GHz






Stop 27 GHz



















































Stop 27 GHz






Stop 27 GHz































Stop 27 GHz











Stop 27 GHz
















Stop 27 GHz















Stop 27 GHz

BUREAU





Stop 27 GHz

BUREAU



4.8 Radiated Emission Measurement

4.8.1 Limits of Radiated Emission Measurement

- a. The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 43 +10 log (P) dB. The limit of emission is equal to -13 dBm.
- b. For operations in the 775-788 MHz, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz. The limit of emissions is equal to -40 dBm.

4.8.2 Test Procedure

- a. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m (below or equal 1 GHz) and/or 1.5 m (above 1 GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- b. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- c. EIRP = Output power level of S.G TX cable loss + Antenna gain of substitution horn.
- d. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, E.R.P power = E.I.R.P power 2.15 dB.

Note: The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.


4.8.3 Deviation from Test Standard

No deviation.




4.8.4 Test Setup

<Radiated Emission below or equal 1 GHz>



<Radiated Emission above 1 GHz>



For the actual test configuration, please refer to the attached file (Test Setup Photo).




4.8.5 Test Results

Mode A
WCDMA:
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal

Remark : Band IV_Link_CH1312

Tested by: Charles Hsiao

Read Limit Over

Freq Level Level Line Limit Factor Remark


MHz dBm dBm dB dB

1 pp 3424.80 -51.54 -65.91 -13.00 -38.54 14.37 Peak





Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : Band IV_Link_CH1312

Tested by: Charles Hsiao

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3424.80 -50.43 -64.80 -13.00 -37.43 14.37 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal


Remark : Band IV_Link_CH1413

Tested by: Charles Hsiao

			Read	Limit	0ver		
	Freq	Level	Level	Line	Limit	Factor	Remark
_	MHz	dBm	dBm	dBm	dB	dB	
1	131.79	-74.07	-66.41	-13.00	-61.07	-7.66	Peak
2	209.55	-61.13	-55.08	-13.00	-48.13	-6.05	Peak
3	245.46	-66.64	-61.07	-13.00	-53.64	-5.57	Peak
4	468.00	-73.13	-68.76	-13.00	-60.13	-4.37	Peak
5	570.90	-69.97	-69.19	-13.00	-56.97	-0.78	Peak
6	818.70	-67.16	-68.96	-13.00	-54.16	1.80	Peak
7 pp	3465.20	-49.95	-64.29	-13.00	-36.95	14.34	Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : Band IV_Link_CH1413

Tested by: Charles Hsiao


	Freq	Level		Limit Line		Factor	Remark
_	MHz	dBm	dBm	dBm	dB	dB	
1	158.52	-66.52	-58.80	-13.00	-53.52	-7.72	Peak
2	204.15	-68.77	-62.65	-13.00	-55.77	-6.12	Peak
3	231.42	-71.66	-65.91	-13.00	-58.66	-5.75	Peak
4	444.20	-74.48	-70.76	-13.00	-61.48	-3.72	Peak
5	615.70	-69.12	-69.37	-13.00	-56.12	0.25	Peak
6	851.60	-69.30	-70.80	-13.00	-56.30	1.50	Peak
7 pp	3465.20	-51.04	-65.38	-13.00	-38.04	14.34	Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal

Remark : Band IV_Link_CH1513

Tested by: Charles Hsiao

Read Limit Over


Freq Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3505.20 -52.15 -66.43 -13.00 -39.15 14.28 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : Band IV_Link_CH1513

Tested by: Charles Hsiao

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3505.20 -52.06 -66.34 -13.00 -39.06 14.28 Peak




LTE Band 4

Channel Bandwidth: 1.4 MHz / QPSK

Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH19957

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3421.40 -51.39 -65.76 -13.00 -38.39 14.37 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH19957

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3421.40 -51.64 -66.01 -13.00 -38.64 14.37 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20175

Tested by: Karl Lee


Read Limit Over
Freq Level Level Limit Factor Remark

MHz dBm dBm dBm dB dB

1 3465.00 -52.33 -66.67 -13.00 -39.33 14.34 Peak 2 pp 5197.50 -41.82 -61.94 -13.00 -28.82 20.12 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20175

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

3/65 00 51 62 65 06 13 00 38 62 1/ 3/ Pook


1 3465.00 -51.62 -65.96 -13.00 -38.62 14.34 Peak 2 pp 5197.50 -43.79 -63.91 -13.00 -30.79 20.12 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20393

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 3508.60 -51.43 -65.71 -13.00 -38.43 14.28 Peak 2 pp 5262.90 -46.24 -66.44 -13.00 -33.24 20.20 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20393

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB dB


1 3508.60 -52.04 -66.32 -13.00 -39.04 14.28 Peak 2 pp 5262.90 -47.30 -67.50 -13.00 -34.30 20.20 Peak



Channel Bandwidth: 5 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH19975

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3425.00 -51.55 -65.92 -13.00 -38.55 14.37 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH19975

Tested by: Karl Lee

Read Limit Over Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 pp 3425.00 -51.43 -65.80 -13.00 -38.43 14.37 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20175

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB dB

1 3465.00 -51.88 -66.22 -13.00 -38.88 14.34 Peak 2 pp 5197.50 -44.52 -64.64 -13.00 -31.52 20.12 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20175

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 3465.00 -52.24 -66.58 -13.00 -39.24 14.34 Peak 2 pp 5197.50 -45.14 -65.26 -13.00 -32.14 20.12 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20375

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 3505.00 -51.95 -66.23 -13.00 -38.95 14.28 Peak 2 pp 5257.50 -42.54 -62.74 -13.00 -29.54 20.20 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20375

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 3505.00 -52.07 -66.35 -13.00 -39.07 14.28 Peak 2 pp 5257.50 -41.48 -61.68 -13.00 -28.48 20.20 Peak



Channel Bandwidth: 20 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20050

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3440.00 -51.77 -66.12 -13.00 -38.77 14.35 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20050

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3440.00 -51.62 -65.97 -13.00 -38.62 14.35 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1


Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20175

Tested by: Karl Lee

			Read	Limit	0ver		
	Freq	Level	Level	Line	Limit	Factor	Remark
_							
	MHz	dBm	dBm	dBm	dB	dB	
1	166.89	-64.20	-57.21	-13.00	-51.20	-6.99	Peak
2	194.43	-66.75	-60.79	-13.00	-53.75	-5.96	Peak
3	230.34	-58.10	-52.33	-13.00	-45.10	-5.77	Peak
4	570.20	-70.42	-69.60	-13.00	-57.42	-0.82	Peak
5	670.30	-70.20	-69.97	-13.00	-57.20	-0.23	Peak
6	820.80	-67.42	-69.20	-13.00	-54.42	1.78	Peak
7	3465.00	-50.54	-64.88	-13.00	-37.54	14.34	Peak
8 nn	5196.00	-39.06	-59.18	-13.00	-26.06	20.12	Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20175

Tested by: Karl Lee


	Freq	Level	Read Level	Limit Line		Factor	Remark
_	MHz	dBm	dBm	dBm	dB	dB	
1	99.12	-80.17	-69.99	-13.00	-67.17	-10.18	Peak
2	150.15	-75.59	-67.64	-13.00	-62.59	-7.95	Peak
3	230.34	-72.78	-67.01	-13.00	-59.78	-5.77	Peak
4	416.20	-71.82	-68.72	-13.00	-58.82	-3.10	Peak
5	616.40	-68.86	-69.10	-13.00	-55.86	0.24	Peak
6	771.10	-71.01	-71.10	-13.00	-58.01	0.09	Peak
7	3465.00	-51.87	-66.21	-13.00	-38.87	14.34	Peak
8 pp	5197.50	-40.12	-60.24	-13.00	-27.12	20.12	Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20300

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 3490.00 -51.34 -65.65 -13.00 -38.34 14.31 Peak 2 pp 5235.00 -42.63 -62.79 -13.00 -29.63 20.16 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20300

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 3490.00 -51.99 -66.30 -13.00 -38.99 14.31 Peak 2 pp 5235.00 -41.71 -61.87 -13.00 -28.71 20.16 Peak




LTE Band 12

Channel Bandwidth: 1.4 MHz / QPSK

Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23017

Tested by: Harry Hsueh


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1399.40 -56.46 -62.56 -13.00 -43.46 6.10 Peak 2 pp 2099.10 -30.46 -41.39 -13.00 -17.46 10.93 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23017

Tested by: Harry Hsueh

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 1399.40 -57.80 -63.90 -13.00 -44.80 6.10 Peak 2 pp 2099.10 -33.28 -44.21 -13.00 -20.28 10.93 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23095

Tested by: Harry Hsueh


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1415.00 -57.81 -64.17 -13.00 -44.81 6.36 Peak 2 pp 2122.50 -35.25 -46.36 -13.00 -22.25 11.11 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23095

Tested by: Harry Hsueh

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1415.00 -58.86 -65.22 -13.00 -45.86 6.36 Peak 2 pp 2122.50 -38.31 -49.42 -13.00 -25.31 11.11 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23173

Tested by: Harry Hsueh


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1430.60 -52.06 -58.30 -13.00 -39.06 6.24 Peak 2 pp 2145.90 -27.72 -38.97 -13.00 -14.72 11.25 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23173

Tested by: Harry Hsueh

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1430.60 -58.96 -65.20 -13.00 -45.96 6.24 Peak 2 pp 2145.90 -36.26 -47.51 -13.00 -23.26 11.25 Peak



Channel Bandwidth: 5 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23035

Tested by: Harry Hsueh


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB dB

1 1403.00 -59.02 -65.12 -13.00 -46.02 6.10 Peak 2 pp 2104.50 -40.81 -51.74 -13.00 -27.81 10.93 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23035

Tested by: Harry Hsueh

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1403.00 -59.16 -65.26 -13.00 -46.16 6.10 Peak


2 pp 2104.50 -39.92 -50.85 -13.00 -26.92 10.93 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23095

Tested by: Harry Hsueh


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1415.00 -50.75 -57.11 -13.00 -37.75 6.36 Peak 2 pp 2122.50 -32.21 -43.32 -13.00 -19.21 11.11 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23095

Tested by: Harry Hsueh

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1415.00 -58.90 -65.26 -13.00 -45.90 6.36 Peak 2 pp 2122.50 -41.72 -52.83 -13.00 -28.72 11.11 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23155

Tested by: Harry Hsueh


Read Limit Over
Freq Level Level Lime Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1427.00 -59.20 -65.44 -13.00 -46.20 6.24 Peak 2 pp 2140.50 -39.11 -50.39 -13.00 -26.11 11.28 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23155

Tested by: Harry Hsueh

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1427.00 -59.46 -65.70 -13.00 -46.46 6.24 Peak 2 pp 2140.50 -48.51 -59.79 -13.00 -35.51 11.28 Peak



Channel Bandwidth: 10 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23060

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1408.00 -58.90 -65.26 -13.00 -45.90 6.36 Peak 2 pp 2112.00 -30.28 -41.39 -13.00 -17.28 11.11 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23060

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1408.00 -56.08 -62.44 -13.00 -43.08 6.36 Peak 2 pp 2112.00 -33.31 -44.42 -13.00 -20.31 11.11 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23095

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1415.00 -58.76 -65.12 -13.00 -45.76 6.36 Peak 2 pp 2122.50 -30.89 -42.00 -13.00 -17.89 11.11 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23095

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 1415.00 -59.56 -65.92 -13.00 -46.56 6.36 Peak 2 pp 2122.50 -30.88 -41.99 -13.00 -17.88 11.11 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1


Condition: PART 22/24/27 Horizontal Remark : LTE_Band 12_Link_CH23130

Tested by: Karl Lee

			Read	Limit	0ver		
	Freq	Level	Level	Line	Limit	Factor	Remark
_							
	MHz	dBm	dBm	dBm	dB	dB	
1	151.77	-65.59	-57.70	-13.00	-52.59	-7.89	Peak
2	196.05	-64.95	-58.95	-13.00	-51.95	-6.00	Peak
3	257.61	-75.64	-70.06	-13.00	-62.64	-5.58	Peak
4	378.40	-74.46	-70.58	-13.00	-61.46	-3.88	Peak
5	481.30	-74.71	-69.98	-13.00	-61.71	-4.73	Peak
6	607.30	-69.48	-69.83	-13.00	-56.48	0.35	Peak
7	1422.00	-59.90	-66.26	-13.00	-46.90	6.36	Peak
8 pp	2133.00	-27.11	-38.39	-13.00	-14.11	11.28	Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 12_Link_CH23130

Tested by: Karl Lee

	Freq	Level		Limit Line		Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	122.07	-78.73	-70.60	-13.00	-65.73	-8.13	Peak
2	172.83	-72.78	-66.38	-13.00	-59.78	-6.40	Peak
3	218.19	-71.15	-65.21	-13.00	-58.15	-5.94	Peak
4	407.80	-74.22	-71.31	-13.00	-61.22	-2.91	Peak
5	511.40	-73.81	-69.31	-13.00	-60.81	-4.50	Peak
6	607.30	-69.22	-69.57	-13.00	-56.22	0.35	Peak
7	1422.00	-58.46	-64.82	-13.00	-45.46	6.36	Peak
8 pp	2133.00	-30.29	-41.57	-13.00	-17.29	11.28	Peak




LTE Band 13

Channel Bandwidth: 5 MHz / QPSK

Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B13) Horizontal Remark : LTE_Band 13_Link_CH23205

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB dB

1 pp 1559.00 -53.90 -60.76 -40.00 -13.90 6.86 Peak 2 2338.50 -44.74 -55.70 -13.00 -31.74 10.96 Peak







Site : 966 chamber 1

Condition: PART 27(B13) Vertical Remark : LTE_Band 13_Link_CH23205

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 1559.00 -58.73 -65.59 -40.00 -18.73 6.86 Peak 2 2338.50 -43.43 -54.39 -13.00 -30.43 10.96 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B13) Horizontal Remark : LTE_Band 13_Link_CH23230

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 1564.00 -52.59 -59.45 -40.00 -12.59 6.86 Peak 2 2346.00 -41.88 -52.82 -13.00 -28.88 10.94 Peak







Site : 966 chamber 1

Condition: PART 27(B13) Vertical Remark : LTE_Band 13_Link_CH23230

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 1564.00 -58.86 -65.72 -40.00 -18.86 6.86 Peak


2 2346.00 -43.06 -54.00 -13.00 -30.06 10.94 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B13) Horizontal Remark : LTE_Band 13_Link_CH23255

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 1569.00 -53.79 -60.83 -40.00 -13.79 7.04 Peak 2 2353.50 -44.83 -55.77 -13.00 -31.83 10.94 Peak







Site : 966 chamber 1

Condition: PART 27(B13) Vertical Remark : LTE_Band 13_Link_CH23255

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 pp 1569.00 -59.07 -66.11 -40.00 -19.07 7.04 Peak 2 2353.50 -44.40 -55.34 -13.00 -31.40 10.94 Peak



Channel Bandwidth: 10 MHz / QPSK Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1


Condition: PART 27(B13) Horizontal Remark : LTE_Band 13_Link_CH23230

Tested by: Karl Lee

		Freq	Level		Limit Line		Factor	Remark
	-	MHz	dBm	dBm	dBm	dB	dB	
1		133.68	-76.31	-68.65	-13.00	-63.31	-7.66	Peak
2		193.35	-67.54	-61.67	-13.00	-54.54	-5.87	Peak
3		240.60	-66.00	-60.36	-13.00	-53.00	-5.64	Peak
4		504.40	-73.91	-68.91	-13.00	-60.91	-5.00	Peak
5		608.70	-69.59	-69.92	-13.00	-56.59	0.33	Peak
6		649.30	-70.02	-69.90	-13.00	-57.02	-0.12	Peak
7 p	р	1564.00	-51.47	-58.33	-40.00	-11.47	6.86	Peak
8		2346.00	-37.70	-48.64	-13.00	-24.70	10.94	Peak







Site : 966 chamber 1

Condition: PART 27(B13) Vertical Remark : LTE_Band 13_Link_CH23230

Tested by: Karl Lee

Freq	Level				Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
88.59	-78.35	-67.46	-13.00	-65.35	-10.89	Peak
179.85	-70.02	-64.34	-13.00	-57.02	-5.68	Peak
222.51	-71.11	-65.23	-13.00	-58.11	-5.88	Peak
465.20	-74.89	-70.60	-13.00	-61.89	-4.29	Peak
528.90	-73.78	-70.56	-13.00	-60.78	-3.22	Peak
666.10	-69.70	-69.49	-13.00	-56.70	-0.21	Peak
1564.00	-57.91	-64.77	-40.00	-17.91	6.86	Peak
2346.00	-38.40	-49.34	-13.00	-25.40	10.94	Peak
	MHz 88.59 179.85 222.51 465.20 528.90 666.10 1564.00	MHz dBm 88.59 -78.35 179.85 -70.02 222.51 -71.11 465.20 -74.89 528.90 -73.78 666.10 -69.70 1564.00 -57.91	Freq Level Level MHz dBm dBm 88.59 -78.35 -67.46 179.85 -70.02 -64.34 222.51 -71.11 -65.23 465.20 -74.89 -70.60 528.90 -73.78 -70.56 666.10 -69.70 -69.49 1564.00 -57.91 -64.77	Freq Level Level Line MHz dBm dBm dBm 88.59 -78.35 -67.46 -13.00 179.85 -70.02 -64.34 -13.00 222.51 -71.11 -65.23 -13.00 465.20 -74.89 -70.60 -13.00 528.90 -73.78 -70.56 -13.00 666.10 -69.70 -69.49 -13.00 1564.00 -57.91 -64.77 -40.00	MHz dBm dBm dBm dBm dB 88.59 -78.35 -67.46 -13.00 -65.35 179.85 -70.02 -64.34 -13.00 -57.02 222.51 -71.11 -65.23 -13.00 -58.11 465.20 -74.89 -70.60 -13.00 -61.89 528.90 -73.78 -70.56 -13.00 -60.78 666.10 -69.70 -69.49 -13.00 -56.70 1564.00 -57.91 -64.77 -40.00 -17.91	Freq Level Level Line Limit Factor MHz dBm dBm dBm dBm dB dB 88.59 -78.35 -67.46 -13.00 -65.35 -10.89 179.85 -70.02 -64.34 -13.00 -57.02 -5.68 222.51 -71.11 -65.23 -13.00 -58.11 -5.88 465.20 -74.89 -70.60 -13.00 -61.89 -4.29 528.90 -73.78 -70.56 -13.00 -60.78 -3.22 666.10 -69.70 -69.49 -13.00 -56.70 -0.21




LTE Band 17

Channel Bandwidth: 5 MHz / QPSK

Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 17_Link_CH23755

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1413.00 -56.17 -62.53 -13.00 -43.17 6.36 Peak 2 pp 2119.50 -42.48 -53.59 -13.00 -29.48 11.11 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 17_Link_CH23755

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1413.00 -58.50 -64.86 -13.00 -45.50 6.36 Peak 2 pp 2119.50 -45.96 -57.07 -13.00 -32.96 11.11 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 17_Link_CH23790

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1420.00 -58.23 -64.59 -13.00 -45.23 6.36 Peak 2 pp 2130.00 -43.94 -55.22 -13.00 -30.94 11.28 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 17_Link_CH23790

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 1420.00 -58.35 -64.71 -13.00 -45.35 6.36 Peak 2 pp 2130.00 -45.88 -57.16 -13.00 -32.88 11.28 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 17_Link_CH23825

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1427.00 -58.61 -64.85 -13.00 -45.61 6.24 Peak 2 pp 2140.50 -45.91 -57.19 -13.00 -32.91 11.28 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 17_Link_CH23825

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1427.00 -59.48 -65.72 -13.00 -46.48 6.24 Peak 2 pp 2140.50 -46.52 -57.80 -13.00 -33.52 11.28 Peak



Channel Bandwidth: 10 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 17_Link_CH23780

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1418.00 -55.28 -61.64 -13.00 -42.28 6.36 Peak 2 pp 2127.00 -37.29 -48.57 -13.00 -24.29 11.28 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 17_Link_CH23780

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 1418.00 -57.43 -63.79 -13.00 -44.43 6.36 Peak 2 pp 2127.00 -41.48 -52.76 -13.00 -28.48 11.28 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1


Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 17_Link_CH23790

Tested by: Karl Lee

	Freq	Level		Limit Line		Factor	Remark
	MHz	——dBm	dBm	dBm	——dB	——dB	
1	110.46	-82.18	-73.30	-13.00	-69.18	-8.88	Peak
2	192.27	-65.59	-59.77	-13.00	-52.59	-5.82	Peak
3	208.47	-62.20	-56.13	-13.00	-49.20	-6.07	Peak
4	406.40	-74.36	-71.47	-13.00	-61.36	-2.89	Peak
5	484.80	-75.10	-70.26	-13.00	-62.10	-4.84	Peak
6	613.60	-69.07	-69.34	-13.00	-56.07	0.27	Peak
7	1420.00	-55.46	-61.82	-13.00	-42.46	6.36	Peak
8 pp	2130.00	-28.11	-39.39	-13.00	-15.11	11.28	Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 17_Link_CH23790

Tested by: Karl Lee


	Freq	Level		Limit Line		Factor	Remark
,	MHz	dBm	dBm	dBm	dB	dB	
1	126.39	-80.00	-72.11	-13.00	-67.00	-7.89	Peak
2	215.22	-68.84	-62.86	-13.00	-55.84	-5.98	Peak
3	252.21	-77.42	-71.90	-13.00	-64.42	-5.52	Peak
4	371.40	-74.47	-70.23	-13.00	-61.47	-4.24	Peak
5	464.50	-74.70	-70.44	-13.00	-61.70	-4.26	Peak
6	566.00	-72.70	-71.72	-13.00	-59.70	-0.98	Peak
7	1420.00	-55.84	-62.20	-13.00	-42.84	6.36	Peak
8 pp	2130.00	-28.87	-40.15	-13.00	-15.87	11.28	Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 17_Link_CH23800

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1422.00 -57.56 -63.92 -13.00 -44.56 6.36 Peak 2 pp 2133.00 -33.52 -44.80 -13.00 -20.52 11.28 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 17_Link_CH23800

Tested by: Karl Lee

Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 1422.00 -57.86 -64.22 -13.00 -44.86 6.36 Peak 2 pp 2133.00 -37.58 -48.86 -13.00 -24.58 11.28 Peak




LTE Band 66:

Channel Bandwidth: 1.4 MHz / QPSK

Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1


Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH131979

Tested by: Karl Lee

1 pp 3421.40 -51.66 -66.03 -13.00 -38.66 14.37 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH131979

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB dB


1 pp 3421.40 -51.79 -66.16 -13.00 -38.79 14.37 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132322

Tested by: Karl Lee

Read Limit Over


Freq Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3490.00 -52.06 -66.37 -13.00 -39.06 14.31 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132322

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3490.00 -52.15 -66.46 -13.00 -39.15 14.31 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132665

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3558.60 -51.72 -66.91 -13.00 -38.72 15.19 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132665

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 pp 3558.60 -51.25 -66.44 -13.00 -38.25 15.19 Peak



Channel Bandwidth: 5 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH131997

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3425.00 -50.01 -64.38 -13.00 -37.01 14.37 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH131997

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3425.00 -51.51 -65.88 -13.00 -38.51 14.37 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132322

Tested by: Karl Lee

Read Limit Over


Freq Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3490.00 -52.80 -67.11 -13.00 -39.80 14.31 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132322

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3490.00 -51.41 -65.72 -13.00 -38.41 14.31 Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132647


Tested by: Karl Lee

MHz dBm dBm dB dB

1 pp 3555.00 -51.62 -66.81 -13.00 -38.62 15.19 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132647

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3555.00 -51.43 -66.62 -13.00 -38.43 15.19 Peak



Channel Bandwidth: 20 MHz / QPSK Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132072

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 3440.00 -51.81 -66.16 -13.00 -38.81 14.35 Peak 2 pp 5160.00 -45.50 -65.42 -13.00 -32.50 19.92 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132072

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB


1 3440.00 -51.40 -65.75 -13.00 -38.40 14.35 Peak 2 pp 5160.00 -48.11 -68.03 -13.00 -35.11 19.92 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch




Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132322

	Freq	Level		Limit Line		Factor	Remark
-	MHz	dBm	dBm	dBm	dB	dB	
1	170.67	-67.30	-60.70	-13.00	-54.30	-6.60	Peak
2	211.71	-61.41	-55.38	-13.00	-48.41	-6.03	Peak
3	230.88	-63.52	-57.75	-13.00	-50.52	-5.77	Peak
4	493.20	-76.55	-71.46	-13.00	-63.55	-5.09	Peak
5	677.30	-69.56	-69.29	-13.00	-56.56	-0.27	Peak
6	838.30	-69.01	-70.59	-13.00	-56.01	1.58	Peak
7	3490.00	-51.77	-66.08	-13.00	-38.77	14.31	Peak
8 pp	5235.00	-40.11	-60.27	-13.00	-27.11	20.16	Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132322


	Freq	Level		Limit Line		Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	121.26	-78.37	-70.18	-13.00	-65.37	-8.19	Peak
2	187.41	-69.98	-64.29	-13.00	-56.98	-5.69	Peak
3	244.65	-74.43	-68.84	-13.00	-61.43	-5.59	Peak
4	408.50	-72.84	-69.91	-13.00	-59.84	-2.93	Peak
5	725.60	-68.85	-68.00	-13.00	-55.85	-0.85	Peak
6	968.50	-65.36	-70.53	-13.00	-52.36	5.17	Peak
7	3490.00	-51.95	-66.26	-13.00	-38.95	14.31	Peak
8 pp	5235.00	-43.71	-63.87	-13.00	-30.71	20.16	Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 22/24/27 Horizontal Remark : LTE_Band 66_Link_CH132572

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3540.00 -50.16 -65.05 -13.00 -37.16 14.89 Peak







Site : 966 chamber 1

Condition: PART 22/24/27 Vertical Remark : LTE_Band 66_Link_CH132572

Tested by: Karl Lee

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3540.00 -50.75 -65.64 -13.00 -37.75 14.89 Peak



Mode B WCDMA: Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal

Remark : Band IV_Link_CH1312

Tested by: Charles Hsiao

Read Limit Over


Freq Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3424.80 -52.15 -66.52 -13.00 -39.15 14.37 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : Band IV_Link_CH1312

Tested by: Charles Hsiao

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB


1 pp 3424.80 -51.02 -65.39 -13.00 -38.02 14.37 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal


Remark : Band IV_Link_CH1413

Tested by: Charles Hsiao

	_			Limit		_	
	Freq	Level	Level	Line	Limit	Factor	Remark
-	MHz	dBm	dBm	dBm	dB	dB	
1	105.33	-80.43	-71.01	-13.00	-67.43	-9.42	Peak
2	181.74	-66.26	-60.67	-13.00	-53.26	-5.59	Peak
3	255.18	-70.83	-65.28	-13.00	-57.83	-5.55	Peak
4	411.30	-73.36	-70.36	-13.00	-60.36	-3.00	Peak
5	663.30	-70.45	-70.25	-13.00	-57.45	-0.20	Peak
6	838.30	-68.79	-70.37	-13.00	-55.79	1.58	Peak
7 pp	3465.20	-50.62	-64.96	-13.00	-37.62	14.34	Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical

Remark : Band IV_Link_CH1413

Tested by: Charles Hsiao


			Read	Limit	0ver		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	103.98	-82.19	-72.54	-13.00	-69.19	-9.65	Peak
2	194.97	-70.20	-64.24	-13.00	-57.20	-5.96	Peak
3	271.38	-77.45	-71.75	-13.00	-64.45	-5.70	Peak
4	383.30	-75.78	-72.16	-13.00	-62.78	-3.62	Peak
5	620.60	-67.94	-68.14	-13.00	-54.94	0.20	Peak
6	883.80	-66.72	-69.14	-13.00	-53.72	2.42	Peak
7 pp	3465.20	-51.44	-65.78	-13.00	-38.44	14.34	Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal

Remark : Band IV_Link_CH1513

Tested by: Charles Hsiao

Read Limit Over


Freq Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3505.20 -52.80 -67.08 -13.00 -39.80 14.28 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : Band IV_Link_CH1513

Tested by: Charles Hsiao

Read Limit Over

Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 pp 3505.20 -52.41 -66.69 -13.00 -39.41 14.28 Peak




LTE Band 4

Channel Bandwidth: 20 MHz / QPSK

Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20050

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dBm dB dB

1 pp 3440.00 -52.00 -66.35 -13.00 -39.00 14.35 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20050

Tested by: Karl Lee

Read Limit Over Freq Level Level Limit Factor Remark

MHz dBm dBm dB dB


1 pp 3440.00 -51.87 -66.22 -13.00 -38.87 14.35 Peak



Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch




Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20175

Cocca	by. Kui						
			Read	Limit	0ver		
	Freq	Level	Level	Line	Limit	Factor	Remark
_							
	MHz	dBm	dBm	dBm	dB	dB	
1	135.57	-75.51	-67.84	-13.00	-62.51	-7.67	Peak
2	201.45	-63.54	-57.38	-13.00	-50.54	-6.16	Peak
3	250.59	-73.69	-68.18	-13.00	-60.69	-5.51	Peak
4	434.40	-73.99	-70.48	-13.00	-60.99	-3.51	Peak
5	544.30	-72.83	-70.74	-13.00	-59.83	-2.09	Peak
6	699.00	-70.38	-70.01	-13.00	-57.38	-0.37	Peak
7	3465.00	-51.26	-65.60	-13.00	-38.26	14.34	Peak
8 pp	5196.00	-41.15	-61.27	-13.00	-28.15	20.12	Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20175


	Freq	Level		Limit Line		Factor	Remark
_	MHz	dBm	dBm	dBm	dB	dB	
1	144.48	-76.58	-68.77	-13.00	-63.58	-7.81	Peak
2	201.45	-71.19	-65.03	-13.00	-58.19	-6.16	Peak
3	234.39	-75.03	-69.31	-13.00	-62.03	-5.72	Peak
4	503.00	-74.10	-69.03	-13.00	-61.10	-5.07	Peak
5	734.00	-71.68	-70.66	-13.00	-58.68	-1.02	Peak
6	942.60	-65.33	-70.13	-13.00	-52.33	4.80	Peak
7	3465.00	-52.02	-66.36	-13.00	-39.02	14.34	Peak
8 pp	5197.50	-42.47	-62.59	-13.00	-29.47	20.12	Peak



High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B4/B17) Horizontal Remark : LTE_Band 4_Link_CH20300

Tested by: Karl Lee


Read Limit Over
Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB dB

1 3490.00 -51.50 -65.81 -13.00 -38.50 14.31 Peak 2 pp 5235.00 -44.35 -64.51 -13.00 -31.35 20.16 Peak







Site : 966 chamber 1

Condition: PART 27(B4/B17) Vertical Remark : LTE_Band 4_Link_CH20300

Tested by: Karl Lee

Read Limit Over Freq Level Level Line Limit Factor Remark

MHz dBm dBm dB dB

1 3490.00 -52.47 -66.78 -13.00 -39.47 14.31 Peak 2 pp 5235.00 -44.37 -64.53 -13.00 -31.37 20.16 Peak




LTE Band 13

Channel Bandwidth: 10 MHz / QPSK

Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch




Site : 966 chamber 1

Condition: PART 27(B13) Horizontal Remark : LTE_Band 13_Link_CH23230

	Freq	Level	Read Level	Limit Line		Factor	Remark
-	MHz	dBm	dBm	dBm	dB	dB	
1	123.42	-80.80	-72.73	-13.00	-67.80	-8.07	Peak
2	176.34	-68.72	-62.73	-13.00	-55.72	-5.99	Peak
3	259.23	-76.67	-71.08	-13.00	-63.67	-5.59	Peak
4	345.50	-77.03	-71.60	-13.00	-64.03	-5.43	Peak
5	454.00	-72.58	-68.62	-13.00	-59.58	-3.96	Peak
6	566.00	-70.84	-69.86	-13.00	-57.84	-0.98	Peak
7 pp	1564.00	-52.42	-59.28	-40.00	-12.42	6.86	Peak
8	2346.00	-41.37	-52.31	-13.00	-28.37	10.94	Peak







Site : 966 chamber 1

Condition: PART 27(B13) Vertical Remark : LTE_Band 13_Link_CH23230

	Freq	Level		Limit Line		Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	125.04	-80.81	-72.86	-13.00	-67.81	-7.95	Peak
2	202.53	-71.65	-65.51	-13.00	-58.65	-6.14	Peak
3	268.41	-75.82	-70.14	-13.00	-62.82	-5.68	Peak
4	412.00	-74.68	-71.66	-13.00	-61.68	-3.02	Peak
5	518.40	-73.94	-70.01	-13.00	-60.94	-3.93	Peak
6	626.20	-70.58	-70.71	-13.00	-57.58	0.13	Peak
7 pp	1564.00	-58.46	-65.32	-40.00	-18.46	6.86	Peak
8	2346.00	-42.61	-53.55	-13.00	-29.61	10.94	Peak



5 Pictures of Test Arrangements								
Please refer to the attached file (Test Setup Photo).								



Appendix - Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited according to ISO/IEC 17025.

Hsin Chu EMC/RF/Telecom Lab

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab

Tel: 886-2-26052180 Tel: 886-3-6668565 Fax: 886-2-26051924 Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety

Tel: 886-3-3183232 Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com
Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---