

Report No.: SZEM181200046602

Page: 1 of 15

## **Human Exposure Report**

Application No.: SZEM1812000466CR

Applicant: Huizhou Artsun Industrial Company Limited

Address of Applicant:

No.2, Floor 14th, Unit one, Ruihe Commercial Square, No.1 Yandayi Road,

Henan'an District, Huizhou, China 516007

Manufacturer: VOLANT ROC ELECTRONICS TECH CO., LTD

Address of Manufacturer:

A Building, QianLi Industrial Park, Sandong Town, Huizhou City 516025,

Guangdong, China

Factory: VOLANT ROC ELECTRONICS TECH CO., LTD

Address of Factory:

A Building, QianLi Industrial Park, Sandong Town, Huizhou City 516025,

Guangdong, China

**Equipment Under Test (EUT):** 

**EUT Name:** Gravity Phone Holder & Wireless Charger 2-in-1 Kit

Model No.: VCW-502K

**AUTO DRIVE** 

Trade mark:

AUTO

FCC ID: 2ALU4DX502A04

Standards: 47 CFR PART 1, Subpart I, Section 1.1310

 Date of Receipt:
 2018-12-12

 Date of Test:
 2018-12-26

 Date of Issue:
 2018-12-27

Test Result : Pass\*

Keny Xu EMC Laboratory Manager

Ceny. Ku



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small?

of enal; CN.D.Cecheck(@sgs.com)
No.1 Workshop, M-10, Midle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.s.gsgroup.com.ci
中国・深圳・科技园中区M−10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: SZEM181200046602

Page: 2 of 15

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2018-12-27		Original				

Authorized for issue by:		
	larew	
	Leo Lai /Project Engineer	-
	EvicFu	
	Eric Fu /Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Testilical Places and the content of the content of

or email: CN\_Doccheck@sgs\_com Mo1 MVorkshop, M-10, Midde Sedion, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM181200046602

Dage

Page: 3 of 15

### 1 Contents

		Tu	•
1	С	ONTENTS	3
2	G	SENERAL INFORMATION	4
	2.1	DETAILS OF E.U.T.	4
	2.2	DESCRIPTION OF SUPPORT UNITS	4
	2.3	TEST LOCATION	5
	2.4	TEST FACILITY	5
	2.5	DEVIATION FROM STANDARDS	5
	2.6	ABNORMALITIES FROM STANDARD CONDITIONS	5
3	E	QUIPMENTS USED DURING TEST	6
4	T	EST RESULTS	7
	<u>4</u> 1	RF Exposure test	7
		.1.1 E.U.T. Operation	
	4.	.1.2 Measurement Data	¿
_			
5	Р	HOTOGRAPHS	.15



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Testilical Places and the content of the content of

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sggroup.com.cn 中国 - 深圳 - 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM181200046602

Page: 4 of 15

### 2 General Information

#### 2.1 Details of E.U.T.

Power supply:	Input: DC 5V/2A, DC 9V/1.67A, DC 12V/1.5A
Antenna Type:	Inductive Loop Coil Antenna
Modulation Type:	Load Modulation
Operation Frequency:	119.07kHz to 128.68kHz

### 2.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
DC power	ZHAOXIN	RXN-305D	REF. No.SEA2700
Adapter	HUAWEI	HW-059200EHQ	
Adapter	Apple	A1357 W010A051	REF. No.SEA0500
Mobile Phone	SAMSUNG	SM-G9500	R28J9140LPB
Micro USB Cable	PHILIPS	SWR2101	REF. No.SEA0700



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN\_Doccheck@sgs\_com Mo1 MVorkshop, M-10, Midde Sedion, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM181200046602

Page: 5 of 15

#### 2.3 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 2.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

#### A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

#### • FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

#### 2.5 Deviation from Standards

None.

### 2.6 Abnormalities from Standard Conditions

None.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.ci 中国 - 深圳 - 科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: SZEM181200046602

Page: 6 of 15

## 3 Equipments Used during Test

Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Due date (yyyy-mm-dd)
1	Electric and Magnetic Field Analyzer	narda	NBM-550/EHP-50F	EMC092	2019-02-06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: <u>CN. Doccheck@s.gs.com</u> Mo. Workshop, M-10, Midde Section, Science & Technology Park, Shenzhen, China 518057 中国・深圳・科技园中区M-10株一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.c sgs.china@sgs.com



Report No.: SZEM181200046602

Page: 7 of 15

### 4 Test Results

### 4.1 RF Exposure test

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310

Measurement Distance: 0, 2, 4, 8, 10, 15cm

Power supply: Input: DC 5V/2A, DC 9V/1.67A, DC 12V/1.5A

Antenna Type: Inductive Loop Coil Antenna

Modulation Type: Load Modulation

Operation Frequency: 119.07kHz to 128.68kHz

Remark: 3 Input voltage was conducted test and DC 12V/1.5A is the worst case

and show the data in the report only.

#### Limit:

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)				
	(A) Limits for Occupational/Controlled Exposures							
0.3-3.0	614	1.63	*(100)	6				
3.0-30	1842/f	4.89/f	*(900/f²)	6				
30-300	61.4	0.163	1.0	6				
300-1500	1	1	f/300	6				
1500-100,000	1	1	5	6				
	(B) Limits for Genera	l Population/Uncontrolle	d Exposure					
0.3-1.34	614	1.63	*(100)	30				
1.34-30	824/f	2.19/f	*(180/f²)	30				
30-300	27.5	0.073	0.2	30				
300-1500	1	1	f/1500	30				
1500-100,000	1	1	1.0	30				

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

#### 4.1.1 E.U.T. Operation

### Operating Environment:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No. Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.ci

<sup>\*=</sup>Plane-wave equivalent power density



Report No.: SZEM181200046602

Page: 8 of 15

Temperature: 25.0 °C Humidity: 51 % RH Atmospheric Pressure: 1015 mbar

**EUT Operation:** 

This device has been tested the worst status of full load and the device has been tested with mobile phone at zero charge, intermediate charge, and full charge.

#### 4.1.2 Measurement Data

## Output Voltage=DC 5V; The max output power = 10W; Calculation of resistor value= $2.5\Omega$ Electric Field Emissions

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	50% Limit (V/m)
		Side 1	10.68	307
		Side 2	8.89	307
120.0 kHz	0	Side 3	7.53	307
		Side 4	7.12	307
		Тор	9.22	307

#### **Magnetic Field Emissions**

Operation	Test Distance	Test Position	Probe Measure	50% Limit
frequency	(cm)		Result (A/m)	(A/m)
		Side 1	0.0869	0.815
		Side 2	0.0731	0.815
120.0 kHz	0	Side 3	0.0667	0.815
		Side 4	0.0643	0.815
		Тор	0.0782	0.815

#### **Electric Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	50% Limit (V/m)
		Side 1	5.30	307
120.0 kHz	2	Side 2	3.46	307
		Side 3	3.21	307



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.c 中国 ·深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM181200046602

Page: 9 of 15

Side 4	3.53	307
Тор	3.61	307

#### **Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	50% Limit (A/m)
		Side 1	0.0404	0.815
		Side 2	0.0364	0.815
120.0 kHz	2	Side 3	0.0296	0.815
		Side 4	0.0315	0.815
		Тор	0.0383	0.815

#### **Electric Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	50% Limit (V/m)
120.0 kHz	4	Side 1	2.90	307
		Side 2	2.54	307
		Side 3	1.94	307
		Side 4	1.82	307
		Тор	2.12	307

#### **Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	50% Limit (A/m)
	4	Side 1	0.0256	0.815
		Side 2	0.0238	0.815
120.0 kHz		Side 3	0.0190	0.815
		Side 4	0.0200	0.815
		Тор	0.0252	0.815



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SZEM181200046602

Page: 10 of 15

#### **Electric Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	50% Limit (V/m)
120.0 kHz	8	Side 1	1.78	307
		Side 2	1.54	307
		Side 3	1.22	307
		Side 4	1.04	307
		Тор	1.35	307

#### **Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	50% Limit (A/m)
	8	Side 1	0.0160	0.815
		Side 2	0.0144	0.815
120.0 kHz		Side 3	0.0122	0.815
		Side 4	0.0124	0.815
		Тор	0.0160	0.815

#### **Electric Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	50% Limit (V/m)
120.0 kHz	10	Side 1	1.04	307
		Side 2	0.90	307
		Side 3	0.80	307
		Side 4	0.69	307
		Тор	0.87	307

#### **Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	50% Limit (A/m)
120.0 kHz	10	Side 1	0.0099	0.815



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM181200046602

Page: 11 of 15

Side 2	0.0091	0.815
Side 3	0.0073	0.815
Side 4	0.0065	0.815
Тор	0.0093	0.815

#### **Electric Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	50% Limit (V/m)
120.0 kHz	15	Side 1	0.49	307
		Side 2	0.54	307
		Side 3	0.44	307
		Side 4	0.34	307
		Тор	0.45	307

### **Magnetic Field Emissions**

Operation frequency	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	50% Limit (A/m)
	15	Side 1	0.0068	0.815
		Side 2	0.0064	0.815
120.0 kHz		Side 3	0.0049	0.815
		Side 4	0.0048	0.815
		Тор	0.0067	0.815

### Mobile phone has been charge at zero charge, intermediate charge, and full charge.

#### **Electric Field Emissions**

Operation			Probe	50%Limit		
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(V/m)
120.0 kHz	0	Side 1	19.61	16.88	13.07	307
		Side 2	15.52	11.85	9.52	307
		Side 3	10.92	8.99	8.51	307



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM181200046602

Page: 12 of 15

Side 4	11.31	7.90	5.71	307
Тор	17.26	15.34	11.95	307

### **Magnetic Field Emissions**

Operation	Test	Test	Probe	50%Limit		
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(A/m)
		Side 1	0.1252	0.1111	0.0835	0.815
		Side 2	0.0898	0.0876	0.0711	0.815
120.0 kHz	20.0 kHz 0	Side 3	0.0786	0.0630	0.0501	0.815
		Side 4	0.0724	0.0677	0.0545	0.815
		Тор	0.1082	0.0890	0.1156	0.815

### Mobile phone has been charge at zero charge, intermediate charge, and full charge.

#### **Electric Field Emissions**

Operation	Test	Test	Probe	50%Limit		
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(V/m)
		Side 1	9.74	7.85	6.48	307
		Side 2	6.96	5.57	4.13	307
120.0 kHz	2	Side 3	5.45	3.51	3.92	307
	Side 4	5.22	3.44	2.67	307	
		Тор	7.82	7.53	5.37	307

#### **Magnetic Field Emissions**

		Test	Probe	Measure Resul	50%Limit	
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(A/m)
		Side 1	0.0583	0.0364	0.0219	0.815
120.0 kHz	2	Side 2	0.0402	0.0316	0.0241	0.815
		Side 3	0.0358	0.0280	0.0110	0.815



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM181200046602

Page: 13 of 15

Side 4	0.0346	0.0245	0.0163	0.815
Тор	0.0514	0.0284	0.0472	0.815

#### Mobile phone has been charge at zero charge, intermediate charge, and full charge.

#### **Electric Field Emissions**

Operation Test		Test	Probe	Probe Measure Result(V/m)		
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(V/m)
		Side 1	6.28	5.33	4.28	307
		Side 2	4.90	3.13	2.91	307
120.0 kHz	) kHz 4	Side 3	3.56	2.44	2.21	307
		Side 4	3.45	2.53	1.66	307
		Тор	5.26	4.61	3.73	307

#### **Magnetic Field Emissions**

Operation				Measure Resul	50%Limit	
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(A/m)
		Side 1	0.0376	0.0236	0.0142	0.815
		Side 2	0.0256	0.0191	0.0149	0.815
120.0 kHz	4	Side 3	0.0230	0.0169	0.0073	0.815
		Side 4	0.0227	0.0160	0.0090	0.815
		Тор	0.0339	0.0177	0.0296	0.815

Mobile phone has been charge at zero charge, intermediate charge, and full charge.

#### **Electric Field Emissions**

Operation	Test	Test	Probe Measure Result(V/m)			50%Limit
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(V/m)
120 0 1411-	0	Side 1	4.10	3.41	2.69	307
120.0 kHz	8	Side 2	3.18	1.93	1.76	307



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: <u>CN.Doccheck@sgs.com</u>
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.c
中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM181200046602

Page: 14 of 15

Side 3	2.21	1.51	1.31	307
Side 4	2.29	1.65	1.09	307
Тор	3.43	2.94	2.39	307

### **Magnetic Field Emissions**

Operation	Test			Measure Resul	50%Limit	
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(A/m)
		Side 1	0.0250	0.0151	0.0087	0.815
		Side 2	0.0154	0.0119	0.0086	0.815
120.0 kHz	8	Side 3	0.0136	0.0105	0.0070	0.815
		Side 4	0.0132	0.0088	0.0085	0.815
		Тор	0.0211	0.0116	0.0089	0.815

### Mobile phone has been charge at zero charge, intermediate charge, and full charge.

#### **Electric Field Emissions**

Operation	Test	Test	Probe	Measure Resul	50%Limit	
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(V/m)
		Side 1	2.54	2.11	1.73	307
		Side 2	1.94	1.12	1.16	307
120.0 kHz	10	Side 3	1.42	0.87	0.78	307
		Side 4	1.40	0.91	0.55	307
		Тор	2.15	1.95	1.55	307

#### **Magnetic Field Emissions**

Operation	Test	Test	,			50%Limit
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(A/m)
120.0 kHz	10	Side 1	0.0155	0.0099	0.0088	0.815
120.0 KHZ	10	Side 2	0.0097	0.0066	0.0056	0.815



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SZEM181200046602

15 of 15 Page:

Side 3	0.0089	0.0060	0.0083	0.815
Side 4	0.0076	0.0064	0.0075	0.815
Тор	0.0128	0.0074	0.0085	0.815

Mobile phone has been charge at zero charge, intermediate charge, and full charge.

#### **Electric Field Emissions**

Operation	Test	Test	Probe	pe Measure Result(V/m) 50%L		
frequency	Distance (cm)	Position	zero charge	intermediate charge	full charge	(V/m)
		Side 1	1.65	1.23	1.13	307
		Side 2	1.11	0.64	0.73	307
120.0 kHz	15	Side 3	0.91	0.38	0.39	307
		Side 4	0.79	0.53	0.37	307
		Тор	1.18	1.02	0.91	307

#### **Magnetic Field Emissions**

Operation	Test Distance (cm)	Test Position	Probe Measure Result(A/m)			50%Limit
frequency			zero charge	intermediate charge	full charge	(A/m)
120.0 kHz	15	Side 1	0.0118	0.0070	0.0073	0.815
		Side 2	0.0070	0.0066	0.0065	0.815
		Side 3	0.0067	0.0059	0.0053	0.815
		Side 4	0.0056	0.0056	0.0051	0.815
		Тор	0.0096	0.0053	0.0063	0.815

#### 5 **Photographs**

Please refer RF Setup Photos.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594