


Date: 26.JUN.2019 08:21:32

## Peak Reading (802.11ac \_VHT80 Ch.58, X-V)



Date: 26.JUN.2019 07:16:53

F-TP22-03 (Rev. 01) Page 143 of 148





Note: Only the worst case plots for Radiated Restricted Band Edge.

F-TP22-03 (Rev. 01) Page 144 of 148



#### **10.10 RECEIVER SPURIOUS EMISSIONS**

Frequency Range : Below 1 GHz

| Frequency               | Reading | Ant. factor | Cable loss | Ant. POL | Total  | Limit  | Margin |
|-------------------------|---------|-------------|------------|----------|--------|--------|--------|
| MHz                     | dBuV/m  | dBm/m       | dBm        | (H/V)    | dBuV/m | dBuV/m | dB     |
| No Critical peaks found |         |             |            |          |        |        |        |

## Note:

1. Radiated emissions measured in frequency range from 30 MHz to 1000 MHz were made with an instrument using Quasi peak detector mode.

Frequency Range: Above 1 GHz

| Frequency               | Reading | Ant. factor | Cable loss | Ant. POL | Total  | Limit  | Margin |
|-------------------------|---------|-------------|------------|----------|--------|--------|--------|
| MHz                     | dBuV/m  | dBm/m       | dBm        | (H/V)    | dBuV/m | dBuV/m | dB     |
| No Critical peaks found |         |             |            |          |        |        |        |

F-TP22-03 (Rev. 01) Page 145 of 148



## 11. LIST OF TEST EQUIPMENT

## **Conducted Test**

| Manufacturer       | Model / Equipment                            | Calibration<br>Date      | Calibration<br>Interval | Serial No. |
|--------------------|--|--------------------------|-------------------------|------------|
| Rohde &<br>Schwarz | ENV216 / LISN                                | 12/12/2018               | Annual                  | 102245     |
| Rohde &<br>Schwarz | ESCI / Test Receiver                         | 06/18/2019               | Annual                  | 100033     |
| ESPAC              | SU-642 /Temperature Chamber                  | 03/12/2019               | Annual                  | 0093008124 |
| Agilent            | N9020A / Signal Analyzer                     | 05/23/2019               | Annual                  | MY51110085 |
| Agilent            | N9030A / Signal Analyzer                     | 11/20/2018               | Annual                  | MY49431210 |
| Agilent            | N1911A / Power Meter                         | 04/10/2019               | Annual                  | MY45100523 |
| Agilent            | N1921A / Power Sensor                        | 04/10/2019               | Annual                  | MY52260025 |
| Agilent            | 87300B / Directional Coupler                 | 11/20/2018               | Annual                  | 3116A03621 |
| Hewlett<br>Packard | 11667B / Power Splitter                      | 05/24/2019               | Annual                  | 5001       |
| Hewlett<br>Packard | E3632A / DC Power Supply                     | 06/18/2019               | Annual                  | KR75303960 |
| Agilent            | 8493C / Attenuator(10 dB)                    | 07/10/2018               | Annual                  | 07560      |
| Rohde &<br>Schwarz | EMC32 / Software                             | N/A                      | N/A                     | N/A        |
| HCT CO., LTD.      | FCC WLAN&BT&BLE Conducted Test Software v3.0 | N/A                      | N/A                     | N/A        |
| Rohde &<br>Schwarz | CBT / Bluetooth Tester                       | 05/16/2019 Annual 100422 |                         | 100422     |

#### Note:

- 1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
- 2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.

F-TP22-03 (Rev. 01) Page 146 of 148



## **Radiated Test**

| Manufacturer              | Model / Equipment  | Calibration<br>Date | Calibration<br>Interval | Serial No.  |
|---------------------------|--|---------------------|-------------------------|-------------|
| Innco system              | CO3000 / Controller(Antenna mast)                              | N/A                 | N/A                     | CO3000-4p   |
| Innco system              | MA4640/800-XP-EP / Antenna<br>Position Tower                   | N/A                 | N/A                     | N/A         |
| Emco                      | 2090 / Controller  | N/A                 | N/A                     | 060520      |
| Ets                       | Turn Table   | N/A                 | N/A                     | N/A         |
| Rohde & Schwarz           | Loop Antenna   | 08/23/2018          | Biennial                | 1513-175    |
| Schwarzbeck               | VULB 9160 / Hybrid Antenna                                     | 08/09/2018          | Biennial                | 3368        |
| Schwarzbeck               | BBHA 9120D / Horn Antenna                                      | 11/21/2017          | Biennial                | 9120D-1191  |
| Schwarzbeck               | BBHA9170 /<br>Horn Antenna(15 GHz ~ 40 GHz)                    | 12/04/2017          | Biennial                | BBHA9170541 |
| Rohde & Schwarz           | FSP(9 kHz ~ 30 GHz) / Spectrum<br>Analyzer                     | 09/19/2018          | Annual                  | 836650/016  |
| Rohde & Schwarz           | FSV40-N / Spectrum Analyzer                                    | 09/19/2018          | Annual                  | 101068-SZ   |
| Wainwright                | WHKX10-2700-3000-18000-40SS /                                  | 01/03/2019          | Annual                  | 4           |
| Instruments               | High Pass Filter   |                     |                         |             |
| Wainwright<br>Instruments | WHKX8-6090-7000-18000-40SS /<br>High Pass Filter               | 01/03/2019          | Annual                  | 5           |
| Wainwright<br>Instruments | WRCJV2400/2483.5-2370/2520-<br>60/12SS /<br>Band Reject Filter | 06/19/2019          | Annual                  | 2           |
| Wainwright<br>Instruments | WRCJV5100/5850-40/50-8EEK /<br>Band Reject Filter              | 01/03/2019          | Annual                  | 2           |
| Api tech.                 | 18B-03 / Attenuator (3 dB)                                     | 06/04/2019          | Annual                  | 2           |
| WEINSCHEL                 | 56-10 / Attenuator(10 dB)                                      | 10/10/2018          | Annual                  | 72316       |
| CERNEX                    | CBLU1183540B-01/Broadband<br>Bench Top LNA                     | 01/03/2019          | Annual                  | 28549       |
| CERNEX                    | CBL06185030 / Broadband Low<br>Noise Amplifier                 | 01/03/2019          | Annual                  | 24615       |
| CERNEX                    | CBL18265035 / Power Amplifier                                  | 01/03/2019          | Annual                  | 22966       |
| CERNEX                    | CBL26405040 / Power Amplifier                                  | 06/18/2019          | Annual                  | 25956       |
| TESCOM                    | TC-3000C / Bluetooth Tester                                    | 03/26/2019          | Annual                  | 3000C000276 |

#### Note:

- 1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
- 2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.

F-TP22-03 (Rev. 01) Page 147 of 148



# 12. ANNEX A\_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

| No. | Description         |
|-----|---------------------|
| 1   | HCT-RF-1907-FI014-P |

F-TP22-03 (Rev. 01) Page 148 of 148