

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HW(Radio 2)


Remark: 1TX 11N HT20 MCS0 CH149 PWS: 14, Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Nick Hsu

Location: 966 CHAMBER, 2 Date: 2015/11/03 Time: 15:39:37 Approved by:

Humidity (%): 70 Polarity: Vertical



	Frequency	Factor R	Reading	Emission	Limit	Margin	Tower	deg
_	MHz	dB/m	dBu∀	dBuV/m	dBuV/m	dB	cm	deg
1	5714.90 (PK)	7.2	59.9	67.1	74.0	-6.9	177	2
2	5714.90 (AV)	7.2	43.9	51.1	54.0	-2.9	177	2
3	5722.90 (PK)	7.2	70.7	77.9	78.2	-0.3	186	0
4	5725.00 (PK)	7.2	54.9	62.1	78.2	-16.1	178	10
5	5745.00 (PK)	40.4	69.3	109.7	78.2	31.5	177	2
6	5745.00 (AV)	40.4	58.3	98.7	54.0	44.7	177	2
7	11490.00 (PK)	18.3	41.6	59.9	74.0	-14.1	148	30
8	11490.00 (AV)	18.3	28.8	47.1	54.0	-6.9	148	30
- 2			C3					
- 8								
	2 3 4 5 6 7	2 5714.90 (AV) 3 5722.90 (PK) 4 5725.00 (PK) 5 5745.00 (PK) 6 5745.00 (AV) 7 11490.00 (PK)	2 5714.90 (AV) 7.2 3 5722.90 (PK) 7.2 4 5725.00 (PK) 7.2 5 5745.00 (PK) 40.4 6 5745.00 (AV) 40.4 7 11490.00 (PK) 18.3	2 5714.90 (AV) 7.2 43.9 3 5722.90 (PK) 7.2 70.7 4 5725.00 (PK) 7.2 54.9 5 5745.00 (PK) 40.4 69.3 6 5745.00 (AV) 40.4 58.3 7 11490.00 (PK) 18.3 41.6	2 5714.90 (AV) 7.2 43.9 51.1 3 5722.90 (PK) 7.2 70.7 77.9 4 5725.00 (PK) 7.2 54.9 62.1 5 5745.00 (PK) 40.4 69.3 109.7 6 5745.00 (AV) 40.4 58.3 98.7 7 11490.00 (PK) 18.3 41.6 59.9	2 5714.90 (AV) 7.2 43.9 51.1 54.0 3 5722.90 (PK) 7.2 70.7 77.9 78.2 4 5725.00 (PK) 7.2 54.9 62.1 78.2 5 5745.00 (PK) 40.4 69.3 109.7 78.2 6 5745.00 (AV) 40.4 58.3 98.7 54.0 7 11490.00 (PK) 18.3 41.6 59.9 74.0	2 5714.90 (AV) 7.2 43.9 51.1 54.0 -2.9 3 5722.90 (PK) 7.2 70.7 77.9 78.2 -0.3 4 5725.00 (PK) 7.2 54.9 62.1 78.2 -16.1 5 5745.00 (PK) 40.4 69.3 109.7 78.2 31.5 6 5745.00 (AV) 40.4 58.3 98.7 54.0 44.7 7 11490.00 (PK) 18.3 41.6 59.9 74.0 -14.1	2 5714.90 (AV) 7.2 43.9 51.1 54.0 -2.9 177 3 5722.90 (PK) 7.2 70.7 77.9 78.2 -0.3 186 4 5725.00 (PK) 7.2 54.9 62.1 78.2 -16.1 178 5 5745.00 (PK) 40.4 69.3 109.7 78.2 31.5 177 6 5745.00 (AV) 40.4 58.3 98.7 54.0 44.7 177 7 11490.00 (PK) 18.3 41.6 59.9 74.0 -14.1 148



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH165 PVVS:17 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Temperature (C):21.0


Date: 2015/10/13

Time: 11:30:50

Approved by:

Humidity (%): 70

Polarity: Horizontal



	Frequency MHz			dBuV/m	dBuV/m	Margin dB	cm	/ Table deg
1	5825.00 (PK)	40.5	61.1	101.6	78.2	23.4	132	54
2	5825.00 (AV)	40.5	51.1	91.6	54.0	37.6	132	54
3	5850.00 (PK)	7.5	50.7	58.2	78.2	-20.0	117	58
4	5853.00 (PK)	7.6	60.6	68.2	78.2	-10.0	117	58
5	5861.00 (PK)	7.6	50.2	57.8	74.0	-16.2	120	306
6	5861.00 (AV)	7.6	39.4	47.0	54.0	-7.0	120	306
7	11650.00 (PK)	18.7	42.2	60.9	74.0	-13.1	143	132
8	11650.00 (AV)	18.7	29.2	47.9	54.0	-6.1	143	132
-								
	2 3 4 5 6 7	2 5825.00 (AV) 3 5850.00 (PK) 4 5853.00 (PK) 5 5861.00 (PK) 6 5861.00 (AV) 7 11650.00 (PK)	2 5825.00 (AV) 40.5 3 5850.00 (PK) 7.5 4 5853.00 (PK) 7.6 5 5861.00 (PK) 7.6 6 5861.00 (AV) 7.6 7 11650.00 (PK) 18.7	2 5825.00 (AV) 40.5 51.1 3 5850.00 (PK) 7.5 50.7 4 5853.00 (PK) 7.6 60.6 5 5861.00 (PK) 7.6 50.2 6 5861.00 (AV) 7.6 39.4 7 11650.00 (PK) 18.7 42.2	2 5825.00 (AV) 40.5 51.1 91.6 3 5850.00 (PK) 7.5 50.7 58.2 4 5853.00 (PK) 7.6 60.6 68.2 5 5861.00 (PK) 7.6 50.2 57.8 6 5861.00 (AV) 7.6 39.4 47.0 7 11650.00 (PK) 18.7 42.2 60.9	2 5825.00 (AV) 40.5 51.1 91.6 54.0 3 5850.00 (PK) 7.5 50.7 58.2 78.2 4 5853.00 (PK) 7.6 60.6 68.2 78.2 5 5861.00 (PK) 7.6 50.2 57.8 74.0 6 5861.00 (AV) 7.6 39.4 47.0 54.0 7 11650.00 (PK) 18.7 42.2 60.9 74.0	2 5825.00 (AV) 40.5 51.1 91.6 54.0 37.6 3 5850.00 (PK) 7.5 50.7 58.2 78.2 -20.0 4 5853.00 (PK) 7.6 60.6 68.2 78.2 -10.0 5 5861.00 (PK) 7.6 50.2 57.8 74.0 -16.2 6 5861.00 (AV) 7.6 39.4 47.0 54.0 -7.0 7 11650.00 (PK) 18.7 42.2 60.9 74.0 -13.1	2 5825.00 (AV) 40.5 51.1 91.6 54.0 37.6 132 3 5850.00 (PK) 7.5 50.7 58.2 78.2 -20.0 117 4 5853.00 (PK) 7.6 60.6 68.2 78.2 -10.0 117 5 5861.00 (PK) 7.6 50.2 57.8 74.0 -16.2 120 6 5861.00 (AV) 7.6 39.4 47.0 54.0 -7.0 120 7 11650.00 (PK) 18.7 42.2 60.9 74.0 -13.1 143



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】


Brand / Model : MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH165 PVVS:17 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/13 Time: 11:24:37 Approved by:



2	5825.00 (PK) 5825.00 (AV)	40.5	69.4		dBu∀/m	Margin dB	cm	/ Table deg
-	5825 00 (AV)		03.4	109.9	78.2	31.7	167	4
2	3023.00 (AV)	40.5	59.7	100.2	54.0	46.2	167	4
3	5850.00 (PK)	7.5	56.1	63.6	78.2	-14.6	160	358
4	5853.00 (PK)	7.6	69.0	76.6	78.2	-1.6	160	358
5	5861.00 (PK)	7.6	51.3	58.9	74.0	-15.1	170	13
6	5861.00 (AV)	7.6	40.0	47.6	54.0	-6.4	170	13
7	11650.00 (PK)	18.7	42.7	61.4	74.0	-12.6	146	333
8	11650.00 (AV)	18.7	29.6	48.3	54.0	-5.7	146	333
		7						
	5 6 7	5 5861.00 (PK) 6 5861.00 (AV) 7 11650.00 (PK)	5 5861.00 (PK) 7.6 6 5861.00 (AV) 7.6 7 11650.00 (PK) 18.7	5 5861.00 (PK) 7.6 51.3 6 5861.00 (AV) 7.6 40.0 7 11650.00 (PK) 18.7 42.7	5 5861.00 (PK) 7.6 51.3 58.9 6 5861.00 (AV) 7.6 40.0 47.6 7 11650.00 (PK) 18.7 42.7 61.4	5 5861.00 (PK) 7.6 51.3 58.9 74.0 6 5861.00 (AV) 7.6 40.0 47.6 54.0 7 11650.00 (PK) 18.7 42.7 61.4 74.0	5 5861.00 (PK) 7.6 51.3 58.9 74.0 -15.1 6 5861.00 (AV) 7.6 40.0 47.6 54.0 -6.4 7 11650.00 (PK) 18.7 42.7 61.4 74.0 -12.6	5     5861.00 (PK)     7.6     51.3     58.9     74.0     -15.1     170       6     5861.00 (AV)     7.6     40.0     47.6     54.0     -6.4     170       7     11650.00 (PK)     18.7     42.7     61.4     74.0     -12.6     146



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH157 PVVS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2


Date: 2015/10/13

Time: 11:59:53

Approved by:

Humidity (%): 70

Polarity: Horizontal



N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
i.	1	5785.00 (PK)	40.5	62.1	102.6	78.2	24.4	121	53
*j	2	5785.00 (AV)	40.5	51.6	92.1	54.0	38.1	121	53
	3	11570.00 (PK)	18.2	42.0	60.2	74.0	-13.8	121	250
- C - C - C - C - C - C - C - C - C - C	4	11570.00 (AV)	18.2	29.1	47.3	54.0	-6.7	121	250
(S)	- 0								
	- 1								



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH157 PVVS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Date: 2015/10/13 Time: 11:42:57 Approved by:



Ho.		Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
i.	1	5785.00 (PK)	40.5	70.9	111.4	78.2	33.2	168	356
*j	2	5785.00 (AV)	40.5	60.5	101.0	54.0	47.0	168	356
	3	11570.00 (PK)	18.2	49.9	68.1	74.0	-5.9	116	268
S	4	11570.00 (AV)	18.2	33.1	51.3	54.0	-2.7	116	268
8 3 3									
000	= 3								
	-								



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N20 MCS0 CH157 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 13:40:53

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal



N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
i.	1	5785.00 (PK)	40.5	60.2	100.7	78.2	22.5	158	0
*j	2	5785.00 (AV)	40.5	50.0	90.5	54.0	36.5	158	0
	3	11570.00 (PK)	18.2	41.9	60.1	74.0	-13.9	116	260
0.00	4	11570.00 (AV)	18.2	28.9	47.1	54.0	-6.9	116	260
200	- 1								
(S)			7						
100									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N20 MCS0 CH157 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Date: 2015/10/13 Time: 13:25:21 Approved by:



N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
i.	1	5785.00 (PK)	40.5	71.4	111.9	78.2	33.7	169	359
*j	2	5785.00 (AV)	40.5	60.7	101.2	54.0	47.2	169	359
	3	11570.00 (PK)	18.2	48.9	67.1	74.0	-6.9	124	275
- C.	4	11570.00 (AV)	18.2	31.8	50.0	54.0	-4.0	124	275
(S)									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N20 MCS0 CH165 PWS:17 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2


Date: 2015/10/13

Time: 14:47:28

Approved by:

Humidity (%): 70

Polarity: Horizontal



1	5005 00 (DIA)	Frequency Factor Reading MHz dB/m dBuV		dBuV/m	dBuV/m	Margin dB	cm	/ Table deg
2	5825.00 (PK)	40.5	61.6	102.1	78.2	23.9	131	52
-	5825.00 (AV)	40.5	50.9	91.4	54.0	37.4	131	52
3	5850.00 (PK)	7.5	51.6	59.1	78.2	-19.1	136	60
4	5853.00 (PK)	7.6	61.6	69.2	78.2	-9.0	136	60
5	5861.00 (PK)	7.6	57.1	64.7	74.0	-9.3	128	49
6	5861.00 (AV)	7.6	39.3	46.9	54.0	-7.1	128	49
7	11650.00 (PK)	18.7	41.6	60.3	74.0	-13.7	161	150
8	11650.00 (AV)	18.7	28.7	47.4	54.0	-6.6	161	150
		Ç						
	5 6 7	5 5861.00 (PK) 6 5861.00 (AV) 7 11650.00 (PK)	5 5861.00 (PK) 7.6 6 5861.00 (AV) 7.6 7 11650.00 (PK) 18.7	5 5861.00 (PK) 7.6 57.1 6 5861.00 (AV) 7.6 39.3 7 11650.00 (PK) 18.7 41.6	5 5861.00 (PK) 7.6 57.1 64.7 6 5861.00 (AV) 7.6 39.3 46.9 7 11650.00 (PK) 18.7 41.6 60.3	5 5861.00 (PK) 7.6 57.1 64.7 74.0 6 5861.00 (AV) 7.6 39.3 46.9 54.0 7 11650.00 (PK) 18.7 41.6 60.3 74.0	5 5861.00 (PK) 7.6 57.1 64.7 74.0 -9.3 6 5861.00 (AV) 7.6 39.3 46.9 54.0 -7.1 7 11650.00 (PK) 18.7 41.6 60.3 74.0 -13.7	5     5861.00 (PK)     7.6     57.1     64.7     74.0     -9.3     128       6     5861.00 (AV)     7.6     39.3     46.9     54.0     -7.1     128       7     11650.00 (PK)     18.7     41.6     60.3     74.0     -13.7     161



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】


Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N20 MCS0 CH165 PVVS:17 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/13 Time: 14:14:10 Approved by:



N	0.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
i.	1	5825.00 (PK)	40.5	69.3	109.8	78.2	31.6	177	6
*į	2	5825.00 (AV)	40.5	59.5	100.0	54.0	46.0	177	6
	3	5850.00 (PK)	7.5	55.3	62.8	78.2	-15.4	170	1
-(5)	4	5853.00 (PK)	7.6	68.4	76.0	78.2	-2.2	170	1
- 125	5	5861.00 (PK)	7.6	64.9	72.5	74.0	-1.5	174	2
- 27.	6	5861.00 (AV)	7.6	40.6	48.2	54.0	-5.8	174	2
0	7	11650.00 (PK)	18.7	42.6	61.3	74.0	-12.7	150	312
- 632	8	11650.00 (AV)	18.7	29.4	48.1	54.0	-5.9	150	312
-8									
-38									
				1.7					
- 17	-		-		+	-		+	



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N40 MCS0 CH151 PWS:8 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 15:10:41

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal



No.		Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	deg
13	1	5714.00 (PK)	7.2	49.5	56.7	74.0	-17.3	136	289
-8	2	5714.00 (AV)	7.2	38.8	46.0	54.0	-8.0	136	289
	3	5722.00 (PK)	7.2	54.3	61.5	78.2	-16.7	136	0
-(3)	4	5725.00 (PK)	7.2	45.3	52.5	78.2	-25.7	136	0
i	5	5755.00 (PK)	40.5	48.8	89.3	78.2	11.1	154	1
*j	6	5755.00 (AV)	40.5	38.9	79.4	54.0	25.4	154	1
	7	11510.00 (PK)	18.2	41.0	59.2	74.0	-14.8	119	176
- 33	8	11510.00 (AV)	18.2	28.2	46.4	54.0	-7.6	119	176
0									
525									
100									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】


Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N40 MCS0 CH151 PWS:8 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/13 Time: 15:06:37 Approved by:



Ho.		Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower/T cm de	
- 15	1	5714.00 (PK)	7.2	64.8	72.0	74.0	-2.0	169	1
-8	2	5714.00 (AV)	7.2	45.6	52.8	54.0	-1.2	169	1
	3	5722.00 (PK)	7.2	66.2	73.4	78.2	-4.8	170	10
-(5)	4	5725.00 (PK)	7.2	54.3	61.5	78.2	-16.7	170	10
i	5	5755.00 (PK)	40.5	60.5	101.0	78.2	22.8	154	4
*i	6	5755.00 (AV)	40.5	49.6	90.1	54.0	36.1	154	4
	7	11510.00 (PK)	18.2	41.5	59.7	74.0	-14.3	133	303
93	8	11510.00 (AV)	18.2	28.4	46.6	54.0	-7.4	133	303
0									
58	-								
3	-								



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N40 MCS0 CH159 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 15:36:10

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal



о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower/Tab cm deg	
1	5795.00 (PK)	40.5	56.3	96.8	78.2	18.6	158	357
2	5795.00 (AV)	40.5	45.4	85.9	54.0	31.9	158	357
3	5850.00 (PK)	7.5	50.7	58.2	78.2	-20.0	166	1
4	5853.00 (PK)	7.6	64.3	71.9	78.2	-6.3	166	1
5	5861.00 (PK)	7.6	50.0	57.6	74.0	-16.4	164	0
6	5861.00 (AV)	7.6	38.9	46.5	54.0	-7.5	164	0
7	11590.00 (PK)	18.3	41.5	59.8	74.0	-14.2	113	311
8	11590.00 (AV)	18.3	28.6	46.9	54.0	-7.1	113	311
- 8				8				
-								
	1 2 3 4 5 6	MHz  1 5795.00 (PK) 2 5795.00 (AV) 3 5850.00 (PK) 4 5853.00 (PK) 5 5861.00 (PK) 6 5861.00 (AV) 7 11590.00 (PK)	MHz dB/m  1 5795.00 (PK) 40.5  2 5795.00 (AV) 40.5  3 5850.00 (PK) 7.5  4 5853.00 (PK) 7.6  5 5861.00 (PK) 7.6  6 5861.00 (AV) 7.6  7 11590.00 (PK) 18.3	MHz         dB/m         dBuV           1         5795.00 (PK)         40.5         56.3           2         5795.00 (AV)         40.5         45.4           3         5850.00 (PK)         7.5         50.7           4         5853.00 (PK)         7.6         64.3           5         5861.00 (PK)         7.6         50.0           6         5861.00 (AV)         7.6         38.9           7         11590.00 (PK)         18.3         41.5	MHz         dB/m         dBuV         dBuV/m           1         5795.00 (PK)         40.5         56.3         96.8           2         5795.00 (AV)         40.5         45.4         85.9           3         5850.00 (PK)         7.5         50.7         58.2           4         5853.00 (PK)         7.6         64.3         71.9           5         5861.00 (PK)         7.6         50.0         57.6           6         5861.00 (AV)         7.6         38.9         46.5           7         11590.00 (PK)         18.3         41.5         59.8	MHz         dB/m         dBuV         dBuV/m         dBuV/m           1         5795.00 (PK)         40.5         56.3         96.8         78.2           2         5795.00 (AV)         40.5         45.4         85.9         54.0           3         5850.00 (PK)         7.5         50.7         58.2         78.2           4         5853.00 (PK)         7.6         64.3         71.9         78.2           5         5861.00 (PK)         7.6         50.0         57.6         74.0           6         5861.00 (AV)         7.6         38.9         46.5         54.0           7         11590.00 (PK)         18.3         41.5         59.8         74.0	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dB           1         5795.00 (PK)         40.5         56.3         96.8         78.2         18.6           2         5795.00 (AV)         40.5         45.4         85.9         54.0         31.9           3         5850.00 (PK)         7.5         50.7         58.2         78.2         -20.0           4         5853.00 (PK)         7.6         64.3         71.9         78.2         -6.3           5         5861.00 (PK)         7.6         50.0         57.6         74.0         -16.4           6         5861.00 (AV)         7.6         38.9         46.5         54.0         -7.5           7         11590.00 (PK)         18.3         41.5         59.8         74.0         -14.2	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dB         cm           1         5795.00 (PK)         40.5         56.3         96.8         78.2         18.6         158           2         5795.00 (AV)         40.5         45.4         85.9         54.0         31.9         158           3         5850.00 (PK)         7.5         50.7         58.2         78.2         -20.0         166           4         5853.00 (PK)         7.6         64.3         71.9         78.2         -6.3         166           5         5861.00 (PK)         7.6         50.0         57.6         74.0         -16.4         164           6         5861.00 (AV)         7.6         38.9         46.5         54.0         -7.5         164           7         11590.00 (PK)         18.3         41.5         59.8         74.0         -14.2         113



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N40 MCS0 CH159 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Date: 2015/10/13 Time: 15:28:51 Approved by:



	MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	cm	/ Table deg
1	5795.00 (PK)	40.5	66.7	107.2	78.2	29.0	168	10
2	5795.00 (AV)	40.5	55.1	95.6	54.0	41.6	168	10
3	5850.00 (PK)	7.5	50.5	58.0	78.2	-20.2	168	10
4	5852.00 (PK)	7.6	65.5	73.1	78.2	-5.1	168	10
5	5861.00 (PK)	7.6	63.3	70.9	74.0	-3.1	174	0
6	5861.00 (AV)	7.6	43.0	50.6	54.0	-3.4	174	0
7	11590.00 (PK)	18.3	42.5	60.8	74.0	-13.2	154	277
8	11590.00 (AV)	18.3	29.3	47.6	54.0	-6.4	154	277
		\ \ \						
							3 3	
	4 5 6 7	4 5852.00 (PK) 5 5861.00 (PK) 6 5861.00 (AV) 7 11590.00 (PK)	4 5852.00 (PK) 7.6 5 5861.00 (PK) 7.6 6 5861.00 (AV) 7.6 7 11590.00 (PK) 18.3	4 5852.00 (PK) 7.6 65.5 5 5861.00 (PK) 7.6 63.3 6 5861.00 (AV) 7.6 43.0 7 11590.00 (PK) 18.3 42.5	4 5852.00 (PK) 7.6 65.5 73.1 5 5861.00 (PK) 7.6 63.3 70.9 6 5861.00 (AV) 7.6 43.0 50.6 7 11590.00 (PK) 18.3 42.5 60.8	4 5852.00 (PK) 7.6 65.5 73.1 78.2 5 5861.00 (PK) 7.6 63.3 70.9 74.0 6 5861.00 (AV) 7.6 43.0 50.6 54.0 7 11590.00 (PK) 18.3 42.5 60.8 74.0	4     5852.00 (PK)     7.6     65.5     73.1     78.2     -5.1       5     5861.00 (PK)     7.6     63.3     70.9     74.0     -3.1       6     5861.00 (AV)     7.6     43.0     50.6     54.0     -3.4       7     11590.00 (PK)     18.3     42.5     60.8     74.0     -13.2	4     5852.00 (PK)     7.6     65.5     73.1     78.2     -5.1     168       5     5861.00 (PK)     7.6     63.3     70.9     74.0     -3.1     174       6     5861.00 (AV)     7.6     43.0     50.6     54.0     -3.4     174       7     11590.00 (PK)     18.3     42.5     60.8     74.0     -13.2     154



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11A 6M CH149 PWS: 15, Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Nick Hsu

Location: 966 CHAMBER, 2

Date: 2015/11/03


Time: 15:24:30

Approved by:

Temperature (C):18.0

Humidity (%): 70

Polarity: Horizontal



N	0.	Frequency MHz	Factor dB/m	<b>Reading</b> dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
13	1	5714.90 (PK)	7.2	54.3	61.5	74.0	-12.5	151	48
- 3	2	5714.90 (AV)	7.2	39.5	46.7	54.0	-7.3	151	48
	3	5722.90 (PK)	7.2	60.0	67.2	78.2	-11.0	140	54
-(3)	4	5725.00 (PK)	7.2	47.6	54.8	78.2	-23.4	146	49
i	5	5745.00 (PK)	40.4	61.3	101.7	78.2	23.5	145	56
*i	6	5745.00 (AV)	40.4	50.8	91.2	54.0	37.2	145	56
(3)	7	11490.00 (PK)	18.3	40.4	58.7	74.0	-15.3	102	65
33	8	11490.00 (AV)	18.3	28.4	46.7	54.0	-7.3	102	65
0			\$ X						
52					3				
-									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11A 6M CH149 PWS: 15, Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Nick Hsu

Temperature (C):18.0

Location: 966 CHAMBER, 2


Date: 2015/11/03

Time: 15:07:22

Approved by:

Humidity (%): 70

Polarity: Vertical



N	0.	Frequency MHz	Factor dB/m	Reading dBuV	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower	/ Table
	1	5714.90 (PK)	7.2	63.0	70.2	74.0	-3.8	177	3
	2	5714.90 (AV)	7.2	44.9	52.1	54.0	-1.9	177	3
	3	5722.90 (PK)	7.2	70.3	77.5	78.2	-0.7	193	0
(3)	4	5725.00 (PK)	7.2	55.4	62.6	78.2	-15.6	190	0
i	5	5745.00 (PK)	40.4	70.2	110.6	78.2	32.4	178	0
*i	6	5745.00 (AV)	40.4	59.8	100.2	54.0	46.2	178	0
	7	11490.00 (PK)	18.3	43.8	62.1	74.0	-11.9	173	112
- 27	8	11490.00 (AV)	18.3	30.4	48.7	54.0	-5.3	173	112
			\(\)						
52				10					
					4				



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N HT20 MCS0 CH149 PWS: 14 , Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Nick Hsu

Location: 966 CHAMBER, 2

Date: 2015/11/03

Time: 15:51:55


Approved by:

Temperature (C):18.0

Humidity (%): 70

Polei

Polarity: Horizontal



1 2 3	MHz 5714.90 (PK) 5714.90 (AV) 5722.90 (PK)	dB/m 7.2 7.2	dBu∀ 54.8	dBuV/m 62.0	dBuV/m 74.0	dB	cm	deg
3		7.2			1.7.0	-12.0	139	51
- 22	5722.90 (PK)		39.5	46.7	54.0	-7.3	139	51
4	A STATE OF THE STA	7.2	63.7	70.9	78.2	-7.3	147	52
	5725.00 (PK)	7.2	48.8	56.0	78.2	-22.2	146	52
5	5745.00 (PK)	40.4	60.1	100.5	78.2	22.3	132	60
6	5745.00 (AV)	40.4	49.7	90.1	54.0	36.1	132	60
7	11490.00 (PK)	18.3	40.9	59.2	74.0	-14.8	119	31
8	11490.00 (AV)	18.3	28.2	46.5	54.0	-7.5	119	31
- 3								
	7	5745.00 (AV) 7 11490.00 (PK)	5 5745.00 (AV) 40.4 7 11490.00 (PK) 18.3	6 5745.00 (AV) 40.4 49.7 7 11490.00 (PK) 18.3 40.9	6 5745.00 (AV) 40.4 49.7 90.1 7 11490.00 (PK) 18.3 40.9 59.2	6 5745.00 (AV) 40.4 49.7 90.1 54.0 7 11490.00 (PK) 18.3 40.9 59.2 74.0	6 5745.00 (AV) 40.4 49.7 90.1 54.0 36.1 7 11490.00 (PK) 18.3 40.9 59.2 74.0 -14.8	6 5745.00 (AV) 40.4 49.7 90.1 54.0 36.1 132 7 11490.00 (PK) 18.3 40.9 59.2 74.0 -14.8 119



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N40 MCS0 CH46 PWS:16 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Date: 2015/10/13 Time: 19:00:31 Approved by:



	Frequency MHz	Factor dB/m	dBu∀	dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower/Tab cm deg	
1	5150.00 (PK)	6.2	62.5	68.7	74.0	-5.3	117	313
2	5150.00 (AV)	6.2	46.5	52.7	54.0	-1.3	117	313
3	5230.00 (PK)	39.6	69.1	108.7	74.0	34.7	116	346
4	5230.00 (AV)	39.6	58.8	98.4	54.0	44.4	116	346
5	5350.00 (PK)	6.4	50.4	56.8	74.0	-17.2	119	19
6	5350.00 (AV)	6.4	39.3	45.7	54.0	-8.3	119	19
7	10460.00 (PK)	17.8	43.0	60.8	74.0	-13.2	136	261
8	10460.00 (AV)	17.8	30.0	47.8	54.0	-6.2	136	261
-				100000000000000000000000000000000000000				
	3 4 5 6	2 5150.00 (AV) 3 5230.00 (PK) 4 5230.00 (AV) 5 5350.00 (PK) 6 5350.00 (AV) 7 10460.00 (PK)	2 5150.00 (AV) 6.2 3 5230.00 (PK) 39.6 4 5230.00 (AV) 39.6 5 5350.00 (PK) 6.4 6 5350.00 (AV) 6.4 7 10460.00 (PK) 17.8	2 5150.00 (AV) 6.2 46.5 3 5230.00 (PK) 39.6 69.1 4 5230.00 (AV) 39.6 58.8 5 5350.00 (PK) 6.4 50.4 6 5350.00 (AV) 6.4 39.3 7 10460.00 (PK) 17.8 43.0	2 5150.00 (AV) 6.2 46.5 52.7 3 5230.00 (PK) 39.6 69.1 108.7 4 5230.00 (AV) 39.6 58.8 98.4 5 5350.00 (PK) 6.4 50.4 56.8 6 5350.00 (AV) 6.4 39.3 45.7 7 10460.00 (PK) 17.8 43.0 60.8	2 5150.00 (AV) 6.2 46.5 52.7 54.0 3 5230.00 (PK) 39.6 69.1 108.7 74.0 4 5230.00 (AV) 39.6 58.8 98.4 54.0 5 5350.00 (PK) 6.4 50.4 56.8 74.0 6 5350.00 (AV) 6.4 39.3 45.7 54.0 7 10460.00 (PK) 17.8 43.0 60.8 74.0	2 5150.00 (AV) 6.2 46.5 52.7 54.0 -1.3 3 5230.00 (PK) 39.6 69.1 108.7 74.0 34.7 4 5230.00 (AV) 39.6 58.8 98.4 54.0 44.4 5 5350.00 (PK) 6.4 50.4 56.8 74.0 -17.2 6 5350.00 (AV) 6.4 39.3 45.7 54.0 -8.3 7 10460.00 (PK) 17.8 43.0 60.8 74.0 -13.2	2 5150.00 (AV) 6.2 46.5 52.7 54.0 -1.3 117 3 5230.00 (PK) 39.6 69.1 108.7 74.0 34.7 116 4 5230.00 (AV) 39.6 58.8 98.4 54.0 44.4 116 5 5350.00 (PK) 6.4 50.4 56.8 74.0 -17.2 119 6 5350.00 (AV) 6.4 39.3 45.7 54.0 -8.3 119 7 10460.00 (PK) 17.8 43.0 60.8 74.0 -13.2 136



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH36 PVVS:14 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 16:51:58

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal



N	0.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower	/ Table deg
-33	1	5150.00 (PK)	6.2	57.6	63.8	74.0	-10.2	152	345
-8	2	5150.00 (AV)	6.2	41.6	47.8	54.0	-6.2	152	345
i	3	5180.00 (PK)	39.5	60.3	99.8	74.0	25.8	163	19
*i	4	5180.00 (AV)	39.5	49.0	88.5	54.0	34.5	163	19
- 125	5	10360.00 (PK)	17.0	41.9	58.9	74.0	-15.1	116	271
6	6	10360.00 (AV)	17.0	29.0	46.0	54.0	-8.0	116	271
33									
(S)									
-	-		) V						



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH36 PWS:14 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Time: 16:44:29 Location: 966 CHAMBER, 2 Approved by: Date: 2015/10/13



N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
130	1	5150.00 (PK)	6.2	65.3	71.5	74.0	-2.5	119	0
-8	2	5150.00 (AV)	6.2	45.9	52.1	54.0	-1.9	119	0
i	3	5180.00 (PK)	39.5	70.3	109.8	74.0	35.8	111	359
*i	4	5180.00 (AV)	39.5	59.8	99.3	54.0	45.3	111	359
-00	5	10360.00 (PK)	17.0	45.2	62.2	74.0	-11.8	151	57
8 8	6	10360.00 (AV)	17.0	29.6	46.6	54.0	-7.4	151	57
33									
000	- 3								
27.									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH40 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Temperature (C):21.0


Date: 2015/10/13

Time: 17:12:08

Approved by:

Humidity (%): 70

Polarity: Horizontal



o.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
1	5150.00 (PK)	6.2	50.3	56.5	74.0	-17.5	118	265
2	5150.00 (AV)	6.2	39.3	45.5	54.0	-8.5	118	265
3	5200.00 (PK)	39.6	59.5	99.1	74.0	25.1	101	265
4	5200.00 (AV)	39.6	49.3	88.9	54.0	34.9	101	265
5	10400.00 (PK)	17.0	42.7	59.7	74.0	-14.3	115	80
6	10400.00 (AV)	17.0	29.5	46.5	54.0	-7.5	115	80
7	15600.00 (PK)	18.9	44.6	63.5	74.0	-10.5	147	52
8	15600.00 (AV)	18.9	31.2	50.1	54.0	-3.9	147	52
-		<u> </u>						
	1 2 3 4 5 6	MHz  1 5150.00 (PK) 2 5150.00 (AV) 3 5200.00 (PK) 4 5200.00 (AV) 5 10400.00 (PK) 6 10400.00 (AV) 7 15600.00 (PK)	MHz dB/m  1 5150.00 (PK) 6.2  2 5150.00 (AV) 6.2  3 5200.00 (PK) 39.6  4 5200.00 (AV) 39.6  5 10400.00 (PK) 17.0  6 10400.00 (AV) 17.0  7 15600.00 (PK) 18.9	MHz         dB/m         dBuV           1         5150.00 (PK)         6.2         50.3           2         5150.00 (AV)         6.2         39.3           3         5200.00 (PK)         39.6         59.5           4         5200.00 (AV)         39.6         49.3           5         10400.00 (PK)         17.0         42.7           6         10400.00 (AV)         17.0         29.5           7         15600.00 (PK)         18.9         44.6	MHz         dB/m         dBuV         dBuV/m           1         5150.00 (PK)         6.2         50.3         56.5           2         5150.00 (AV)         6.2         39.3         45.5           3         5200.00 (PK)         39.6         59.5         99.1           4         5200.00 (AV)         39.6         49.3         88.9           5         10400.00 (PK)         17.0         42.7         59.7           6         10400.00 (AV)         17.0         29.5         46.5           7         15600.00 (PK)         18.9         44.6         63.5	MHz         dB/m         dBuV         dBuV/m         dBuV/m           1         5150.00 (PK)         6.2         50.3         56.5         74.0           2         5150.00 (AV)         6.2         39.3         45.5         54.0           3         5200.00 (PK)         39.6         59.5         99.1         74.0           4         5200.00 (AV)         39.6         49.3         88.9         54.0           5         10400.00 (PK)         17.0         42.7         59.7         74.0           6         10400.00 (AV)         17.0         29.5         46.5         54.0           7         15600.00 (PK)         18.9         44.6         63.5         74.0	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dB           1         5150.00 (PK)         6.2         50.3         56.5         74.0         -17.5           2         5150.00 (AV)         6.2         39.3         45.5         54.0         -8.5           3         5200.00 (PK)         39.6         59.5         99.1         74.0         25.1           4         5200.00 (AV)         39.6         49.3         88.9         54.0         34.9           5         10400.00 (PK)         17.0         42.7         59.7         74.0         -14.3           6         10400.00 (AV)         17.0         29.5         46.5         54.0         -7.5           7         15600.00 (PK)         18.9         44.6         63.5         74.0         -10.5	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dB cm           1         5150.00 (PK)         6.2         50.3         56.5         74.0         -17.5         118           2         5150.00 (AV)         6.2         39.3         45.5         54.0         -8.5         118           3         5200.00 (PK)         39.6         59.5         99.1         74.0         25.1         101           4         5200.00 (AV)         39.6         49.3         88.9         54.0         34.9         101           5         10400.00 (PK)         17.0         42.7         59.7         74.0         -14.3         115           6         10400.00 (AV)         17.0         29.5         46.5         54.0         -7.5         115           7         15600.00 (PK)         18.9         44.6         63.5         74.0         -10.5         147



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH40 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/13 Time: 17:20:46 Approved by:



N	o.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
13	1	5150.00 (PK)	6.2	61.7	67.9	74.0	-6.1	194	0
- 3	2	5150.00 (AV)	6.2	43.0	49.2	54.0	-4.8	194	0
i	3	5200.00 (PK)	39.6	73.6	113.2	74.0	39.2	111	6
*i	4	5200.00 (AV)	39.6	63.4	103.0	54.0	49.0	111	6
-98	5	10400.00 (PK)	17.0	52.1	69.1	74.0	-4.9	104	53
97.	6	10400.00 (AV)	17.0	29.8	46.8	54.0	-7.2	104	53
	7	15600.00 (PK)	18.9	45.9	64.8	74.0	-9.2	184	250
33	8	15600.00 (AV)	18.9	33.2	52.1	54.0	-1.9	184	250
0									
525									
100									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH48 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2


Date: 2015/10/13

Time: 17:29:40

Approved by:

Humidity (%): 70

Polarity: Horizontal



о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
1	5240.00 (PK)	39.6	63.1	102.7	74.0	28.7	164	3
2	5240.00 (AV)	39.6	52.2	91.8	54.0	37.8	164	3
3	5350.00 (PK)	6.4	49.9	56.3	74.0	-17.7	160	0
4	5350.00 (AV)	6.4	38.8	45.2	54.0	-8.8	160	0
5	10480.00 (PK)	18.0	41.5	59.5	74.0	-14.5	116	249
6	10480.00 (AV)	18.0	28.5	46.5	54.0	-7.5	116	249
7	15720.00 (PK)	18.5	43.9	62.4	74.0	-11.6	147	133
8	15720.00 (AV)	18.5	31.4	49.9	54.0	-4.1	147	133
	1 2 3 4 5 6	MHz  1 5240.00 (PK) 2 5240.00 (AV) 3 5350.00 (PK) 4 5350.00 (AV) 5 10480.00 (PK) 6 10480.00 (AV) 7 15720.00 (PK)	MHz dB/m  1 5240.00 (PK) 39.6  2 5240.00 (AV) 39.6  3 5350.00 (PK) 6.4  4 5350.00 (AV) 6.4  5 10480.00 (PK) 18.0  6 10480.00 (AV) 18.0  7 15720.00 (PK) 18.5	MHz         dB/m         dBuV           1         5240.00 (PK)         39.6         63.1           2         5240.00 (AV)         39.6         52.2           3         5350.00 (PK)         6.4         49.9           4         5350.00 (AV)         6.4         38.8           5         10480.00 (PK)         18.0         41.5           6         10480.00 (AV)         18.0         28.5           7         15720.00 (PK)         18.5         43.9	MHz         dB/m         dBuV         dBuV/m           1         5240.00 (PK)         39.6         63.1         102.7           2         5240.00 (AV)         39.6         52.2         91.8           3         5350.00 (PK)         6.4         49.9         56.3           4         5350.00 (AV)         6.4         38.8         45.2           5         10480.00 (PK)         18.0         41.5         59.5           6         10480.00 (AV)         18.0         28.5         46.5           7         15720.00 (PK)         18.5         43.9         62.4	MHz         dB/m         dBuV         dBuV/m         dBuV/m           1         5240.00 (PK)         39.6         63.1         102.7         74.0           2         5240.00 (AV)         39.6         52.2         91.8         54.0           3         5350.00 (PK)         6.4         49.9         56.3         74.0           4         5350.00 (AV)         6.4         38.8         45.2         54.0           5         10480.00 (PK)         18.0         41.5         59.5         74.0           6         10480.00 (AV)         18.0         28.5         46.5         54.0           7         15720.00 (PK)         18.5         43.9         62.4         74.0	MHz         dB/m         dBuV         dBuV/m         dBuV/m	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dB uv/m         dB         cm           1         5240.00 (PK)         39.6         63.1         102.7         74.0         28.7         164           2         5240.00 (AV)         39.6         52.2         91.8         54.0         37.8         164           3         5350.00 (PK)         6.4         49.9         56.3         74.0         -17.7         160           4         5350.00 (AV)         6.4         38.8         45.2         54.0         -8.8         160           5         10480.00 (PK)         18.0         41.5         59.5         74.0         -14.5         116           6         10480.00 (AV)         18.0         28.5         46.5         54.0         -7.5         116           7         15720.00 (PK)         18.5         43.9         62.4         74.0         -11.6         147



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11A 6M CH48 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/13 Time: 17:25:45 Approved by:



	MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	cm	/ Table deg
1	5240.00 (PK)	39.6	73.8	113.4	74.0	39.4	117	8
2	5240.00 (AV)	39.6	63.0	102.6	54.0	48.6	117	8
3	5350.00 (PK)	6.4	50.7	57.1	74.0	-16.9	120	11
4	5350.00 (AV)	6.4	39.6	46.0	54.0	-8.0	120	11
5	10480.00 (PK)	18.0	53.6	71.6	74.0	-2.4	121	264
6	10480.00 (AV)	18.0	29.9	47.9	54.0	-6.1	121	264
7	15720.00 (PK)	18.5	44.0	62.5	74.0	-11.5	184	248
8	15720.00 (AV)	18.5	30.8	49.3	54.0	-4.7	184	248
				1 5				
	3 4 5 6	3 5350.00 (PK) 4 5350.00 (AV) 5 10480.00 (PK) 6 10480.00 (AV) 7 15720.00 (PK)	3 5350.00 (PK) 6.4 4 5350.00 (AV) 6.4 5 10480.00 (PK) 18.0 6 10480.00 (AV) 18.0 7 15720.00 (PK) 18.5	3 5350.00 (PK) 6.4 50.7 4 5350.00 (AV) 6.4 39.6 5 10480.00 (PK) 18.0 53.6 6 10480.00 (AV) 18.0 29.9 7 15720.00 (PK) 18.5 44.0	3 5350.00 (PK) 6.4 50.7 57.1 4 5350.00 (AV) 6.4 39.6 46.0 5 10480.00 (PK) 18.0 53.6 71.6 6 10480.00 (AV) 18.0 29.9 47.9 7 15720.00 (PK) 18.5 44.0 62.5	3 5350.00 (PK) 6.4 50.7 57.1 74.0 4 5350.00 (AV) 6.4 39.6 46.0 54.0 5 10480.00 (PK) 18.0 53.6 71.6 74.0 6 10480.00 (AV) 18.0 29.9 47.9 54.0 7 15720.00 (PK) 18.5 44.0 62.5 74.0	3 5350.00 (PK) 6.4 50.7 57.1 74.0 -16.9 4 5350.00 (AV) 6.4 39.6 46.0 54.0 -8.0 5 10480.00 (PK) 18.0 53.6 71.6 74.0 -2.4 6 10480.00 (AV) 18.0 29.9 47.9 54.0 -6.1 7 15720.00 (PK) 18.5 44.0 62.5 74.0 -11.5	3 5350.00 (PK) 6.4 50.7 57.1 74.0 -16.9 120 4 5350.00 (AV) 6.4 39.6 46.0 54.0 -8.0 120 5 10480.00 (PK) 18.0 53.6 71.6 74.0 -2.4 121 6 10480.00 (AV) 18.0 29.9 47.9 54.0 -6.1 121 7 15720.00 (PK) 18.5 44.0 62.5 74.0 -11.5 184



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N20 MCS0 CH36 PWS:14.5 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones


Location: 966 CHAMBER, 2

Date: 2015/10/13

Time: 17:42:01

Approved by:

Polarity: Horizontal



N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
130	1	5150.00 (PK)	6.2	52.1	58.3	74.0	-15.7	176	48
-8	2	5150.00 (AV)	6.2	40.5	46.7	54.0	-7.3	176	48
i	3	5180.00 (PK)	39.5	60.7	100.2	74.0	26.2	200	0
*i	4	5180.00 (AV)	39.5	50.3	89.8	54.0	35.8	200	0
-00	5	10360.00 (PK)	17.0	42.4	59.4	74.0	-14.6	126	288
8 8	6	10360.00 (AV)	17.0	29.2	46.2	54.0	-7.8	126	288
35									
(S)									
	-		)	0.5					



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N20 MCS0 CH36 PWS:14.5 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Time: 17:37:19 Approved by: Date: 2015/10/13



N	о.	Frequency MHz	Factor Reading dB/m dBu∨		Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
19	1	5150.00 (PK)	6.2	65.3	71.5	74.0	-2.5	127	0
3	2	5150.00 (AV)	6.2	45.9	52.1	54.0	-1.9	127	0
i	3	5180.00 (PK)	39.5	69.7	109.2	74.0	35.2	119	0
*i	4	5180.00 (AV)	39.5	59.0	98.5	54.0	44.5	119	0
-08	5	10360.00 (PK)	17.0	42.9	59.9	74.0	-14.1	148	47
	6	10360.00 (AV)	17.0	30.0	47.0	54.0	-7.0	148	47
33									
00									
-	-								



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N20 MCS0 CH40 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2


Date: 2015/10/13

Time: 18:30:31

Approved by:

Humidity (%): 70

Polarity: Horizontal



No.		Frequency MHz			_	<b>Limit</b> dBu∀/m	Margin dB	Tower/Tab cm deg	
i.	1	5200.00 (PK)	39.6	59.7	99.3	74.0	25.3	100	274
*j	2	5200.00 (AV)	39.6	49.4	89.0	54.0	35.0	100	274
	3	10400.00 (PK)	17.0	42.2	59.2	74.0	-14.8	117	19
-(3)	4	10400.00 (AV)	17.0	29.0	46.0	54.0	-8.0	117	19
-52	5	15600.00 (PK)	18.9	44.4	63.3	74.0	-10.7	159	60
	6	15600.00 (AV)	18.9	31.1	50.0	54.0	-4.0	159	60
200									
-03	3								
100									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N20 MCS0 CH40 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Date: 2015/10/13 Time: 18:00:22 Approved by:



N	о.	Frequency MHz				<b>Limit</b> dBu∀/m	Margin dB	Tower/Table cm deg	
i.	1	5200.00 (PK)	39.6	71.9	111.5	74.0	37.5	126	356
*j	2	5200.00 (AV)	39.6	61.7	101.3	54.0	47.3	126	356
	3	10400.00 (PK)	17.0	54.7	71.7	74.0	-2.3	127	267
-(3)	4	10400.00 (AV)	17.0	30.5	47.5	54.0	-6.5	127	267
-38	5	15600.00 (PK)	18.9	44.0	62.9	74.0	-11.1	180	221
- 10	6	15600.00 (AV)	18.9	31.5	50.4	54.0	-3.6	180	221
33									
(S)	3							3 3	



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N20 MCS0 CH48 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 18:42:20

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal FCC PART15E Class B 90-



	Frequency MHz			Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
1	5240.00 (PK)	39.6	64.2	103.8	74.0	29.8	197	4
2	5240.00 (AV)	39.6	53.6	93.2	54.0	39.2	197	4
3	5350.00 (PK)	6.4	52.1	58.5	74.0	-15.5	164	0
4	5350.00 (AV)	6.4	39.8	46.2	54.0	-7.8	164	0
5	10480.00 (PK)	18.0	41.4	59.4	74.0	-14.6	122	234
6	10480.00 (AV)	18.0	28.2	46.2	54.0	-7.8	122	234
7	15720.00 (PK)	18.5	43.6	62.1	74.0	-11.9	143	123
8	15720.00 (AV)	18.5	30.9	49.4	54.0	-4.6	143	123
		7						
	3 4 5 6 7	3 5350.00 (PK) 4 5350.00 (AV) 5 10480.00 (PK) 6 10480.00 (AV) 7 15720.00 (PK)	3 5350.00 (PK) 6.4 4 5350.00 (AV) 6.4 5 10480.00 (PK) 18.0 6 10480.00 (AV) 18.0 7 15720.00 (PK) 18.5	3 5350.00 (PK) 6.4 52.1 4 5350.00 (AV) 6.4 39.8 5 10480.00 (PK) 18.0 41.4 6 10480.00 (AV) 18.0 28.2 7 15720.00 (PK) 18.5 43.6	3 5350.00 (PK) 6.4 52.1 58.5 4 5350.00 (AV) 6.4 39.8 46.2 5 10480.00 (PK) 18.0 41.4 59.4 6 10480.00 (AV) 18.0 28.2 46.2 7 15720.00 (PK) 18.5 43.6 62.1	3 5350.00 (PK) 6.4 52.1 58.5 74.0 4 5350.00 (AV) 6.4 39.8 46.2 54.0 5 10480.00 (PK) 18.0 41.4 59.4 74.0 6 10480.00 (AV) 18.0 28.2 46.2 54.0 7 15720.00 (PK) 18.5 43.6 62.1 74.0	3 5350.00 (PK) 6.4 52.1 58.5 74.0 -15.5 4 5350.00 (AV) 6.4 39.8 46.2 54.0 -7.8 5 10480.00 (PK) 18.0 41.4 59.4 74.0 -14.6 6 10480.00 (AV) 18.0 28.2 46.2 54.0 -7.8 7 15720.00 (PK) 18.5 43.6 62.1 74.0 -11.9	3 5350.00 (PK) 6.4 52.1 58.5 74.0 -15.5 164 4 5350.00 (AV) 6.4 39.8 46.2 54.0 -7.8 164 5 10480.00 (PK) 18.0 41.4 59.4 74.0 -14.6 122 6 10480.00 (AV) 18.0 28.2 46.2 54.0 -7.8 122 7 15720.00 (PK) 18.5 43.6 62.1 74.0 -11.9 143



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N20 MCS0 CH48 PWS:19 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2 Date: 2015/10/13 Time: 18:38:19 Approved by:



о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
1	5240.00 (PK)	39.6	73.4	113.0	74.0	39.0	154	9
2	5240.00 (AV)	39.6	62.6	102.2	54.0	48.2	154	9
3	5350.00 (PK)	6.4	50.5	56.9	74.0	-17.1	150	23
4	5350.00 (AV)	6.4	39.1	45.5	54.0	-8.5	150	23
5	10480.00 (PK)	18.0	52.8	70.8	74.0	-3.2	121	255
6	10480.00 (AV)	18.0	28.9	46.9	54.0	-7.1	121	255
7	15720.00 (PK)	18.5	44.1	62.6	74.0	-11.4	147	356
8	15720.00 (AV)	18.5	31.5	50.0	54.0	-4.0	147	356
-		) V						
	1 2 3 4 5 6	MHz  1 5240.00 (PK) 2 5240.00 (AV) 3 5350.00 (PK) 4 5350.00 (AV) 5 10480.00 (PK) 6 10480.00 (AV) 7 15720.00 (PK)	MHz dB/m  1 5240.00 (PK) 39.6  2 5240.00 (AV) 39.6  3 5350.00 (PK) 6.4  4 5350.00 (AV) 6.4  5 10480.00 (PK) 18.0  6 10480.00 (AV) 18.0  7 15720.00 (PK) 18.5	MHz         dB/m         dBuV           1         5240.00 (PK)         39.6         73.4           2         5240.00 (AV)         39.6         62.6           3         5350.00 (PK)         6.4         50.5           4         5350.00 (AV)         6.4         39.1           5         10480.00 (PK)         18.0         52.8           6         10480.00 (AV)         18.0         28.9           7         15720.00 (PK)         18.5         44.1	MHz         dB/m         dBuV         dBuV/m           1         5240.00 (PK)         39.6         73.4         113.0           2         5240.00 (AV)         39.6         62.6         102.2           3         5350.00 (PK)         6.4         50.5         56.9           4         5350.00 (AV)         6.4         39.1         45.5           5         10480.00 (PK)         18.0         52.8         70.8           6         10480.00 (AV)         18.0         28.9         46.9           7         15720.00 (PK)         18.5         44.1         62.6	MHz         dB/m         dBuV         dBuV/m         dBuV/m           1         5240.00 (PK)         39.6         73.4         113.0         74.0           2         5240.00 (AV)         39.6         62.6         102.2         54.0           3         5350.00 (PK)         6.4         50.5         56.9         74.0           4         5350.00 (AV)         6.4         39.1         45.5         54.0           5         10480.00 (PK)         18.0         52.8         70.8         74.0           6         10480.00 (AV)         18.0         28.9         46.9         54.0           7         15720.00 (PK)         18.5         44.1         62.6         74.0	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dB           1         5240.00 (PK)         39.6         73.4         113.0         74.0         39.0           2         5240.00 (AV)         39.6         62.6         102.2         54.0         48.2           3         5350.00 (PK)         6.4         50.5         56.9         74.0         -17.1           4         5350.00 (AV)         6.4         39.1         45.5         54.0         -8.5           5         10480.00 (PK)         18.0         52.8         70.8         74.0         -3.2           6         10480.00 (AV)         18.0         28.9         46.9         54.0         -7.1           7         15720.00 (PK)         18.5         44.1         62.6         74.0         -11.4	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dB         cm           1         5240.00 (PK)         39.6         73.4         113.0         74.0         39.0         154           2         5240.00 (AV)         39.6         62.6         102.2         54.0         48.2         154           3         5350.00 (PK)         6.4         50.5         56.9         74.0         -17.1         150           4         5350.00 (AV)         6.4         39.1         45.5         54.0         -8.5         150           5         10480.00 (PK)         18.0         52.8         70.8         74.0         -3.2         121           6         10480.00 (AV)         18.0         28.9         46.9         54.0         -7.1         121           7         15720.00 (PK)         18.5         44.1         62.6         74.0         -11.4         147



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N40 MCS0 CH38 PWS:7.5 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 18:52:22

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal



N	о.	Frequency MHz			Reading Emission dBuV dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower / Tabl cm deg	
-33	1	5150.00 (PK)	6.2	54.7	60.9	74.0	-13.1	150	339
-8	2	5150.00 (AV)	6.2	40.6	46.8	54.0	-7.2	150	339
i	3	5190.00 (PK)	39.5	50.5	90.0	74.0	16.0	180	330
*i	4	5190.00 (AV)	39.5	40.3	79.8	54.0	25.8	180	330
- 125	5	10380.00 (PK)	17.0	41.5	58.5	74.0	-15.5	136	274
	6	10380.00 (AV)	17.0	28.6	45.6	54.0	-8.4	136	274
- 33									
6									
			<u> </u>						



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]


Brand / Model: MR18-HVV(Radio 2)

Remark: 1TX 11N40 MCS0 CH38 PWS:7.5 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Time: 18:50:04 Location: 966 CHAMBER, 2 Approved by: Date: 2015/10/13



N	о.	Frequency MHz	Factor Reading dB/m dBuV		Emission dBu∀/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table deg
135	1	5150.00 (PK)	6.2	62.9	69.1	74.0	-4.9	112	3
- (3)	2	5150.00 (AV)	6.2	45.9	52.1	54.0	-1.9	112	3
i	3	5190.00 (PK)	39.5	59.2	98.7	74.0	24.7	112	7
*i	4	5190.00 (AV)	39.5	49.3	88.8	54.0	34.8	112	7
-125	5	10380.00 (PK)	17.0	42.0	59.0	74.0	-15.0	153	55
- 10	6	10380.00 (AV)	17.0	29.2	46.2	54.0	-7.8	153	55
35	- 3								
000									
100									



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

Brand / Model: MR18-HW(Radio 2)

Remark: 1TX 11N40 MCS0 CH46 PWS:16 ,Z-AXIS

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER, 2

Date: 2015/10/13


Time: 19:13:16

Approved by:

Temperature (C):21.0

Humidity (%): 70

Polarity: Horizontal



o.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	<b>Limit</b> dBu∀/m	Margin dB	Tower cm	/ Table	
1	5150.00 (PK)	6.2	52.7	58.9	74.0	-15.1	184	349	
2	5150.00 (AV)	6.2	40.0	46.2	54.0	-7.8	184	349	
3	5230.00 (PK)	39.6	58.9	98.5	74.0	24.5	196	0	
4	5230.00 (AV)	39.6	49.3	88.9	54.0	34.9	196	0	
5	5350.00 (PK)	6.4	50.0	56.4	74.0	-17.6	169	322	
6	5350.00 (AV)	6.4	39.5	45.9	54.0	-8.1	169	322	
7	10460.00 (PK)	17.8	41.8	59.6	74.0	-14.4	130	244	
8	10460.00 (AV)	17.8	29.1	46.9	54.0	-7.1	130	244	
							3 3		
-		<u> </u>							
	1 2 3 4 5 6	MHz  1 5150.00 (PK) 2 5150.00 (AV) 3 5230.00 (PK) 4 5230.00 (AV) 5 5350.00 (PK) 6 5350.00 (AV) 7 10460.00 (PK)	MHz dB/m  1 5150.00 (PK) 6.2  2 5150.00 (AV) 6.2  3 5230.00 (PK) 39.6  4 5230.00 (AV) 39.6  5 5350.00 (PK) 6.4  6 5350.00 (AV) 6.4  7 10460.00 (PK) 17.8	MHz         dB/m         dBuV           1         5150.00 (PK)         6.2         52.7           2         5150.00 (AV)         6.2         40.0           3         5230.00 (PK)         39.6         58.9           4         5230.00 (AV)         39.6         49.3           5         5350.00 (PK)         6.4         50.0           6         5350.00 (AV)         6.4         39.5           7         10460.00 (PK)         17.8         41.8	MHz         dB/m         dBuV         dBuV/m           1         5150.00 (PK)         6.2         52.7         58.9           2         5150.00 (AV)         6.2         40.0         46.2           3         5230.00 (PK)         39.6         58.9         98.5           4         5230.00 (AV)         39.6         49.3         88.9           5         5350.00 (PK)         6.4         50.0         56.4           6         5350.00 (AV)         6.4         39.5         45.9           7         10460.00 (PK)         17.8         41.8         59.6	MHz         dB/m         dBuV         dBuV/m         dBuV/m           1         5150.00 (PK)         6.2         52.7         58.9         74.0           2         5150.00 (AV)         6.2         40.0         46.2         54.0           3         5230.00 (PK)         39.6         58.9         98.5         74.0           4         5230.00 (AV)         39.6         49.3         88.9         54.0           5         5350.00 (PK)         6.4         50.0         56.4         74.0           6         5350.00 (AV)         6.4         39.5         45.9         54.0           7         10460.00 (PK)         17.8         41.8         59.6         74.0	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dBuV/m         dB           1         5150.00 (PK)         6.2         52.7         58.9         74.0         -15.1           2         5150.00 (AV)         6.2         40.0         46.2         54.0         -7.8           3         5230.00 (PK)         39.6         58.9         98.5         74.0         24.5           4         5230.00 (AV)         39.6         49.3         88.9         54.0         34.9           5         5350.00 (PK)         6.4         50.0         56.4         74.0         -17.6           6         5350.00 (AV)         6.4         39.5         45.9         54.0         -8.1           7         10460.00 (PK)         17.8         41.8         59.6         74.0         -14.4	MHz         dB/m         dBuV         dBuV/m         dBuV/m         dBuV/m         dB cm           1         5150.00 (PK)         6.2         52.7         58.9         74.0         -15.1         184           2         5150.00 (AV)         6.2         40.0         46.2         54.0         -7.8         184           3         5230.00 (PK)         39.6         58.9         98.5         74.0         24.5         196           4         5230.00 (AV)         39.6         49.3         88.9         54.0         34.9         196           5         5350.00 (PK)         6.4         50.0         56.4         74.0         -17.6         169           6         5350.00 (AV)         6.4         39.5         45.9         54.0         -8.1         169           7         10460.00 (PK)         17.8         41.8         59.6         74.0         -14.4         130	