







802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)
2437MHz

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)
2462MHz


802.11ac VHT20_Nss1,(MCS0)_2TX
CSE NdB
2412MHz

802.11ac VHT20_Nss1,(MCS0)_2TX
CSE NdB
2437MHz


802.11ac VHT20_Nss1,(MCS0)_2TX
CSE NdB
2462MHz



25/06/2019

 Port 1
 Port 2




| Ref(Hz) | Ref(dBm) | Limit(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Port |
|----------|----------|------------|----------|------------|----------|------------|----------|------------|-----------|------------|------|
| 2.43574G | 9.32 | -20.68 | 2.30758G | -53.72 | 2.39418G | -53.16 | 2.48384G | -43.00 | 17.57152G | -41.92 | 1 |
| 2.43574G | 9.32 | -20.68 | 2.16049G | -54.74 | 2.39906G | -52.49 | 2.48424G | -42.05 | 24.85952G | -41.56 | 2 |



802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2422MHz



25/06/2019



 Port 1




| Ref(Hz) | Ref(dBm) | Limit(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Port |
|----------|----------|------------|----------|------------|----------|------------|----------|------------|-----------|------------|------|
| 2.44071G | 4.59 | -25.41 | 2.30082G | -47.45 | 2.39976G | -28.69 | 2.54154G | -44.43 | 23.32568G | -42.28 | 1 |



802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2437MHz

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2452MHz




802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)
2422MHz

802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)
2437MHz




802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)
2452MHz

802.11ac VHT40_Nss1,(MCS0)_2TX
2422MHz




802.11ac VHT40_Nss1,(MCS0)_2TX
CSE NdB
2437MHz

802.11ac VHT40_Nss1,(MCS0)_2TX
CSE NdB
2452MHz




802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2412MHz

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2437MHz




802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2462MHz

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
CSE NdB
2412MHz




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2437MHz

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2462MHz




802.11ax HEW20_Nss1,(MCS0)_2TX
CSE NdB
2412MHz

802.11ax HEW20_Nss1,(MCS0)_2TX
CSE NdB
2437MHz


802.11ax HEW20_Nss1,(MCS0)_2TX
CSE NdB
2462MHz

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2422MHz


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2437MHz

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
CSE NdB
2452MHz


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2422MHz

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2437MHz


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2452MHz

802.11ax HEW40_Nss1,(MCS0)_2TX
2422MHz


802.11ax HEW40_Nss1,(MCS0)_2TX
CSE NdB
2437MHz

802.11ax HEW40_Nss1,(MCS0)_2TX
CSE NdB
2452MHz


**Summary**



| Mode | Result | Ref (Hz) | Ref (dBm) | Limit (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Port |
|-----------------------------------|--------|-------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | Pass | 2.43599G | 9.72 | -20.28 | 2.30321G | -50.77 | 2.39938G | -30.20 | 2.48682G | -47.77 | 15.33791G | -38.05 | 1 |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | Pass | 2.42497G | 8.46 | -21.54 | 1.94644G | -50.99 | 2.39864G | -48.41 | 2.48362G | -31.19 | 24.41104G | -37.77 | 1 |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | 2.43649G | 9.39 | -20.61 | 2.15846G | -49.04 | 2.39994G | -29.11 | 2.49866G | -48.47 | 23.48846G | -37.00 | 1 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | 2.42852G | 8.26 | -21.74 | 2.14625G | -51.09 | 2.39104G | -48.38 | 2.49014G | -31.53 | 24.84575G | -37.78 | 2 |

Result

| Mode | Result | Ref (Hz) | Ref (dBm) | Limit (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Port |
|-----------------------------------|--------|-------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|------|
| 802.11ac VHT20-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.43599G | 9.72 | -20.28 | 2.30321G | -50.77 | 2.39938G | -30.20 | 2.48682G | -47.77 | 15.33791G | -38.05 | 1 |
| 2412MHz | Pass | 2.43599G | 9.72 | -20.28 | 2.1238G | -50.10 | 2.3999G | -33.48 | 2.49108G | -48.26 | 16.72584G | -37.68 | 2 |
| 2437MHz | Pass | 2.43599G | 9.72 | -20.28 | 2.19224G | -50.46 | 2.39832G | -47.98 | 2.48828G | -47.30 | 16.90003G | -37.41 | 1 |
| 2437MHz | Pass | 2.43599G | 9.72 | -20.28 | 1.98807G | -51.13 | 2.39416G | -48.52 | 2.50072G | -47.94 | 24.93257G | -37.41 | 2 |
| 2462MHz | Pass | 2.43599G | 9.72 | -20.28 | 1.97905G | -51.06 | 2.39658G | -49.78 | 2.48416G | -41.45 | 23.39855G | -37.49 | 1 |
| 2462MHz | Pass | 2.43599G | 9.72 | -20.28 | 2.30408G | -51.22 | 2.39718G | -48.89 | 2.48764G | -43.96 | 24.86514G | -37.98 | 2 |
| 802.11ac VHT40-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | 2.42497G | 8.46 | -21.54 | 2.30397G | -50.54 | 2.39996G | -35.63 | 2.51674G | -47.81 | 23.42103G | -37.63 | 1 |
| 2422MHz | Pass | 2.42497G | 8.46 | -21.54 | 2.19834G | -50.95 | 2.39976G | -37.49 | 2.51262G | -47.65 | 23.13216G | -37.26 | 2 |
| 2437MHz | Pass | 2.42497G | 8.46 | -21.54 | 2.13136G | -50.16 | 2.3996G | -44.75 | 2.48486G | -47.58 | 16.42084G | -37.69 | 1 |
| 2437MHz | Pass | 2.42497G | 8.46 | -21.54 | 2.15741G | -50.61 | 2.392G | -34.55 | 2.5047G | -44.04 | 24.40263G | -37.60 | 2 |
| 2452MHz | Pass | 2.42497G | 8.46 | -21.54 | 1.94644G | -50.99 | 2.39864G | -48.41 | 2.48362G | -31.19 | 24.41104G | -37.77 | 1 |
| 2452MHz | Pass | 2.42497G | 8.46 | -21.54 | 2.01056G | -51.09 | 2.3902G | -42.21 | 2.48902G | -37.63 | 16.36756G | -37.60 | 2 |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.43649G | 9.39 | -20.61 | 2.15846G | -49.04 | 2.39994G | -29.11 | 2.49866G | -48.47 | 23.48846G | -37.00 | 1 |
| 2412MHz | Pass | 2.43649G | 9.39 | -20.61 | 2.07865G | -50.98 | 2.39984G | -31.91 | 2.48978G | -47.86 | 15.02886G | -36.98 | 2 |
| 2437MHz | Pass | 2.43649G | 9.39 | -20.61 | 2.04458G | -51.01 | 2.3911G | -48.02 | 2.49436G | -48.03 | 23.43788G | -36.91 | 1 |
| 2437MHz | Pass | 2.43649G | 9.39 | -20.61 | 2.00671G | -51.43 | 2.39086G | -48.76 | 2.50192G | -47.42 | 24.1768G | -38.24 | 2 |
| 2462MHz | Pass | 2.43649G | 9.39 | -20.61 | 2.09758G | -49.92 | 2.397G | -49.18 | 2.48616G | -43.67 | 16.77641G | -38.43 | 1 |
| 2462MHz | Pass | 2.43649G | 9.39 | -20.61 | 2.15962G | -50.97 | 2.39798G | -49.80 | 2.48386G | -44.84 | 24.37347G | -37.84 | 2 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | 2.42852G | 8.26 | -21.74 | 2.15741G | -51.05 | 2.39992G | -38.33 | 2.49274G | -47.27 | 24.49518G | -37.53 | 1 |
| 2422MHz | Pass | 2.42852G | 8.26 | -21.74 | 2.12163G | -50.92 | 2.39988G | -37.93 | 2.50286G | -47.38 | 23.14618G | -38.50 | 2 |
| 2437MHz | Pass | 2.42852G | 8.26 | -21.74 | 2.12421G | -50.99 | 2.3982G | -34.44 | 2.48358G | -39.68 | 24.46713G | -37.87 | 1 |
| 2437MHz | Pass | 2.42852G | 8.26 | -21.74 | 2.30741G | -50.53 | 2.39952G | -36.61 | 2.48994G | -44.33 | 23.4042G | -38.34 | 2 |
| 2452MHz | Pass | 2.42852G | 8.26 | -21.74 | 2.1617G | -50.60 | 2.39796G | -47.87 | 2.48774G | -36.37 | 17.31269G | -37.76 | 1 |
| 2452MHz | Pass | 2.42852G | 8.26 | -21.74 | 2.14625G | -51.09 | 2.39104G | -48.38 | 2.49014G | -31.53 | 24.84575G | -37.78 | 2 |

802.11ac VHT20-BF_Nss1,(MCS0)_2TX
2412MHz
CSE NdB



22/07/2019

 Port 1
 Port 2




| Ref(Hz) | Ref(dBm) | Limit(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Port |
|---------|----------|------------|----------|------------|----------|------------|----------|------------|-----------|------------|------|
| 2.4359G | 9.72 | -20.28 | 2.30321G | -50.77 | 2.39938G | -30.20 | 2.48682G | -47.77 | 15.33791G | -38.05 | 1 |
| 2.4359G | 9.72 | -20.28 | 2.1238G | -50.10 | 2.3999G | -33.48 | 2.49108G | -48.26 | 16.72584G | -37.68 | 2 |

802.11ac VHT20-BF_Nss1,(MCS0)_2TX
2437MHz
CSE NdB


22/07/2019



 Port 1
 Port 2


| Ref(Hz) | Ref(dBm) | Limit(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Freq(Hz) | Level(dBm) | Port |
|---------|----------|------------|----------|------------|----------|------------|----------|------------|-----------|------------|------|
| 2.4359G | 9.72 | -20.28 | 2.19224G | -50.46 | 2.39832G | -47.98 | 2.48828G | -47.30 | 16.90003G | -37.41 | 1 |
| 2.4359G | 9.72 | -20.28 | 1.98807G | -51.13 | 2.39416G | -48.52 | 2.50072G | -47.94 | 24.93257G | -37.41 | 2 |

802.11ac VHT20-BF_Nss1,(MCS0)_2TX
CSE NdB
2462MHz

802.11ac VHT40-BF_Nss1,(MCS0)_2TX
CSE NdB
2422MHz



802.11ac VHT40-BF_Nss1,(MCS0)_2TX
CSE NdB
2437MHz

802.11ac VHT40-BF_Nss1,(MCS0)_2TX
CSE NdB
2452MHz



802.11ax HEW20-BF_Nss1,(MCS0)_2TX
CSE NdB
2412MHz

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
CSE NdB
2437MHz




802.11ax HEW20-BF_Nss1,(MCS0)_2TX
CSE NdB
2462MHz

22/07/2019


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
CSE NdB
2422MHz

22/07/2019





802.11ax HEW40-BF_Nss1,(MCS0)_2TX
CSE NdB
2437MHz

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
CSE NdB
2452MHz




**Summary**



| Mode | Result | Ref (Hz) | Ref (dBm) | Limit (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Port |
|--------------------------------|--------|-------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_1TX | Pass | 2.41098G | 10.57 | -19.43 | 1.76556G | -54.20 | 2.39952G | -36.05 | 2.49646G | -49.01 | 15.31544G | -39.34 | 1 |
| 802.11g_Nss1,(6Mbps)_1TX | Pass | 2.442G | 7.41 | -22.59 | 1.84012G | -54.57 | 2.39952G | -25.60 | 2.49598G | -49.19 | 15.33511G | -40.34 | 1 |
| 802.11ac VHT20_Nss1,(MCS0)_1TX | Pass | 2.442G | 7.48 | -22.52 | 2.30991G | -55.46 | 2.39886G | -25.64 | 2.499G | -49.69 | 15.10472G | -40.54 | 1 |
| 802.11ac VHT40_Nss1,(MCS0)_1TX | Pass | 2.442G | 1.85 | -28.15 | 2.04978G | -55.25 | 2.39952G | -31.52 | 2.5017G | -51.37 | 15.32426G | -40.55 | 1 |



**Result**



| Mode | Result | Ref (Hz) | Ref (dBm) | Limit (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Freq (Hz) | Level (dBm) | Port |
|--------------------------------|--------|-------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|------|
| 802.11b_Nss1,(1Mbps)_1TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.41098G | 10.57 | -19.43 | 1.76556G | -54.20 | 2.39952G | -36.05 | 2.49646G | -49.01 | 15.31544G | -39.34 | 1 |
| 2437MHz | Pass | 2.41098G | 10.57 | -19.43 | 1.62459G | -51.84 | 2.39124G | -50.91 | 2.49024G | -48.51 | 24.4409G | -40.43 | 1 |
| 2462MHz | Pass | 2.41098G | 10.57 | -19.43 | 1.64149G | -48.53 | 2.39522G | -50.56 | 2.48352G | -48.09 | 23.41541G | -39.91 | 1 |
| 802.11g_Nss1,(6Mbps)_1TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.442G | 7.41 | -22.59 | 1.84012G | -54.57 | 2.39952G | -25.60 | 2.49598G | -49.19 | 15.33511G | -40.34 | 1 |
| 2437MHz | Pass | 2.442G | 7.41 | -22.59 | 2.1436G | -54.41 | 2.39052G | -49.23 | 2.492G | -46.89 | 15.31263G | -40.12 | 1 |
| 2462MHz | Pass | 2.442G | 7.41 | -22.59 | 1.8841G | -55.03 | 2.39984G | -50.98 | 2.4836G | -34.28 | 16.3606G | -39.25 | 1 |
| 802.11ac VHT20_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | 2.442G | 7.48 | -22.52 | 2.30991G | -55.46 | 2.39886G | -25.64 | 2.499G | -49.69 | 15.10472G | -40.54 | 1 |
| 2437MHz | Pass | 2.442G | 7.48 | -22.52 | 1.76003G | -54.55 | 2.39324G | -47.86 | 2.48508G | -48.54 | 23.51936G | -40.65 | 1 |
| 2462MHz | Pass | 2.442G | 7.48 | -22.52 | 1.97701G | -54.07 | 2.3995G | -50.53 | 2.48352G | -35.28 | 15.10191G | -40.49 | 1 |
| 802.11ac VHT40_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | 2.442G | 1.85 | -28.15 | 2.04978G | -55.25 | 2.39952G | -31.52 | 2.5017G | -51.37 | 15.32426G | -40.55 | 1 |
| 2437MHz | Pass | 2.442G | 1.85 | -28.15 | 2.11562G | -54.60 | 2.39956G | -32.01 | 2.48386G | -39.18 | 15.31304G | -39.87 | 1 |
| 2452MHz | Pass | 2.442G | 1.85 | -28.15 | 2.30712G | -54.84 | 2.3958G | -52.26 | 2.4845G | -35.65 | 24.39141G | -40.37 | 1 |



802.11b_Nss1,(1Mbps)_1TX
2412MHz

802.11b_Nss1,(1Mbps)_1TX
2437MHz


802.11b_Nss1,(1Mbps)_1TX
CSE NdB
2462MHz

802.11g_Nss1,(6Mbps)_1TX
CSE NdB
2412MHz


802.11g_Nss1,(6Mbps)_1TX
CSE NdB
2437MHz

802.11g_Nss1,(6Mbps)_1TX
CSE NdB
2462MHz


802.11ac VHT20_Nss1,(MCS0)_1TX
2412MHz

802.11ac VHT20_Nss1,(MCS0)_1TX
2437MHz


802.11ac VHT20_Nss1,(MCS0)_1TX
2462MHz

802.11ac VHT40_Nss1,(MCS0)_1TX
2422MHz


802.11ac VHT40_Nss1,(MCS0)_1TX
CSE NdB
2437MHz

802.11ac VHT40_Nss1,(MCS0)_1TX
CSE NdB
2452MHz


**Summary**

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 43.58M | 35.23 | 40.00 | -4.77 | -11.29 | 3 | Vertical | 360 | 1.00 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - |
| 2437MHz | Pass | PK | 43.58M | 35.23 | 40.00 | -4.77 | -11.29 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 90.14M | 27.29 | 43.50 | -16.21 | -12.55 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 212.36M | 25.24 | 43.50 | -18.26 | -10.54 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 375.32M | 29.60 | 46.00 | -16.40 | -4.48 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 425.76M | 28.97 | 46.00 | -17.03 | -2.88 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 551.86M | 28.77 | 46.00 | -17.23 | -1.06 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 37.76M | 32.90 | 40.00 | -7.10 | -8.64 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 127M | 27.60 | 43.50 | -15.90 | -8.96 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 214.3M | 27.79 | 43.50 | -15.71 | -10.54 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 375.32M | 32.41 | 46.00 | -13.59 | -4.48 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 499.48M | 31.48 | 46.00 | -14.52 | -2.38 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 625.58M | 30.31 | 46.00 | -15.69 | -0.43 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 41.64M | 29.78 | 40.00 | -10.22 | -19.06 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 127M | 26.94 | 43.50 | -16.56 | -18.98 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 175.5M | 26.46 | 43.50 | -17.04 | -20.94 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 303.54M | 30.11 | 46.00 | -15.89 | -16.60 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 355.92M | 27.82 | 46.00 | -18.18 | -15.24 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 769.14M | 30.22 | 46.00 | -15.78 | -7.77 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 41.64M | 26.77 | 40.00 | -13.23 | -19.06 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 144.46M | 24.95 | 43.50 | -18.55 | -19.15 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 208.48M | 27.99 | 43.50 | -15.51 | -20.93 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 303.54M | 28.48 | 46.00 | -17.52 | -16.60 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 355.92M | 25.81 | 46.00 | -20.19 | -15.24 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 769.14M | 29.16 | 46.00 | -16.84 | -7.77 | 3 | Horizontal | 0 | 1.00 | - |

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

2437MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|-------|
| PK | 43.58M | 35.23 | 40.00 | -4.77 | -11.29 | 3 | Vertical | 360 | 1.00 | - | 46.52 | 15.83 | 0.72 | 27.84 |
| PK | 90.14M | 27.29 | 43.50 | -16.21 | -12.55 | 3 | Vertical | 360 | 1.00 | - | 39.84 | 13.84 | 1.39 | 27.78 |
| PK | 212.36M | 25.24 | 43.50 | -18.26 | -10.54 | 3 | Vertical | 360 | 1.00 | - | 35.78 | 14.33 | 2.48 | 27.35 |
| PK | 375.32M | 29.60 | 46.00 | -16.40 | -4.48 | 3 | Vertical | 360 | 1.00 | - | 34.08 | 20.03 | 3.15 | 27.66 |
| PK | 425.76M | 28.97 | 46.00 | -17.03 | -2.88 | 3 | Vertical | 360 | 1.00 | - | 31.85 | 21.88 | 3.21 | 27.97 |
| PK | 551.86M | 28.77 | 46.00 | -17.23 | -1.06 | 3 | Vertical | 360 | 1.00 | - | 29.83 | 23.76 | 3.59 | 28.41 |



802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

2437MHz_Adapter




Lim.PK
PK
Lim.AV
AV

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 37.76M | 32.90 | 40.00 | -7.10 | -8.64 | 3 | Horizontal | 0 | 1.00 | - | 41.54 | 18.67 | 0.57 | 27.88 |
| PK | 127M | 27.60 | 43.50 | -15.90 | -8.96 | 3 | Horizontal | 0 | 1.00 | - | 36.56 | 17.02 | 1.69 | 27.67 |
| PK | 214.3M | 27.79 | 43.50 | -15.71 | -10.54 | 3 | Horizontal | 0 | 1.00 | - | 38.33 | 14.31 | 2.49 | 27.34 |
| PK | 375.32M | 32.41 | 46.00 | -13.59 | -4.48 | 3 | Horizontal | 0 | 1.00 | - | 36.89 | 20.03 | 3.15 | 27.66 |
| PK | 499.48M | 31.48 | 46.00 | -14.52 | -2.38 | 3 | Horizontal | 0 | 1.00 | - | 33.86 | 22.69 | 3.31 | 28.38 |
| PK | 625.58M | 30.31 | 46.00 | -15.69 | -0.43 | 3 | Horizontal | 0 | 1.00 | - | 30.74 | 24.24 | 3.74 | 28.41 |

802.11ax HEW40_Nss1,(MCS0)_2TX


28/06/2019

2437MHz_PoE


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|-------|
| PK | 41.64M | 29.78 | 40.00 | -10.22 | -19.06 | 3 | Vertical | 360 | 1.00 | - | 48.84 | 17.63 | 0.55 | 37.24 |
| PK | 127M | 26.94 | 43.50 | -16.56 | -18.98 | 3 | Vertical | 360 | 1.00 | - | 45.92 | 16.77 | 0.91 | 36.66 |
| PK | 175.5M | 26.46 | 43.50 | -17.04 | -20.94 | 3 | Vertical | 360 | 1.00 | - | 47.40 | 14.42 | 1.10 | 36.46 |
| PK | 303.54M | 30.11 | 46.00 | -15.89 | -16.60 | 3 | Vertical | 360 | 1.00 | - | 46.71 | 18.43 | 1.45 | 36.48 |
| PK | 355.92M | 27.82 | 46.00 | -18.18 | -15.24 | 3 | Vertical | 360 | 1.00 | - | 43.06 | 19.74 | 1.59 | 36.57 |
| PK | 769.14M | 30.22 | 46.00 | -15.78 | -7.77 | 3 | Vertical | 360 | 1.00 | - | 37.99 | 27.30 | 2.39 | 37.46 |

802.11ax HEW40_Nss1,(MCS0)_2TX

28/06/2019

2437MHz_PoE


**Summary**

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port1) | Pass | AV | 2.4918G | 45.91 | 54.00 | -8.09 | 31.58 | 3 | Horizontal | 40 | 1.50 | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port2) | Pass | AV | 2.381G | 45.77 | 54.00 | -8.23 | 31.59 | 3 | Horizontal | 288 | 1.50 | - |
| 802.11b_Nss1,(1Mbps)_2TX | Pass | AV | 2.4886G | 45.71 | 54.00 | -8.29 | 31.57 | 3 | Vertical | 317 | 2.41 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port1) | Pass | AV | 2.39G | 53.43 | 54.00 | -0.57 | 31.56 | 3 | Horizontal | 31 | 1.50 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port2) | Pass | AV | 2.4835G | 53.51 | 54.00 | -0.49 | 31.58 | 3 | Vertical | 5 | 1.86 | - |
| 802.11g_Nss1,(6Mbps)_2TX | Pass | AV | 2.39G | 53.24 | 54.00 | -0.76 | 31.56 | 3 | Vertical | 342 | 1.50 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port1) | Pass | AV | 2.39G | 53.65 | 54.00 | -0.35 | 31.56 | 3 | Horizontal | 52 | 1.22 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port2) | Pass | AV | 2.39G | 53.54 | 54.00 | -0.46 | 31.56 | 3 | Vertical | 339 | 1.04 | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 2.3896G | 53.80 | 54.00 | -0.20 | 31.56 | 3 | Horizontal | 47 | 1.98 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port1) | Pass | PK | 2.4835G | 73.72 | 74.00 | -0.28 | 31.58 | 3 | Horizontal | 40 | 1.76 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port2) | Pass | AV | 2.39G | 53.85 | 54.00 | -0.15 | 31.56 | 3 | Vertical | 23 | 1.97 | - |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 2.4844G | 73.70 | 74.00 | -0.30 | 31.58 | 3 | Vertical | 351 | 1.87 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 802.11b_Nss1,(1Mbps)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3874G | 45.36 | 54.00 | -8.64 | 31.57 | 3 | Vertical | 44 | 1.50 | - |
| 2412MHz | Pass | AV | 2.411G | 102.40 | Inf | -Inf | 31.54 | 3 | Vertical | 44 | 1.50 | - |
| 2412MHz | Pass | PK | 2.3794G | 56.92 | 74.00 | -17.08 | 31.58 | 3 | Vertical | 44 | 1.50 | - |
| 2412MHz | Pass | PK | 2.4128G | 104.20 | Inf | -Inf | 31.54 | 3 | Vertical | 44 | 1.50 | - |
| 2412MHz | Pass | AV | 2.3862G | 45.43 | 54.00 | -8.57 | 31.57 | 3 | Horizontal | 35 | 1.28 | - |
| 2412MHz | Pass | AV | 2.413G | 104.83 | Inf | -Inf | 31.54 | 3 | Horizontal | 35 | 1.28 | - |
| 2412MHz | Pass | PK | 2.3792G | 57.19 | 74.00 | -16.81 | 31.58 | 3 | Horizontal | 35 | 1.28 | - |
| 2412MHz | Pass | PK | 2.4128G | 106.75 | Inf | -Inf | 31.54 | 3 | Horizontal | 35 | 1.28 | - |
| 2412MHz | Pass | AV | 4.82407G | 40.66 | 54.00 | -13.34 | -3.92 | 3 | Vertical | 360 | 2.99 | - |
| 2412MHz | Pass | PK | 4.82327G | 51.20 | 74.00 | -22.80 | -3.92 | 3 | Vertical | 360 | 2.99 | - |
| 2412MHz | Pass | AV | 4.824G | 34.30 | 54.00 | -19.70 | -3.92 | 3 | Horizontal | 29 | 2.99 | - |
| 2412MHz | Pass | PK | 4.82382G | 44.46 | 74.00 | -29.54 | -3.92 | 3 | Horizontal | 29 | 2.99 | - |
| 2437MHz | Pass | AV | 2.3518G | 45.12 | 54.00 | -8.88 | 31.65 | 3 | Vertical | 327 | 2.94 | - |
| 2437MHz | Pass | AV | 2.4362G | 105.47 | Inf | -Inf | 31.55 | 3 | Vertical | 327 | 2.94 | - |
| 2437MHz | Pass | AV | 2.4842G | 45.39 | 54.00 | -8.61 | 31.58 | 3 | Vertical | 327 | 2.94 | - |
| 2437MHz | Pass | PK | 2.3602G | 56.97 | 74.00 | -17.03 | 31.64 | 3 | Vertical | 327 | 2.94 | - |
| 2437MHz | Pass | PK | 2.4362G | 107.53 | Inf | -Inf | 31.55 | 3 | Vertical | 327 | 2.94 | - |
| 2437MHz | Pass | PK | 2.4894G | 57.63 | 74.00 | -16.37 | 31.57 | 3 | Vertical | 327 | 2.94 | - |
| 2437MHz | Pass | AV | 2.3542G | 45.28 | 54.00 | -8.72 | 31.65 | 3 | Horizontal | 39 | 1.49 | - |
| 2437MHz | Pass | AV | 2.4362G | 105.00 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.49 | - |
| 2437MHz | Pass | AV | 2.4862G | 45.49 | 54.00 | -8.51 | 31.57 | 3 | Horizontal | 39 | 1.49 | - |
| 2437MHz | Pass | PK | 2.3774G | 56.80 | 74.00 | -17.20 | 31.59 | 3 | Horizontal | 39 | 1.49 | - |
| 2437MHz | Pass | PK | 2.4362G | 107.05 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.49 | - |
| 2437MHz | Pass | PK | 2.4962G | 57.10 | 74.00 | -16.90 | 31.57 | 3 | Horizontal | 39 | 1.49 | - |
| 2437MHz | Pass | AV | 4.87388G | 32.46 | 54.00 | -21.54 | -3.91 | 3 | Vertical | 9 | 2.99 | - |
| 2437MHz | Pass | PK | 4.87426G | 43.36 | 74.00 | -30.64 | -3.91 | 3 | Vertical | 9 | 2.99 | - |
| 2437MHz | Pass | AV | 4.87401G | 33.84 | 54.00 | -20.16 | -3.91 | 3 | Horizontal | 319 | 1.64 | - |
| 2437MHz | Pass | PK | 4.87379G | 43.50 | 74.00 | -30.50 | -3.91 | 3 | Horizontal | 319 | 1.64 | - |
| 2462MHz | Pass | AV | 2.4628G | 104.52 | Inf | -Inf | 31.57 | 3 | Vertical | 327 | 2.08 | - |
| 2462MHz | Pass | AV | 2.4844G | 45.89 | 54.00 | -8.11 | 31.58 | 3 | Vertical | 327 | 2.08 | - |
| 2462MHz | Pass | PK | 2.4628G | 106.37 | Inf | -Inf | 31.57 | 3 | Vertical | 327 | 2.08 | - |
| 2462MHz | Pass | PK | 2.4994G | 57.22 | 74.00 | -16.78 | 31.58 | 3 | Vertical | 327 | 2.08 | - |
| 2462MHz | Pass | AV | 2.4612G | 104.35 | Inf | -Inf | 31.56 | 3 | Horizontal | 40 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4918G | 45.91 | 54.00 | -8.09 | 31.58 | 3 | Horizontal | 40 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4628G | 106.46 | Inf | -Inf | 31.57 | 3 | Horizontal | 40 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4962G | 57.62 | 74.00 | -16.38 | 31.57 | 3 | Horizontal | 40 | 1.50 | - |
| 2462MHz | Pass | AV | 4.92404G | 32.48 | 54.00 | -21.52 | -3.79 | 3 | Vertical | 351 | 2.79 | - |
| 2462MHz | Pass | PK | 4.92392G | 43.18 | 74.00 | -30.82 | -3.79 | 3 | Vertical | 351 | 2.79 | - |
| 2462MHz | Pass | AV | 4.92391G | 33.20 | 54.00 | -20.80 | -3.79 | 3 | Horizontal | 316 | 2.08 | - |
| 2462MHz | Pass | PK | 4.9234G | 43.48 | 74.00 | -30.52 | -3.80 | 3 | Horizontal | 316 | 2.08 | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.386G | 45.21 | 54.00 | -8.79 | 31.57 | 3 | Vertical | 12 | 1.04 | - |
| 2412MHz | Pass | AV | 2.4112G | 104.93 | Inf | -Inf | 31.54 | 3 | Vertical | 12 | 1.04 | - |
| 2412MHz | Pass | PK | 2.389G | 57.41 | 74.00 | -16.59 | 31.56 | 3 | Vertical | 12 | 1.04 | - |
| 2412MHz | Pass | PK | 2.4128G | 106.92 | Inf | -Inf | 31.54 | 3 | Vertical | 12 | 1.04 | - |
| 2412MHz | Pass | AV | 2.3644G | 45.23 | 54.00 | -8.77 | 31.62 | 3 | Horizontal | 289 | 1.56 | - |
| 2412MHz | Pass | AV | 2.4112G | 103.72 | Inf | -Inf | 31.54 | 3 | Horizontal | 289 | 1.56 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2412MHz | Pass | PK | 2.3714G | 57.05 | 74.00 | -16.95 | 31.60 | 3 | Horizontal | 289 | 1.56 | - |
| 2412MHz | Pass | PK | 2.4128G | 105.61 | Inf | -Inf | 31.54 | 3 | Horizontal | 289 | 1.56 | - |
| 2412MHz | Pass | AV | 4.82412G | 33.70 | 54.00 | -20.30 | -3.92 | 3 | Vertical | 2 | 2.97 | - |
| 2412MHz | Pass | PK | 4.82402G | 43.60 | 74.00 | -30.40 | -3.92 | 3 | Vertical | 2 | 2.97 | - |
| 2412MHz | Pass | AV | 4.82397G | 33.92 | 54.00 | -20.08 | -3.92 | 3 | Horizontal | 22 | 1.49 | - |
| 2412MHz | Pass | PK | 4.82614G | 44.07 | 74.00 | -29.93 | -3.92 | 3 | Horizontal | 22 | 1.49 | - |
| 2437MHz | Pass | AV | 2.3374G | 45.45 | 54.00 | -8.55 | 31.69 | 3 | Vertical | 17 | 2.97 | - |
| 2437MHz | Pass | AV | 2.4362G | 106.60 | Inf | -Inf | 31.55 | 3 | Vertical | 17 | 2.97 | - |
| 2437MHz | Pass | AV | 2.4998G | 45.47 | 54.00 | -8.53 | 31.58 | 3 | Vertical | 17 | 2.97 | - |
| 2437MHz | Pass | PK | 2.3558G | 57.24 | 74.00 | -16.76 | 31.65 | 3 | Vertical | 17 | 2.97 | - |
| 2437MHz | Pass | PK | 2.4362G | 108.59 | Inf | -Inf | 31.55 | 3 | Vertical | 17 | 2.97 | - |
| 2437MHz | Pass | PK | 2.4958G | 56.86 | 74.00 | -17.14 | 31.57 | 3 | Vertical | 17 | 2.97 | - |
| 2437MHz | Pass | AV | 2.381G | 45.77 | 54.00 | -8.23 | 31.59 | 3 | Horizontal | 288 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4362G | 103.09 | Inf | -Inf | 31.55 | 3 | Horizontal | 288 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4902G | 45.45 | 54.00 | -8.55 | 31.58 | 3 | Horizontal | 288 | 1.50 | - |
| 2437MHz | Pass | PK | 2.3378G | 56.66 | 74.00 | -17.34 | 31.69 | 3 | Horizontal | 288 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4378G | 105.08 | Inf | -Inf | 31.55 | 3 | Horizontal | 288 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4926G | 56.68 | 74.00 | -17.32 | 31.58 | 3 | Horizontal | 288 | 1.50 | - |
| 2437MHz | Pass | AV | 4.87385G | 32.07 | 54.00 | -21.93 | -3.91 | 3 | Vertical | 2 | 2.97 | - |
| 2437MHz | Pass | PK | 4.87289G | 43.11 | 74.00 | -30.89 | -3.91 | 3 | Vertical | 2 | 2.97 | - |
| 2437MHz | Pass | AV | 4.87399G | 33.51 | 54.00 | -20.49 | -3.91 | 3 | Horizontal | 305 | 1.90 | - |
| 2437MHz | Pass | PK | 4.87627G | 43.53 | 74.00 | -30.47 | -3.90 | 3 | Horizontal | 305 | 1.90 | - |
| 2462MHz | Pass | AV | 2.4612G | 105.64 | Inf | -Inf | 31.56 | 3 | Vertical | 4 | 1.87 | - |
| 2462MHz | Pass | AV | 2.4844G | 45.61 | 54.00 | -8.39 | 31.58 | 3 | Vertical | 4 | 1.87 | - |
| 2462MHz | Pass | PK | 2.4628G | 107.65 | Inf | -Inf | 31.57 | 3 | Vertical | 4 | 1.87 | - |
| 2462MHz | Pass | PK | 2.4974G | 57.79 | 74.00 | -16.21 | 31.58 | 3 | Vertical | 4 | 1.87 | - |
| 2462MHz | Pass | AV | 2.4628G | 103.41 | Inf | -Inf | 31.57 | 3 | Horizontal | 318 | 1.99 | - |
| 2462MHz | Pass | AV | 2.4964G | 45.61 | 54.00 | -8.39 | 31.57 | 3 | Horizontal | 318 | 1.99 | - |
| 2462MHz | Pass | PK | 2.4628G | 105.43 | Inf | -Inf | 31.57 | 3 | Horizontal | 318 | 1.99 | - |
| 2462MHz | Pass | PK | 2.4902G | 57.10 | 74.00 | -16.90 | 31.58 | 3 | Horizontal | 318 | 1.99 | - |
| 2462MHz | Pass | AV | 4.92407G | 31.95 | 54.00 | -22.05 | -3.79 | 3 | Vertical | 171 | 1.00 | - |
| 2462MHz | Pass | PK | 4.92258G | 42.78 | 74.00 | -31.22 | -3.80 | 3 | Vertical | 171 | 1.00 | - |
| 2462MHz | Pass | AV | 4.92398G | 33.08 | 54.00 | -20.92 | -3.79 | 3 | Horizontal | 309 | 1.91 | - |
| 2462MHz | Pass | PK | 4.92372G | 43.08 | 74.00 | -30.92 | -3.80 | 3 | Horizontal | 309 | 1.91 | - |
| 802.11b_Nss1,(1Mbps)_2TX | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3804G | 45.32 | 54.00 | -8.68 | 31.59 | 3 | Vertical | 296 | 1.96 | - |
| 2412MHz | Pass | AV | 2.4112G | 105.15 | Inf | -Inf | 31.54 | 3 | Vertical | 296 | 1.96 | - |
| 2412MHz | Pass | PK | 2.3816G | 56.72 | 74.00 | -17.28 | 31.58 | 3 | Vertical | 296 | 1.96 | - |
| 2412MHz | Pass | PK | 2.411G | 107.07 | Inf | -Inf | 31.54 | 3 | Vertical | 296 | 1.96 | - |
| 2412MHz | Pass | AV | 2.3872G | 45.68 | 54.00 | -8.32 | 31.57 | 3 | Horizontal | 64 | 1.33 | - |
| 2412MHz | Pass | AV | 2.413G | 108.64 | Inf | -Inf | 31.54 | 3 | Horizontal | 64 | 1.33 | - |
| 2412MHz | Pass | PK | 2.3896G | 57.13 | 74.00 | -16.87 | 31.56 | 3 | Horizontal | 64 | 1.33 | - |
| 2412MHz | Pass | PK | 2.4128G | 110.38 | Inf | -Inf | 31.54 | 3 | Horizontal | 64 | 1.33 | - |
| 2412MHz | Pass | AV | 4.82396G | 34.27 | 54.00 | -19.73 | -3.92 | 3 | Vertical | 357 | 2.99 | - |
| 2412MHz | Pass | PK | 4.82417G | 44.40 | 74.00 | -29.60 | -3.92 | 3 | Vertical | 357 | 2.99 | - |
| 2412MHz | Pass | AV | 4.8241G | 34.27 | 54.00 | -19.73 | -3.92 | 3 | Horizontal | 35 | 2.95 | - |
| 2412MHz | Pass | PK | 4.824G | 44.76 | 74.00 | -29.24 | -3.92 | 3 | Horizontal | 35 | 2.95 | - |
| 2437MHz | Pass | AV | 2.3646G | 45.34 | 54.00 | -8.66 | 31.62 | 3 | Vertical | 321 | 1.92 | - |
| 2437MHz | Pass | AV | 2.4378G | 105.66 | Inf | -Inf | 31.55 | 3 | Vertical | 321 | 1.92 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | AV | 2.4842G | 45.54 | 54.00 | -8.46 | 31.58 | 3 | Vertical | 321 | 1.92 | - |
| 2437MHz | Pass | PK | 2.3586G | 57.07 | 74.00 | -16.93 | 31.64 | 3 | Vertical | 321 | 1.92 | - |
| 2437MHz | Pass | PK | 2.4378G | 107.64 | Inf | -Inf | 31.55 | 3 | Vertical | 321 | 1.92 | - |
| 2437MHz | Pass | PK | 2.497G | 56.66 | 74.00 | -17.34 | 31.58 | 3 | Vertical | 321 | 1.92 | - |
| 2437MHz | Pass | AV | 2.3786G | 45.27 | 54.00 | -8.73 | 31.59 | 3 | Horizontal | 34 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4362G | 108.72 | Inf | -Inf | 31.55 | 3 | Horizontal | 34 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4934G | 45.42 | 54.00 | -8.58 | 31.58 | 3 | Horizontal | 34 | 1.50 | - |
| 2437MHz | Pass | PK | 2.371G | 56.93 | 74.00 | -17.07 | 31.61 | 3 | Horizontal | 34 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4362G | 110.60 | Inf | -Inf | 31.55 | 3 | Horizontal | 34 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4854G | 56.63 | 74.00 | -17.37 | 31.57 | 3 | Horizontal | 34 | 1.50 | - |
| 2437MHz | Pass | AV | 4.87399G | 34.48 | 54.00 | -19.52 | -3.91 | 3 | Vertical | 175 | 1.32 | - |
| 2437MHz | Pass | PK | 4.87411G | 44.37 | 74.00 | -29.63 | -3.91 | 3 | Vertical | 175 | 1.32 | - |
| 2437MHz | Pass | AV | 4.87397G | 36.43 | 54.00 | -17.57 | -3.91 | 3 | Horizontal | 37 | 1.50 | - |
| 2437MHz | Pass | PK | 4.87401G | 45.47 | 74.00 | -28.53 | -3.91 | 3 | Horizontal | 37 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4612G | 105.85 | Inf | -Inf | 31.56 | 3 | Vertical | 317 | 2.41 | - |
| 2462MHz | Pass | AV | 2.4886G | 45.71 | 54.00 | -8.29 | 31.57 | 3 | Vertical | 317 | 2.41 | - |
| 2462MHz | Pass | PK | 2.4612G | 107.85 | Inf | -Inf | 31.56 | 3 | Vertical | 317 | 2.41 | - |
| 2462MHz | Pass | PK | 2.4876G | 57.00 | 74.00 | -17.00 | 31.57 | 3 | Vertical | 317 | 2.41 | - |
| 2462MHz | Pass | AV | 2.4612G | 108.42 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.50 | - |
| 2462MHz | Pass | AV | 2.484G | 45.70 | 54.00 | -8.30 | 31.58 | 3 | Horizontal | 65 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4628G | 110.38 | Inf | -Inf | 31.57 | 3 | Horizontal | 65 | 1.50 | - |
| 2462MHz | Pass | PK | 2.488G | 58.50 | 74.00 | -15.50 | 31.57 | 3 | Horizontal | 65 | 1.50 | - |
| 2462MHz | Pass | AV | 4.92388G | 32.83 | 54.00 | -21.17 | -3.79 | 3 | Vertical | 169 | 1.01 | - |
| 2462MHz | Pass | PK | 4.92372G | 43.65 | 74.00 | -30.35 | -3.80 | 3 | Vertical | 169 | 1.01 | - |
| 2462MHz | Pass | AV | 4.92391G | 35.06 | 54.00 | -18.94 | -3.79 | 3 | Horizontal | 35 | 1.43 | - |
| 2462MHz | Pass | PK | 4.92396G | 44.94 | 74.00 | -29.06 | -3.79 | 3 | Horizontal | 35 | 1.43 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 52.55 | 54.00 | -1.45 | 31.56 | 3 | Vertical | 45 | 1.45 | - |
| 2412MHz | Pass | AV | 2.4152G | 95.47 | Inf | -Inf | 31.54 | 3 | Vertical | 45 | 1.45 | - |
| 2412MHz | Pass | PK | 2.39G | 66.35 | 74.00 | -7.65 | 31.56 | 3 | Vertical | 45 | 1.45 | - |
| 2412MHz | Pass | PK | 2.4138G | 105.07 | Inf | -Inf | 31.54 | 3 | Vertical | 45 | 1.45 | - |
| 2412MHz | Pass | AV | 2.39G | 53.24 | 54.00 | -0.76 | 31.56 | 3 | Horizontal | 37 | 1.29 | - |
| 2412MHz | Pass | AV | 2.4152G | 97.59 | Inf | -Inf | 31.54 | 3 | Horizontal | 37 | 1.29 | - |
| 2412MHz | Pass | PK | 2.39G | 67.02 | 74.00 | -6.98 | 31.56 | 3 | Horizontal | 37 | 1.29 | - |
| 2412MHz | Pass | PK | 2.4138G | 107.16 | Inf | -Inf | 31.54 | 3 | Horizontal | 37 | 1.29 | - |
| 2412MHz | Pass | AV | 4.82395G | 32.13 | 54.00 | -21.87 | -3.92 | 3 | Vertical | 5 | 2.93 | - |
| 2412MHz | Pass | PK | 4.8238G | 43.72 | 74.00 | -30.28 | -3.92 | 3 | Vertical | 5 | 2.93 | - |
| 2412MHz | Pass | AV | 4.82393G | 31.59 | 54.00 | -22.41 | -3.92 | 3 | Horizontal | 67 | 2.87 | - |
| 2412MHz | Pass | PK | 4.82249G | 43.79 | 74.00 | -30.21 | -3.92 | 3 | Horizontal | 67 | 2.87 | - |
| 2417MHz | Pass | AV | 2.3898G | 53.24 | 54.00 | -0.76 | 31.56 | 3 | Vertical | 328 | 2.99 | - |
| 2417MHz | Pass | AV | 2.4196G | 100.34 | Inf | -Inf | 31.54 | 3 | Vertical | 328 | 2.99 | - |
| 2417MHz | Pass | PK | 2.3894G | 69.40 | 74.00 | -4.60 | 31.56 | 3 | Vertical | 328 | 2.99 | - |
| 2417MHz | Pass | PK | 2.4212G | 110.35 | Inf | -Inf | 31.54 | 3 | Vertical | 328 | 2.99 | - |
| 2417MHz | Pass | AV | 2.39G | 53.43 | 54.00 | -0.57 | 31.56 | 3 | Horizontal | 31 | 1.50 | - |
| 2417MHz | Pass | AV | 2.4194G | 99.15 | Inf | -Inf | 31.54 | 3 | Horizontal | 31 | 1.50 | - |
| 2417MHz | Pass | PK | 2.3898G | 69.24 | 74.00 | -4.76 | 31.56 | 3 | Horizontal | 31 | 1.50 | - |
| 2417MHz | Pass | PK | 2.4224G | 108.46 | Inf | -Inf | 31.55 | 3 | Horizontal | 31 | 1.50 | - |
| 2437MHz | Pass | AV | 2.3874G | 44.72 | 54.00 | -9.28 | 31.57 | 3 | Vertical | 347 | 1.91 | - |
| 2437MHz | Pass | AV | 2.4402G | 98.47 | Inf | -Inf | 31.55 | 3 | Vertical | 347 | 1.91 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | AV | 2.4835G | 46.26 | 54.00 | -7.74 | 31.58 | 3 | Vertical | 347 | 1.91 | - |
| 2437MHz | Pass | PK | 2.339G | 57.02 | 74.00 | -16.98 | 31.68 | 3 | Vertical | 347 | 1.91 | - |
| 2437MHz | Pass | PK | 2.4394G | 107.23 | Inf | -Inf | 31.55 | 3 | Vertical | 347 | 1.91 | - |
| 2437MHz | Pass | PK | 2.4846G | 58.10 | 74.00 | -15.90 | 31.58 | 3 | Vertical | 347 | 1.91 | - |
| 2437MHz | Pass | AV | 2.3862G | 45.01 | 54.00 | -8.99 | 31.57 | 3 | Horizontal | 39 | 1.10 | - |
| 2437MHz | Pass | AV | 2.4394G | 99.50 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.10 | - |
| 2437MHz | Pass | AV | 2.4838G | 45.91 | 54.00 | -8.09 | 31.58 | 3 | Horizontal | 39 | 1.10 | - |
| 2437MHz | Pass | PK | 2.3482G | 57.33 | 74.00 | -16.67 | 31.67 | 3 | Horizontal | 39 | 1.10 | - |
| 2437MHz | Pass | PK | 2.441G | 108.48 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.10 | - |
| 2437MHz | Pass | PK | 2.4898G | 59.18 | 74.00 | -14.82 | 31.58 | 3 | Horizontal | 39 | 1.10 | - |
| 2437MHz | Pass | AV | 4.87399G | 31.60 | 54.00 | -22.40 | -3.91 | 3 | Vertical | 176 | 1.32 | - |
| 2437MHz | Pass | PK | 4.87407G | 43.16 | 74.00 | -30.84 | -3.91 | 3 | Vertical | 176 | 1.32 | - |
| 2437MHz | Pass | AV | 4.87404G | 31.41 | 54.00 | -22.59 | -3.91 | 3 | Horizontal | 41 | 2.97 | - |
| 2437MHz | Pass | PK | 4.8739G | 43.57 | 74.00 | -30.43 | -3.91 | 3 | Horizontal | 41 | 2.97 | - |
| 2457MHz | Pass | AV | 2.4538G | 97.69 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.47 | - |
| 2457MHz | Pass | AV | 2.4842G | 52.30 | 54.00 | -1.70 | 31.58 | 3 | Vertical | 338 | 1.47 | - |
| 2457MHz | Pass | PK | 2.4536G | 107.72 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.47 | - |
| 2457MHz | Pass | PK | 2.4848G | 68.34 | 74.00 | -5.66 | 31.58 | 3 | Vertical | 338 | 1.47 | - |
| 2457MHz | Pass | AV | 2.4596G | 98.50 | Inf | -Inf | 31.56 | 3 | Horizontal | 45 | 1.93 | - |
| 2457MHz | Pass | AV | 2.4835G | 53.25 | 54.00 | -0.75 | 31.58 | 3 | Horizontal | 45 | 1.93 | - |
| 2457MHz | Pass | PK | 2.4584G | 107.68 | Inf | -Inf | 31.56 | 3 | Horizontal | 45 | 1.93 | - |
| 2457MHz | Pass | PK | 2.4846G | 69.08 | 74.00 | -4.92 | 31.58 | 3 | Horizontal | 45 | 1.93 | - |
| 2462MHz | Pass | AV | 2.4652G | 96.84 | Inf | -Inf | 31.56 | 3 | Vertical | 336 | 1.86 | - |
| 2462MHz | Pass | AV | 2.4835G | 52.42 | 54.00 | -1.58 | 31.58 | 3 | Vertical | 336 | 1.86 | - |
| 2462MHz | Pass | PK | 2.463G | 106.39 | Inf | -Inf | 31.57 | 3 | Vertical | 336 | 1.86 | - |
| 2462MHz | Pass | PK | 2.4835G | 66.95 | 74.00 | -7.05 | 31.58 | 3 | Vertical | 336 | 1.86 | - |
| 2462MHz | Pass | AV | 2.4644G | 97.96 | Inf | -Inf | 31.57 | 3 | Horizontal | 41 | 1.49 | - |
| 2462MHz | Pass | AV | 2.4835G | 53.13 | 54.00 | -0.87 | 31.58 | 3 | Horizontal | 41 | 1.49 | - |
| 2462MHz | Pass | PK | 2.46G | 106.62 | Inf | -Inf | 31.56 | 3 | Horizontal | 41 | 1.49 | - |
| 2462MHz | Pass | PK | 2.4836G | 66.88 | 74.00 | -7.12 | 31.58 | 3 | Horizontal | 41 | 1.49 | - |
| 2462MHz | Pass | AV | 4.92381G | 30.56 | 54.00 | -23.44 | -3.79 | 3 | Vertical | 354 | 2.69 | - |
| 2462MHz | Pass | PK | 4.92283G | 43.02 | 74.00 | -30.98 | -3.80 | 3 | Vertical | 354 | 2.69 | - |
| 2462MHz | Pass | AV | 4.924G | 30.56 | 54.00 | -23.44 | -3.79 | 3 | Horizontal | 13 | 1.50 | - |
| 2462MHz | Pass | PK | 4.92367G | 43.25 | 74.00 | -30.75 | -3.80 | 3 | Horizontal | 13 | 1.50 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 52.67 | 54.00 | -1.33 | 31.56 | 3 | Vertical | 27 | 1.98 | - |
| 2412MHz | Pass | AV | 2.4142G | 97.40 | Inf | -Inf | 31.54 | 3 | Vertical | 27 | 1.98 | - |
| 2412MHz | Pass | PK | 2.39G | 65.91 | 74.00 | -8.09 | 31.56 | 3 | Vertical | 27 | 1.98 | - |
| 2412MHz | Pass | PK | 2.412G | 107.41 | Inf | -Inf | 31.54 | 3 | Vertical | 27 | 1.98 | - |
| 2412MHz | Pass | AV | 2.39G | 51.10 | 54.00 | -2.90 | 31.56 | 3 | Horizontal | 284 | 1.78 | - |
| 2412MHz | Pass | AV | 2.4152G | 95.78 | Inf | -Inf | 31.54 | 3 | Horizontal | 284 | 1.78 | - |
| 2412MHz | Pass | PK | 2.3892G | 64.05 | 74.00 | -9.95 | 31.56 | 3 | Horizontal | 284 | 1.78 | - |
| 2412MHz | Pass | PK | 2.4158G | 105.59 | Inf | -Inf | 31.54 | 3 | Horizontal | 284 | 1.78 | - |
| 2412MHz | Pass | AV | 4.82398G | 32.08 | 54.00 | -21.92 | -3.92 | 3 | Vertical | 359 | 2.93 | - |
| 2412MHz | Pass | PK | 4.82158G | 43.80 | 74.00 | -30.20 | -3.93 | 3 | Vertical | 359 | 2.93 | - |
| 2412MHz | Pass | AV | 4.8238G | 32.25 | 54.00 | -21.75 | -3.92 | 3 | Horizontal | 29 | 1.40 | - |
| 2412MHz | Pass | PK | 4.82301G | 43.69 | 74.00 | -30.31 | -3.92 | 3 | Horizontal | 29 | 1.40 | - |
| 2417MHz | Pass | AV | 2.39G | 53.18 | 54.00 | -0.82 | 31.56 | 3 | Vertical | 343 | 1.05 | - |
| 2417MHz | Pass | AV | 2.4196G | 99.36 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 1.05 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2417MHz | Pass | PK | 2.3896G | 68.71 | 74.00 | -5.29 | 31.56 | 3 | Vertical | 343 | 1.05 | - |
| 2417MHz | Pass | PK | 2.413G | 108.69 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 1.05 | - |
| 2417MHz | Pass | AV | 2.39G | 52.00 | 54.00 | -2.00 | 31.56 | 3 | Horizontal | 318 | 1.98 | - |
| 2417MHz | Pass | AV | 2.419G | 99.99 | Inf | -Inf | 31.54 | 3 | Horizontal | 318 | 1.98 | - |
| 2417MHz | Pass | PK | 2.3896G | 68.21 | 74.00 | -5.79 | 31.56 | 3 | Horizontal | 318 | 1.98 | - |
| 2417MHz | Pass | PK | 2.4182G | 109.83 | Inf | -Inf | 31.54 | 3 | Horizontal | 318 | 1.98 | - |
| 2437MHz | Pass | AV | 2.3898G | 45.63 | 54.00 | -8.37 | 31.56 | 3 | Vertical | 14 | 2.99 | - |
| 2437MHz | Pass | AV | 2.4338G | 101.34 | Inf | -Inf | 31.55 | 3 | Vertical | 14 | 2.99 | - |
| 2437MHz | Pass | AV | 2.4835G | 45.94 | 54.00 | -8.06 | 31.58 | 3 | Vertical | 14 | 2.99 | - |
| 2437MHz | Pass | PK | 2.3894G | 58.18 | 74.00 | -15.82 | 31.56 | 3 | Vertical | 14 | 2.99 | - |
| 2437MHz | Pass | PK | 2.4398G | 111.10 | Inf | -Inf | 31.55 | 3 | Vertical | 14 | 2.99 | - |
| 2437MHz | Pass | PK | 2.485G | 59.21 | 74.00 | -14.79 | 31.58 | 3 | Vertical | 14 | 2.99 | - |
| 2437MHz | Pass | AV | 2.387G | 44.60 | 54.00 | -9.40 | 31.57 | 3 | Horizontal | 284 | 1.51 | - |
| 2437MHz | Pass | AV | 2.4402G | 97.81 | Inf | -Inf | 31.55 | 3 | Horizontal | 284 | 1.51 | - |
| 2437MHz | Pass | AV | 2.4835G | 45.17 | 54.00 | -8.83 | 31.58 | 3 | Horizontal | 284 | 1.51 | - |
| 2437MHz | Pass | PK | 2.3798G | 57.78 | 74.00 | -16.22 | 31.58 | 3 | Horizontal | 284 | 1.51 | - |
| 2437MHz | Pass | PK | 2.437G | 107.38 | Inf | -Inf | 31.55 | 3 | Horizontal | 284 | 1.51 | - |
| 2437MHz | Pass | PK | 2.4862G | 57.43 | 74.00 | -16.57 | 31.57 | 3 | Horizontal | 284 | 1.51 | - |
| 2437MHz | Pass | AV | 4.87399G | 30.85 | 54.00 | -23.15 | -3.91 | 3 | Vertical | 174 | 1.33 | - |
| 2437MHz | Pass | PK | 4.87334G | 43.73 | 74.00 | -30.27 | -3.91 | 3 | Vertical | 174 | 1.33 | - |
| 2437MHz | Pass | AV | 4.87396G | 33.00 | 54.00 | -21.00 | -3.91 | 3 | Horizontal | 35 | 1.01 | - |
| 2437MHz | Pass | PK | 4.87408G | 43.85 | 74.00 | -30.15 | -3.91 | 3 | Horizontal | 35 | 1.01 | - |
| 2457MHz | Pass | AV | 2.4596G | 99.43 | Inf | -Inf | 31.56 | 3 | Vertical | 5 | 1.86 | - |
| 2457MHz | Pass | AV | 2.4835G | 53.51 | 54.00 | -0.49 | 31.58 | 3 | Vertical | 5 | 1.86 | - |
| 2457MHz | Pass | PK | 2.4542G | 108.66 | Inf | -Inf | 31.56 | 3 | Vertical | 5 | 1.86 | - |
| 2457MHz | Pass | PK | 2.4842G | 67.85 | 74.00 | -6.15 | 31.58 | 3 | Vertical | 5 | 1.86 | - |
| 2457MHz | Pass | AV | 2.4602G | 98.66 | Inf | -Inf | 31.56 | 3 | Horizontal | 301 | 2.99 | - |
| 2457MHz | Pass | AV | 2.4835G | 52.06 | 54.00 | -1.94 | 31.58 | 3 | Horizontal | 301 | 2.99 | - |
| 2457MHz | Pass | PK | 2.4584G | 107.99 | Inf | -Inf | 31.56 | 3 | Horizontal | 301 | 2.99 | - |
| 2457MHz | Pass | PK | 2.4844G | 66.54 | 74.00 | -7.46 | 31.58 | 3 | Horizontal | 301 | 2.99 | - |
| 2462MHz | Pass | AV | 2.4652G | 97.84 | Inf | -Inf | 31.56 | 3 | Vertical | 351 | 1.87 | - |
| 2462MHz | Pass | AV | 2.4835G | 53.42 | 54.00 | -0.58 | 31.58 | 3 | Vertical | 351 | 1.87 | - |
| 2462MHz | Pass | PK | 2.4634G | 107.67 | Inf | -Inf | 31.57 | 3 | Vertical | 351 | 1.87 | - |
| 2462MHz | Pass | PK | 2.4835G | 68.01 | 74.00 | -5.99 | 31.58 | 3 | Vertical | 351 | 1.87 | - |
| 2462MHz | Pass | AV | 2.4644G | 96.17 | Inf | -Inf | 31.57 | 3 | Horizontal | 315 | 1.96 | - |
| 2462MHz | Pass | AV | 2.4835G | 51.83 | 54.00 | -2.17 | 31.58 | 3 | Horizontal | 315 | 1.96 | - |
| 2462MHz | Pass | PK | 2.4644G | 105.89 | Inf | -Inf | 31.57 | 3 | Horizontal | 315 | 1.96 | - |
| 2462MHz | Pass | PK | 2.4835G | 66.35 | 74.00 | -7.65 | 31.58 | 3 | Horizontal | 315 | 1.96 | - |
| 2462MHz | Pass | AV | 4.92407G | 30.06 | 54.00 | -23.94 | -3.79 | 3 | Vertical | 334 | 1.50 | - |
| 2462MHz | Pass | PK | 4.92454G | 42.76 | 74.00 | -31.24 | -3.79 | 3 | Vertical | 334 | 1.50 | - |
| 2462MHz | Pass | AV | 4.92397G | 30.34 | 54.00 | -23.66 | -3.79 | 3 | Horizontal | 6 | 1.05 | - |
| 2462MHz | Pass | PK | 4.92499G | 42.51 | 74.00 | -31.49 | -3.79 | 3 | Horizontal | 6 | 1.05 | - |
| 802.11g_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3898G | 52.54 | 54.00 | -1.46 | 31.56 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | AV | 2.4146G | 101.84 | Inf | -Inf | 31.55 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | PK | 2.39G | 69.05 | 74.00 | -4.95 | 31.56 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | PK | 2.4146G | 110.73 | Inf | -Inf | 31.55 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | AV | 2.3878G | 48.83 | 54.00 | -5.17 | 31.57 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | AV | 2.4172G | 98.74 | Inf | -Inf | 31.54 | 3 | Horizontal | 63 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2412MHz | Pass | PK | 2.3876G | 63.04 | 74.00 | -10.96 | 31.57 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | PK | 2.4072G | 107.69 | Inf | -Inf | 31.53 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | AV | 4.82231G | 30.65 | 54.00 | -23.35 | -3.93 | 3 | Vertical | 203 | 2.12 | - |
| 2412MHz | Pass | PK | 4.82398G | 43.69 | 74.00 | -30.31 | -3.92 | 3 | Vertical | 203 | 2.12 | - |
| 2412MHz | Pass | AV | 4.82192G | 30.50 | 54.00 | -23.50 | -3.93 | 3 | Horizontal | 295 | 2.05 | - |
| 2412MHz | Pass | PK | 4.82211G | 43.58 | 74.00 | -30.42 | -3.93 | 3 | Horizontal | 295 | 2.05 | - |
| 2417MHz | Pass | AV | 2.39G | 53.24 | 54.00 | -0.76 | 31.56 | 3 | Vertical | 342 | 1.50 | - |
| 2417MHz | Pass | AV | 2.4204G | 101.35 | Inf | -Inf | 31.54 | 3 | Vertical | 342 | 1.50 | - |
| 2417MHz | Pass | PK | 2.3896G | 66.34 | 74.00 | -7.66 | 31.56 | 3 | Vertical | 342 | 1.50 | - |
| 2417MHz | Pass | PK | 2.42G | 109.67 | Inf | -Inf | 31.54 | 3 | Vertical | 342 | 1.50 | - |
| 2417MHz | Pass | AV | 2.3882G | 50.91 | 54.00 | -3.09 | 31.57 | 3 | Horizontal | 57 | 2.17 | - |
| 2417MHz | Pass | AV | 2.4178G | 102.25 | Inf | -Inf | 31.54 | 3 | Horizontal | 57 | 2.17 | - |
| 2417MHz | Pass | PK | 2.3888G | 66.64 | 74.00 | -7.36 | 31.56 | 3 | Horizontal | 57 | 2.17 | - |
| 2417MHz | Pass | PK | 2.418G | 111.13 | Inf | -Inf | 31.54 | 3 | Horizontal | 57 | 2.17 | - |
| 2437MHz | Pass | AV | 2.389G | 46.04 | 54.00 | -7.96 | 31.56 | 3 | Vertical | 0 | 2.95 | - |
| 2437MHz | Pass | AV | 2.439G | 105.71 | Inf | -Inf | 31.55 | 3 | Vertical | 0 | 2.95 | - |
| 2437MHz | Pass | AV | 2.4842G | 46.87 | 54.00 | -7.13 | 31.58 | 3 | Vertical | 0 | 2.95 | - |
| 2437MHz | Pass | PK | 2.3826G | 58.05 | 74.00 | -15.95 | 31.58 | 3 | Vertical | 0 | 2.95 | - |
| 2437MHz | Pass | PK | 2.4346G | 114.89 | Inf | -Inf | 31.55 | 3 | Vertical | 0 | 2.95 | - |
| 2437MHz | Pass | PK | 2.4846G | 60.43 | 74.00 | -13.57 | 31.58 | 3 | Vertical | 0 | 2.95 | - |
| 2437MHz | Pass | AV | 2.3886G | 45.74 | 54.00 | -8.26 | 31.57 | 3 | Horizontal | 35 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4382G | 103.27 | Inf | -Inf | 31.55 | 3 | Horizontal | 35 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4835G | 46.75 | 54.00 | -7.25 | 31.58 | 3 | Horizontal | 35 | 1.50 | - |
| 2437MHz | Pass | PK | 2.3886G | 59.09 | 74.00 | -14.91 | 31.57 | 3 | Horizontal | 35 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4378G | 111.95 | Inf | -Inf | 31.55 | 3 | Horizontal | 35 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4838G | 59.76 | 74.00 | -14.24 | 31.58 | 3 | Horizontal | 35 | 1.50 | - |
| 2437MHz | Pass | AV | 4.8689G | 29.90 | 54.00 | -24.10 | -3.91 | 3 | Vertical | 304 | 1.68 | - |
| 2437MHz | Pass | PK | 4.86266G | 42.68 | 74.00 | -31.32 | -3.91 | 3 | Vertical | 304 | 1.68 | - |
| 2437MHz | Pass | AV | 4.86632G | 29.84 | 54.00 | -24.16 | -3.91 | 3 | Horizontal | 190 | 1.87 | - |
| 2437MHz | Pass | PK | 4.87844G | 42.51 | 74.00 | -31.49 | -3.90 | 3 | Horizontal | 190 | 1.87 | - |
| 2457MHz | Pass | AV | 2.4596G | 103.70 | Inf | -Inf | 31.56 | 3 | Vertical | 0 | 2.89 | - |
| 2457MHz | Pass | AV | 2.484G | 53.24 | 54.00 | -0.76 | 31.58 | 3 | Vertical | 0 | 2.89 | - |
| 2457MHz | Pass | PK | 2.4544G | 112.91 | Inf | -Inf | 31.56 | 3 | Vertical | 0 | 2.89 | - |
| 2457MHz | Pass | PK | 2.4846G | 68.56 | 74.00 | -5.44 | 31.58 | 3 | Vertical | 0 | 2.89 | - |
| 2457MHz | Pass | AV | 2.4578G | 101.33 | Inf | -Inf | 31.56 | 3 | Horizontal | 50 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4835G | 51.12 | 54.00 | -2.88 | 31.58 | 3 | Horizontal | 50 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4578G | 110.81 | Inf | -Inf | 31.56 | 3 | Horizontal | 50 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4835G | 66.82 | 74.00 | -7.18 | 31.58 | 3 | Horizontal | 50 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4648G | 102.15 | Inf | -Inf | 31.57 | 3 | Vertical | 348 | 1.86 | - |
| 2462MHz | Pass | AV | 2.4846G | 51.31 | 54.00 | -2.69 | 31.58 | 3 | Vertical | 348 | 1.86 | - |
| 2462MHz | Pass | PK | 2.4596G | 111.54 | Inf | -Inf | 31.56 | 3 | Vertical | 348 | 1.86 | - |
| 2462MHz | Pass | PK | 2.4862G | 66.03 | 74.00 | -7.97 | 31.57 | 3 | Vertical | 348 | 1.86 | - |
| 2462MHz | Pass | AV | 2.4632G | 100.15 | Inf | -Inf | 31.57 | 3 | Horizontal | 36 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4835G | 51.06 | 54.00 | -2.94 | 31.58 | 3 | Horizontal | 36 | 1.50 | - |
| 2462MHz | Pass | PK | 2.463G | 108.80 | Inf | -Inf | 31.57 | 3 | Horizontal | 36 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4835G | 65.57 | 74.00 | -8.43 | 31.58 | 3 | Horizontal | 36 | 1.50 | - |
| 2462MHz | Pass | AV | 4.93618G | 29.77 | 54.00 | -24.23 | -3.74 | 3 | Vertical | 257 | 2.01 | - |
| 2462MHz | Pass | PK | 4.92814G | 42.75 | 74.00 | -31.25 | -3.77 | 3 | Vertical | 257 | 2.01 | - |
| 2462MHz | Pass | AV | 4.92376G | 29.78 | 54.00 | -24.22 | -3.79 | 3 | Horizontal | 163 | 2.02 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2462MHz | Pass | PK | 4.93882G | 42.77 | 74.00 | -31.23 | -3.72 | 3 | Horizontal | 163 | 2.02 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 52.16 | 54.00 | -1.84 | 31.56 | 3 | Vertical | 343 | 2.98 | - |
| 2412MHz | Pass | AV | 2.4178G | 95.71 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 2.98 | - |
| 2412MHz | Pass | PK | 2.3886G | 67.26 | 74.00 | -6.74 | 31.57 | 3 | Vertical | 343 | 2.98 | - |
| 2412MHz | Pass | PK | 2.418G | 108.91 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 2.98 | - |
| 2412MHz | Pass | AV | 2.39G | 53.12 | 54.00 | -0.88 | 31.56 | 3 | Horizontal | 35 | 1.33 | - |
| 2412MHz | Pass | AV | 2.4088G | 96.77 | Inf | -Inf | 31.54 | 3 | Horizontal | 35 | 1.33 | - |
| 2412MHz | Pass | PK | 2.3888G | 69.09 | 74.00 | -4.91 | 31.56 | 3 | Horizontal | 35 | 1.33 | - |
| 2412MHz | Pass | PK | 2.4136G | 109.81 | Inf | -Inf | 31.54 | 3 | Horizontal | 35 | 1.33 | - |
| 2412MHz | Pass | AV | 4.82244G | 30.21 | 54.00 | -23.79 | -3.92 | 3 | Vertical | 228 | 2.98 | - |
| 2412MHz | Pass | PK | 4.82469G | 43.51 | 74.00 | -30.49 | -3.92 | 3 | Vertical | 228 | 2.98 | - |
| 2412MHz | Pass | AV | 4.82399G | 30.62 | 54.00 | -23.38 | -3.92 | 3 | Horizontal | 18 | 2.98 | - |
| 2412MHz | Pass | PK | 4.82376G | 43.70 | 74.00 | -30.30 | -3.92 | 3 | Horizontal | 18 | 2.98 | - |
| 2417MHz | Pass | AV | 2.39G | 53.14 | 54.00 | -0.86 | 31.56 | 3 | Vertical | 343 | 2.96 | - |
| 2417MHz | Pass | AV | 2.4208G | 97.25 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 2.96 | - |
| 2417MHz | Pass | PK | 2.3866G | 66.92 | 74.00 | -7.08 | 31.56 | 3 | Vertical | 343 | 2.96 | - |
| 2417MHz | Pass | PK | 2.4236G | 110.48 | Inf | -Inf | 31.55 | 3 | Vertical | 343 | 2.96 | - |
| 2417MHz | Pass | AV | 2.39G | 53.65 | 54.00 | -0.35 | 31.56 | 3 | Horizontal | 52 | 1.22 | - |
| 2417MHz | Pass | AV | 2.4212G | 97.80 | Inf | -Inf | 31.54 | 3 | Horizontal | 52 | 1.22 | - |
| 2417MHz | Pass | PK | 2.388G | 67.93 | 74.00 | -6.07 | 31.57 | 3 | Horizontal | 52 | 1.22 | - |
| 2417MHz | Pass | PK | 2.4186G | 110.77 | Inf | -Inf | 31.54 | 3 | Horizontal | 52 | 1.22 | - |
| 2437MHz | Pass | AV | 2.3898G | 45.44 | 54.00 | -8.56 | 31.56 | 3 | Vertical | 360 | 2.96 | - |
| 2437MHz | Pass | AV | 2.4358G | 99.72 | Inf | -Inf | 31.55 | 3 | Vertical | 360 | 2.96 | - |
| 2437MHz | Pass | AV | 2.4835G | 45.63 | 54.00 | -8.37 | 31.58 | 3 | Vertical | 360 | 2.96 | - |
| 2437MHz | Pass | PK | 2.3898G | 58.62 | 74.00 | -15.38 | 31.56 | 3 | Vertical | 360 | 2.96 | - |
| 2437MHz | Pass | PK | 2.4322G | 112.64 | Inf | -Inf | 31.55 | 3 | Vertical | 360 | 2.96 | - |
| 2437MHz | Pass | PK | 2.4846G | 58.40 | 74.00 | -15.60 | 31.58 | 3 | Vertical | 360 | 2.96 | - |
| 2437MHz | Pass | AV | 2.3898G | 45.54 | 54.00 | -8.46 | 31.56 | 3 | Horizontal | 39 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4346G | 100.05 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4838G | 46.54 | 54.00 | -7.46 | 31.58 | 3 | Horizontal | 39 | 1.50 | - |
| 2437MHz | Pass | PK | 2.3898G | 61.07 | 74.00 | -12.93 | 31.56 | 3 | Horizontal | 39 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4318G | 112.56 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4838G | 60.72 | 74.00 | -13.28 | 31.58 | 3 | Horizontal | 39 | 1.50 | - |
| 2437MHz | Pass | AV | 4.87419G | 29.59 | 54.00 | -24.41 | -3.91 | 3 | Vertical | 339 | 2.83 | - |
| 2437MHz | Pass | PK | 4.87338G | 42.65 | 74.00 | -31.35 | -3.91 | 3 | Vertical | 339 | 2.83 | - |
| 2437MHz | Pass | AV | 4.8741G | 29.83 | 54.00 | -24.17 | -3.91 | 3 | Horizontal | 9 | 1.36 | - |
| 2437MHz | Pass | PK | 4.87398G | 42.99 | 74.00 | -31.01 | -3.91 | 3 | Horizontal | 9 | 1.36 | - |
| 2457MHz | Pass | AV | 2.4546G | 96.76 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4835G | 53.49 | 54.00 | -0.51 | 31.58 | 3 | Vertical | 338 | 1.50 | - |
| 2457MHz | Pass | PK | 2.45G | 109.41 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4836G | 69.34 | 74.00 | -4.66 | 31.58 | 3 | Vertical | 338 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4616G | 96.12 | Inf | -Inf | 31.56 | 3 | Horizontal | 48 | 1.04 | - |
| 2457MHz | Pass | AV | 2.4835G | 53.62 | 54.00 | -0.38 | 31.58 | 3 | Horizontal | 48 | 1.04 | - |
| 2457MHz | Pass | PK | 2.4622G | 109.09 | Inf | -Inf | 31.56 | 3 | Horizontal | 48 | 1.04 | - |
| 2457MHz | Pass | PK | 2.4835G | 67.45 | 74.00 | -6.55 | 31.58 | 3 | Horizontal | 48 | 1.04 | - |
| 2462MHz | Pass | AV | 2.464G | 96.04 | Inf | -Inf | 31.57 | 3 | Vertical | 336 | 2.08 | - |
| 2462MHz | Pass | AV | 2.4835G | 51.46 | 54.00 | -2.54 | 31.58 | 3 | Vertical | 336 | 2.08 | - |
| 2462MHz | Pass | PK | 2.4596G | 109.23 | Inf | -Inf | 31.56 | 3 | Vertical | 336 | 2.08 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2462MHz | Pass | PK | 2.4835G | 68.58 | 74.00 | -5.42 | 31.58 | 3 | Vertical | 336 | 2.08 | - |
| 2462MHz | Pass | AV | 2.4642G | 97.16 | Inf | -Inf | 31.57 | 3 | Horizontal | 49 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4835G | 53.15 | 54.00 | -0.85 | 31.58 | 3 | Horizontal | 49 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4668G | 109.86 | Inf | -Inf | 31.56 | 3 | Horizontal | 49 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4848G | 69.98 | 74.00 | -4.02 | 31.58 | 3 | Horizontal | 49 | 1.50 | - |
| 2462MHz | Pass | AV | 4.92256G | 29.36 | 54.00 | -24.64 | -3.80 | 3 | Vertical | 247 | 2.35 | - |
| 2462MHz | Pass | PK | 4.91872G | 42.83 | 74.00 | -31.17 | -3.81 | 3 | Vertical | 247 | 2.35 | - |
| 2462MHz | Pass | AV | 4.92214G | 29.30 | 54.00 | -24.70 | -3.80 | 3 | Horizontal | 97 | 1.22 | - |
| 2462MHz | Pass | PK | 4.93354G | 42.23 | 74.00 | -31.77 | -3.75 | 3 | Horizontal | 97 | 1.22 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 52.29 | 54.00 | -1.71 | 31.56 | 3 | Vertical | 23 | 1.98 | - |
| 2412MHz | Pass | AV | 2.4132G | 96.48 | Inf | -Inf | 31.54 | 3 | Vertical | 23 | 1.98 | - |
| 2412MHz | Pass | PK | 2.3898G | 69.13 | 74.00 | -4.87 | 31.56 | 3 | Vertical | 23 | 1.98 | - |
| 2412MHz | Pass | PK | 2.4094G | 109.56 | Inf | -Inf | 31.54 | 3 | Vertical | 23 | 1.98 | - |
| 2412MHz | Pass | AV | 2.3898G | 50.07 | 54.00 | -3.93 | 31.56 | 3 | Horizontal | 285 | 1.78 | - |
| 2412MHz | Pass | AV | 2.4148G | 94.26 | Inf | -Inf | 31.55 | 3 | Horizontal | 285 | 1.78 | - |
| 2412MHz | Pass | PK | 2.389G | 64.77 | 74.00 | -9.23 | 31.56 | 3 | Horizontal | 285 | 1.78 | - |
| 2412MHz | Pass | PK | 2.416G | 106.81 | Inf | -Inf | 31.54 | 3 | Horizontal | 285 | 1.78 | - |
| 2412MHz | Pass | AV | 4.81002G | 30.27 | 54.00 | -23.73 | -3.93 | 3 | Vertical | 338 | 1.07 | - |
| 2412MHz | Pass | PK | 4.82274G | 43.31 | 74.00 | -30.69 | -3.92 | 3 | Vertical | 338 | 1.07 | - |
| 2412MHz | Pass | AV | 4.81032G | 30.14 | 54.00 | -23.86 | -3.93 | 3 | Horizontal | 107 | 2.01 | - |
| 2412MHz | Pass | PK | 4.8153G | 43.59 | 74.00 | -30.41 | -3.93 | 3 | Horizontal | 107 | 2.01 | - |
| 2417MHz | Pass | AV | 2.39G | 53.54 | 54.00 | -0.46 | 31.56 | 3 | Vertical | 339 | 1.04 | - |
| 2417MHz | Pass | AV | 2.4154G | 97.07 | Inf | -Inf | 31.54 | 3 | Vertical | 339 | 1.04 | - |
| 2417MHz | Pass | PK | 2.3894G | 69.26 | 74.00 | -4.74 | 31.56 | 3 | Vertical | 339 | 1.04 | - |
| 2417MHz | Pass | PK | 2.4216G | 109.72 | Inf | -Inf | 31.55 | 3 | Vertical | 339 | 1.04 | - |
| 2417MHz | Pass | AV | 2.39G | 52.38 | 54.00 | -1.62 | 31.56 | 3 | Horizontal | 305 | 1.60 | - |
| 2417MHz | Pass | AV | 2.4134G | 96.12 | Inf | -Inf | 31.54 | 3 | Horizontal | 305 | 1.60 | - |
| 2417MHz | Pass | PK | 2.39G | 66.08 | 74.00 | -7.92 | 31.56 | 3 | Horizontal | 305 | 1.60 | - |
| 2417MHz | Pass | PK | 2.419G | 109.16 | Inf | -Inf | 31.54 | 3 | Horizontal | 305 | 1.60 | - |
| 2437MHz | Pass | AV | 2.3898G | 46.13 | 54.00 | -7.87 | 31.56 | 3 | Vertical | 12 | 2.99 | - |
| 2437MHz | Pass | AV | 2.4342G | 100.71 | Inf | -Inf | 31.55 | 3 | Vertical | 12 | 2.99 | - |
| 2437MHz | Pass | AV | 2.4842G | 46.29 | 54.00 | -7.71 | 31.58 | 3 | Vertical | 12 | 2.99 | - |
| 2437MHz | Pass | PK | 2.3898G | 63.07 | 74.00 | -10.93 | 31.56 | 3 | Vertical | 12 | 2.99 | - |
| 2437MHz | Pass | PK | 2.4362G | 113.14 | Inf | -Inf | 31.55 | 3 | Vertical | 12 | 2.99 | - |
| 2437MHz | Pass | PK | 2.4842G | 59.81 | 74.00 | -14.19 | 31.58 | 3 | Vertical | 12 | 2.99 | - |
| 2437MHz | Pass | AV | 2.3866G | 44.02 | 54.00 | -9.98 | 31.56 | 3 | Horizontal | 65 | 1.49 | - |
| 2437MHz | Pass | AV | 2.4406G | 96.80 | Inf | -Inf | 31.55 | 3 | Horizontal | 65 | 1.49 | - |
| 2437MHz | Pass | AV | 2.4835G | 45.42 | 54.00 | -8.58 | 31.58 | 3 | Horizontal | 65 | 1.49 | - |
| 2437MHz | Pass | PK | 2.3818G | 56.74 | 74.00 | -17.26 | 31.58 | 3 | Horizontal | 65 | 1.49 | - |
| 2437MHz | Pass | PK | 2.4418G | 109.31 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.49 | - |
| 2437MHz | Pass | PK | 2.4878G | 58.21 | 74.00 | -15.79 | 31.57 | 3 | Horizontal | 65 | 1.49 | - |
| 2437MHz | Pass | AV | 4.874G | 29.76 | 54.00 | -24.24 | -3.91 | 3 | Vertical | 11 | 1.66 | - |
| 2437MHz | Pass | PK | 4.87436G | 42.41 | 74.00 | -31.59 | -3.91 | 3 | Vertical | 11 | 1.66 | - |
| 2437MHz | Pass | AV | 4.87394G | 29.74 | 54.00 | -24.26 | -3.91 | 3 | Horizontal | 333 | 1.43 | - |
| 2437MHz | Pass | PK | 4.87424G | 42.56 | 74.00 | -31.44 | -3.91 | 3 | Horizontal | 333 | 1.43 | - |
| 2457MHz | Pass | AV | 2.4554G | 98.48 | Inf | -Inf | 31.55 | 3 | Vertical | 358 | 2.64 | - |
| 2457MHz | Pass | AV | 2.4835G | 53.10 | 54.00 | -0.90 | 31.58 | 3 | Vertical | 358 | 2.64 | - |
| 2457MHz | Pass | PK | 2.4564G | 111.01 | Inf | -Inf | 31.56 | 3 | Vertical | 358 | 2.64 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2457MHz | Pass | PK | 2.484G | 67.02 | 74.00 | -6.98 | 31.58 | 3 | Vertical | 358 | 2.64 | - |
| 2457MHz | Pass | AV | 2.4548G | 94.58 | Inf | -Inf | 31.56 | 3 | Horizontal | 56 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4835G | 49.69 | 54.00 | -4.31 | 31.58 | 3 | Horizontal | 56 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4532G | 107.51 | Inf | -Inf | 31.56 | 3 | Horizontal | 56 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4836G | 63.53 | 74.00 | -10.47 | 31.58 | 3 | Horizontal | 56 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4636G | 96.86 | Inf | -Inf | 31.57 | 3 | Vertical | 347 | 1.86 | - |
| 2462MHz | Pass | AV | 2.4835G | 53.17 | 54.00 | -0.83 | 31.58 | 3 | Vertical | 347 | 1.86 | - |
| 2462MHz | Pass | PK | 2.4676G | 109.62 | Inf | -Inf | 31.56 | 3 | Vertical | 347 | 1.86 | - |
| 2462MHz | Pass | PK | 2.4835G | 71.25 | 74.00 | -2.75 | 31.58 | 3 | Vertical | 347 | 1.86 | - |
| 2462MHz | Pass | AV | 2.4636G | 94.94 | Inf | -Inf | 31.57 | 3 | Horizontal | 314 | 1.98 | - |
| 2462MHz | Pass | AV | 2.4835G | 50.90 | 54.00 | -3.10 | 31.58 | 3 | Horizontal | 314 | 1.98 | - |
| 2462MHz | Pass | PK | 2.464G | 107.63 | Inf | -Inf | 31.57 | 3 | Horizontal | 314 | 1.98 | - |
| 2462MHz | Pass | PK | 2.485G | 65.18 | 74.00 | -8.82 | 31.58 | 3 | Horizontal | 314 | 1.98 | - |
| 2462MHz | Pass | AV | 4.91878G | 29.36 | 54.00 | -24.64 | -3.80 | 3 | Vertical | 191 | 2.24 | - |
| 2462MHz | Pass | PK | 4.91962G | 42.97 | 74.00 | -31.03 | -3.80 | 3 | Vertical | 191 | 2.24 | - |
| 2462MHz | Pass | AV | 4.92112G | 29.30 | 54.00 | -24.70 | -3.80 | 3 | Horizontal | 349 | 1.30 | - |
| 2462MHz | Pass | PK | 4.92688G | 42.83 | 74.00 | -31.17 | -3.78 | 3 | Horizontal | 349 | 1.30 | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.388G | 53.44 | 54.00 | -0.56 | 31.57 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | AV | 2.417G | 101.52 | Inf | -Inf | 31.54 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | PK | 2.3896G | 69.44 | 74.00 | -4.56 | 31.56 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | PK | 2.417G | 114.11 | Inf | -Inf | 31.54 | 3 | Vertical | 356 | 2.99 | - |
| 2412MHz | Pass | AV | 2.39G | 51.52 | 54.00 | -2.48 | 31.56 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | AV | 2.413G | 98.86 | Inf | -Inf | 31.54 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | PK | 2.3898G | 65.93 | 74.00 | -8.07 | 31.56 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | PK | 2.4132G | 111.56 | Inf | -Inf | 31.54 | 3 | Horizontal | 63 | 1.50 | - |
| 2412MHz | Pass | AV | 4.80918G | 30.22 | 54.00 | -23.78 | -3.94 | 3 | Vertical | 174 | 1.42 | - |
| 2412MHz | Pass | PK | 4.82154G | 43.08 | 74.00 | -30.92 | -3.93 | 3 | Vertical | 174 | 1.42 | - |
| 2412MHz | Pass | AV | 4.80966G | 30.23 | 54.00 | -23.77 | -3.93 | 3 | Horizontal | 110 | 1.49 | - |
| 2412MHz | Pass | PK | 4.81416G | 43.79 | 74.00 | -30.21 | -3.93 | 3 | Horizontal | 110 | 1.49 | - |
| 2417MHz | Pass | AV | 2.39G | 52.31 | 54.00 | -1.69 | 31.56 | 3 | Vertical | 349 | 2.99 | - |
| 2417MHz | Pass | AV | 2.4226G | 102.48 | Inf | -Inf | 31.55 | 3 | Vertical | 349 | 2.99 | - |
| 2417MHz | Pass | PK | 2.3832G | 66.46 | 74.00 | -7.54 | 31.58 | 3 | Vertical | 349 | 2.99 | - |
| 2417MHz | Pass | PK | 2.422G | 115.98 | Inf | -Inf | 31.55 | 3 | Vertical | 349 | 2.99 | - |
| 2417MHz | Pass | AV | 2.3896G | 53.80 | 54.00 | -0.20 | 31.56 | 3 | Horizontal | 47 | 1.98 | - |
| 2417MHz | Pass | AV | 2.4186G | 101.72 | Inf | -Inf | 31.54 | 3 | Horizontal | 47 | 1.98 | - |
| 2417MHz | Pass | PK | 2.3878G | 70.49 | 74.00 | -3.51 | 31.57 | 3 | Horizontal | 47 | 1.98 | - |
| 2417MHz | Pass | PK | 2.4188G | 114.88 | Inf | -Inf | 31.54 | 3 | Horizontal | 47 | 1.98 | - |
| 2437MHz | Pass | AV | 2.3898G | 46.42 | 54.00 | -7.58 | 31.56 | 3 | Vertical | 358 | 2.97 | - |
| 2437MHz | Pass | AV | 2.4414G | 104.47 | Inf | -Inf | 31.55 | 3 | Vertical | 358 | 2.97 | - |
| 2437MHz | Pass | AV | 2.4835G | 47.49 | 54.00 | -6.51 | 31.58 | 3 | Vertical | 358 | 2.97 | - |
| 2437MHz | Pass | PK | 2.3894G | 61.33 | 74.00 | -12.67 | 31.56 | 3 | Vertical | 358 | 2.97 | - |
| 2437MHz | Pass | PK | 2.4406G | 116.68 | Inf | -Inf | 31.55 | 3 | Vertical | 358 | 2.97 | - |
| 2437MHz | Pass | PK | 2.4835G | 59.78 | 74.00 | -14.22 | 31.58 | 3 | Vertical | 358 | 2.97 | - |
| 2437MHz | Pass | AV | 2.3898G | 46.29 | 54.00 | -7.71 | 31.56 | 3 | Horizontal | 32 | 1.50 | - |
| 2437MHz | Pass | AV | 2.439G | 102.75 | Inf | -Inf | 31.55 | 3 | Horizontal | 32 | 1.50 | - |
| 2437MHz | Pass | AV | 2.487G | 46.20 | 54.00 | -7.80 | 31.57 | 3 | Horizontal | 32 | 1.50 | - |
| 2437MHz | Pass | PK | 2.3886G | 60.52 | 74.00 | -13.48 | 31.57 | 3 | Horizontal | 32 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4386G | 115.08 | Inf | -Inf | 31.55 | 3 | Horizontal | 32 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | PK | 2.489G | 59.50 | 74.00 | -14.50 | 31.57 | 3 | Horizontal | 32 | 1.50 | - |
| 2437MHz | Pass | AV | 4.87389G | 29.51 | 54.00 | -24.49 | -3.91 | 3 | Vertical | 199 | 1.78 | - |
| 2437MHz | Pass | PK | 4.87336G | 42.50 | 74.00 | -31.50 | -3.91 | 3 | Vertical | 199 | 1.78 | - |
| 2437MHz | Pass | AV | 4.87403G | 30.04 | 54.00 | -23.96 | -3.91 | 3 | Horizontal | 215 | 2.11 | - |
| 2437MHz | Pass | PK | 4.87352G | 43.28 | 74.00 | -30.72 | -3.91 | 3 | Horizontal | 215 | 2.11 | - |
| 2457MHz | Pass | AV | 2.4538G | 100.40 | Inf | -Inf | 31.56 | 3 | Vertical | 333 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4835G | 53.51 | 54.00 | -0.49 | 31.58 | 3 | Vertical | 333 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4548G | 113.26 | Inf | -Inf | 31.56 | 3 | Vertical | 333 | 1.50 | - |
| 2457MHz | Pass | PK | 2.484G | 69.47 | 74.00 | -4.53 | 31.58 | 3 | Vertical | 333 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4582G | 99.60 | Inf | -Inf | 31.56 | 3 | Horizontal | 53 | 1.50 | - |
| 2457MHz | Pass | AV | 2.4874G | 49.29 | 54.00 | -4.71 | 31.57 | 3 | Horizontal | 53 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4584G | 112.23 | Inf | -Inf | 31.56 | 3 | Horizontal | 53 | 1.50 | - |
| 2457MHz | Pass | PK | 2.4886G | 66.12 | 74.00 | -7.88 | 31.57 | 3 | Horizontal | 53 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4674G | 101.27 | Inf | -Inf | 31.56 | 3 | Vertical | 346 | 1.87 | - |
| 2462MHz | Pass | AV | 2.486G | 51.87 | 54.00 | -2.13 | 31.57 | 3 | Vertical | 346 | 1.87 | - |
| 2462MHz | Pass | PK | 2.4668G | 114.40 | Inf | -Inf | 31.56 | 3 | Vertical | 346 | 1.87 | - |
| 2462MHz | Pass | PK | 2.4872G | 71.99 | 74.00 | -2.01 | 31.57 | 3 | Vertical | 346 | 1.87 | - |
| 2462MHz | Pass | AV | 2.4642G | 99.90 | Inf | -Inf | 31.57 | 3 | Horizontal | 34 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4835G | 52.92 | 54.00 | -1.08 | 31.58 | 3 | Horizontal | 34 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4642G | 112.37 | Inf | -Inf | 31.57 | 3 | Horizontal | 34 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4835G | 71.35 | 74.00 | -2.65 | 31.58 | 3 | Horizontal | 34 | 1.50 | - |
| 2462MHz | Pass | AV | 4.91518G | 29.34 | 54.00 | -24.66 | -3.82 | 3 | Vertical | 239 | 1.10 | - |
| 2462MHz | Pass | PK | 4.9177G | 42.55 | 74.00 | -31.45 | -3.81 | 3 | Vertical | 239 | 1.10 | - |
| 2462MHz | Pass | AV | 4.9219G | 29.35 | 54.00 | -24.65 | -3.80 | 3 | Horizontal | 93 | 1.01 | - |
| 2462MHz | Pass | PK | 4.92016G | 42.49 | 74.00 | -31.51 | -3.80 | 3 | Horizontal | 93 | 1.01 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.3892G | 52.86 | 54.00 | -1.14 | 31.56 | 3 | Vertical | 336 | 2.94 | - |
| 2422MHz | Pass | AV | 2.4232G | 94.69 | Inf | -Inf | 31.55 | 3 | Vertical | 336 | 2.94 | - |
| 2422MHz | Pass | AV | 2.4835G | 45.66 | 54.00 | -8.34 | 31.58 | 3 | Vertical | 336 | 2.94 | - |
| 2422MHz | Pass | PK | 2.3864G | 71.28 | 74.00 | -2.72 | 31.56 | 3 | Vertical | 336 | 2.94 | - |
| 2422MHz | Pass | PK | 2.4232G | 107.68 | Inf | -Inf | 31.55 | 3 | Vertical | 336 | 2.94 | - |
| 2422MHz | Pass | PK | 2.4872G | 57.93 | 74.00 | -16.07 | 31.57 | 3 | Vertical | 336 | 2.94 | - |
| 2422MHz | Pass | AV | 2.3892G | 53.31 | 54.00 | -0.69 | 31.56 | 3 | Horizontal | 36 | 1.26 | - |
| 2422MHz | Pass | AV | 2.4232G | 94.58 | Inf | -Inf | 31.55 | 3 | Horizontal | 36 | 1.26 | - |
| 2422MHz | Pass | AV | 2.4848G | 46.62 | 54.00 | -7.38 | 31.58 | 3 | Horizontal | 36 | 1.26 | - |
| 2422MHz | Pass | PK | 2.3892G | 71.20 | 74.00 | -2.80 | 31.56 | 3 | Horizontal | 36 | 1.26 | - |
| 2422MHz | Pass | PK | 2.43G | 106.79 | Inf | -Inf | 31.55 | 3 | Horizontal | 36 | 1.26 | - |
| 2422MHz | Pass | PK | 2.4864G | 60.23 | 74.00 | -13.77 | 31.57 | 3 | Horizontal | 36 | 1.26 | - |
| 2422MHz | Pass | AV | 4.83122G | 36.90 | 54.00 | -17.10 | 2.63 | 3 | Vertical | 9 | 2.44 | - |
| 2422MHz | Pass | PK | 4.83986G | 49.80 | 74.00 | -24.20 | 2.64 | 3 | Vertical | 9 | 2.44 | - |
| 2422MHz | Pass | AV | 4.83272G | 30.10 | 54.00 | -23.90 | -3.93 | 3 | Horizontal | 199 | 2.21 | - |
| 2422MHz | Pass | PK | 4.8353G | 43.31 | 74.00 | -30.69 | -3.93 | 3 | Horizontal | 199 | 2.21 | - |
| 2437MHz | Pass | AV | 2.3898G | 50.31 | 54.00 | -3.69 | 31.56 | 3 | Vertical | 357 | 2.96 | - |
| 2437MHz | Pass | AV | 2.4358G | 94.99 | Inf | -Inf | 31.55 | 3 | Vertical | 357 | 2.96 | - |
| 2437MHz | Pass | AV | 2.4835G | 49.33 | 54.00 | -4.67 | 31.58 | 3 | Vertical | 357 | 2.96 | - |
| 2437MHz | Pass | PK | 2.389G | 64.85 | 74.00 | -9.15 | 31.56 | 3 | Vertical | 357 | 2.96 | - |
| 2437MHz | Pass | PK | 2.4338G | 108.15 | Inf | -Inf | 31.55 | 3 | Vertical | 357 | 2.96 | - |
| 2437MHz | Pass | PK | 2.4842G | 62.92 | 74.00 | -11.08 | 31.58 | 3 | Vertical | 357 | 2.96 | - |
| 2437MHz | Pass | AV | 2.3898G | 50.65 | 54.00 | -3.35 | 31.56 | 3 | Horizontal | 41 | 1.71 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | AV | 2.441G | 95.00 | Inf | -Inf | 31.55 | 3 | Horizontal | 41 | 1.71 | - |
| 2437MHz | Pass | AV | 2.4835G | 52.37 | 54.00 | -1.63 | 31.58 | 3 | Horizontal | 41 | 1.71 | - |
| 2437MHz | Pass | PK | 2.389G | 65.88 | 74.00 | -8.12 | 31.56 | 3 | Horizontal | 41 | 1.71 | - |
| 2437MHz | Pass | PK | 2.4402G | 108.24 | Inf | -Inf | 31.55 | 3 | Horizontal | 41 | 1.71 | - |
| 2437MHz | Pass | PK | 2.4835G | 69.36 | 74.00 | -4.64 | 31.58 | 3 | Horizontal | 41 | 1.71 | - |
| 2437MHz | Pass | AV | 4.87406G | 36.41 | 54.00 | -17.59 | 2.66 | 3 | Vertical | 48 | 1.45 | - |
| 2437MHz | Pass | PK | 4.86758G | 49.56 | 74.00 | -24.44 | 2.66 | 3 | Vertical | 48 | 1.45 | - |
| 2437MHz | Pass | AV | 4.87406G | 29.89 | 54.00 | -24.11 | -3.91 | 3 | Horizontal | 115 | 2.29 | - |
| 2437MHz | Pass | PK | 4.8704G | 42.89 | 74.00 | -31.11 | -3.91 | 3 | Horizontal | 115 | 2.29 | - |
| 2447MHz | Pass | AV | 2.3886G | 45.06 | 54.00 | -8.94 | 31.57 | 3 | Vertical | 331 | 1.63 | - |
| 2447MHz | Pass | AV | 2.4438G | 93.37 | Inf | -Inf | 31.56 | 3 | Vertical | 331 | 1.63 | - |
| 2447MHz | Pass | AV | 2.4835G | 52.16 | 54.00 | -1.84 | 31.58 | 3 | Vertical | 331 | 1.63 | - |
| 2447MHz | Pass | PK | 2.3886G | 60.22 | 74.00 | -13.78 | 31.57 | 3 | Vertical | 331 | 1.63 | - |
| 2447MHz | Pass | PK | 2.4478G | 106.15 | Inf | -Inf | 31.55 | 3 | Vertical | 331 | 1.63 | - |
| 2447MHz | Pass | PK | 2.4846G | 68.28 | 74.00 | -5.72 | 31.58 | 3 | Vertical | 331 | 1.63 | - |
| 2447MHz | Pass | AV | 2.3894G | 45.67 | 54.00 | -8.33 | 31.56 | 3 | Horizontal | 39 | 2.18 | - |
| 2447MHz | Pass | AV | 2.4446G | 92.59 | Inf | -Inf | 31.56 | 3 | Horizontal | 39 | 2.18 | - |
| 2447MHz | Pass | AV | 2.4838G | 50.30 | 54.00 | -3.70 | 31.58 | 3 | Horizontal | 39 | 2.18 | - |
| 2447MHz | Pass | PK | 2.387G | 58.50 | 74.00 | -15.50 | 31.57 | 3 | Horizontal | 39 | 2.18 | - |
| 2447MHz | Pass | PK | 2.4494G | 105.14 | Inf | -Inf | 31.56 | 3 | Horizontal | 39 | 2.18 | - |
| 2447MHz | Pass | PK | 2.4842G | 67.61 | 74.00 | -6.39 | 31.58 | 3 | Horizontal | 39 | 2.18 | - |
| 2452MHz | Pass | AV | 2.3884G | 44.53 | 54.00 | -9.47 | 31.57 | 3 | Vertical | 344 | 2.89 | - |
| 2452MHz | Pass | AV | 2.4548G | 93.87 | Inf | -Inf | 31.56 | 3 | Vertical | 344 | 2.89 | - |
| 2452MHz | Pass | AV | 2.484G | 52.98 | 54.00 | -1.02 | 31.58 | 3 | Vertical | 344 | 2.89 | - |
| 2452MHz | Pass | PK | 2.3892G | 59.07 | 74.00 | -14.93 | 31.56 | 3 | Vertical | 344 | 2.89 | - |
| 2452MHz | Pass | PK | 2.4628G | 106.67 | Inf | -Inf | 31.57 | 3 | Vertical | 344 | 2.89 | - |
| 2452MHz | Pass | PK | 2.484G | 73.59 | 74.00 | -0.41 | 31.58 | 3 | Vertical | 344 | 2.89 | - |
| 2452MHz | Pass | AV | 2.3892G | 45.20 | 54.00 | -8.80 | 31.56 | 3 | Horizontal | 40 | 1.76 | - |
| 2452MHz | Pass | AV | 2.4532G | 94.20 | Inf | -Inf | 31.56 | 3 | Horizontal | 40 | 1.76 | - |
| 2452MHz | Pass | AV | 2.4835G | 53.45 | 54.00 | -0.55 | 31.58 | 3 | Horizontal | 40 | 1.76 | - |
| 2452MHz | Pass | PK | 2.3888G | 57.84 | 74.00 | -16.16 | 31.56 | 3 | Horizontal | 40 | 1.76 | - |
| 2452MHz | Pass | PK | 2.4552G | 106.92 | Inf | -Inf | 31.55 | 3 | Horizontal | 40 | 1.76 | - |
| 2452MHz | Pass | PK | 2.4835G | 73.72 | 74.00 | -0.28 | 31.58 | 3 | Horizontal | 40 | 1.76 | - |
| 2452MHz | Pass | AV | 4.91774G | 35.92 | 54.00 | -18.08 | 2.77 | 3 | Vertical | 163 | 2.48 | - |
| 2452MHz | Pass | PK | 4.89764G | 48.63 | 74.00 | -25.37 | 2.68 | 3 | Vertical | 163 | 2.48 | - |
| 2452MHz | Pass | AV | 4.91762G | 29.26 | 54.00 | -24.74 | -3.81 | 3 | Horizontal | 354 | 1.66 | - |
| 2452MHz | Pass | PK | 4.89554G | 43.23 | 74.00 | -30.77 | -3.90 | 3 | Horizontal | 354 | 1.66 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 53.85 | 54.00 | -0.15 | 31.56 | 3 | Vertical | 23 | 1.97 | - |
| 2422MHz | Pass | AV | 2.4148G | 92.97 | Inf | -Inf | 31.55 | 3 | Vertical | 23 | 1.97 | - |
| 2422MHz | Pass | AV | 2.4835G | 45.21 | 54.00 | -8.79 | 31.58 | 3 | Vertical | 23 | 1.97 | - |
| 2422MHz | Pass | PK | 2.3872G | 70.15 | 74.00 | -3.85 | 31.57 | 3 | Vertical | 23 | 1.97 | - |
| 2422MHz | Pass | PK | 2.414G | 105.87 | Inf | -Inf | 31.54 | 3 | Vertical | 23 | 1.97 | - |
| 2422MHz | Pass | PK | 2.4844G | 57.82 | 74.00 | -16.18 | 31.58 | 3 | Vertical | 23 | 1.97 | - |
| 2422MHz | Pass | AV | 2.3896G | 52.88 | 54.00 | -1.12 | 31.56 | 3 | Horizontal | 316 | 2.01 | - |
| 2422MHz | Pass | AV | 2.4208G | 91.53 | Inf | -Inf | 31.54 | 3 | Horizontal | 316 | 2.01 | - |
| 2422MHz | Pass | AV | 2.484G | 44.93 | 54.00 | -9.07 | 31.58 | 3 | Horizontal | 316 | 2.01 | - |
| 2422MHz | Pass | PK | 2.3872G | 68.56 | 74.00 | -5.44 | 31.57 | 3 | Horizontal | 316 | 2.01 | - |
| 2422MHz | Pass | PK | 2.4268G | 104.09 | Inf | -Inf | 31.54 | 3 | Horizontal | 316 | 2.01 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2422MHz | Pass | PK | 2.4884G | 57.85 | 74.00 | -16.15 | 31.57 | 3 | Horizontal | 316 | 2.01 | - |
| 2422MHz | Pass | AV | 4.83044G | 30.19 | 54.00 | -23.81 | -3.93 | 3 | Vertical | 164 | 1.01 | - |
| 2422MHz | Pass | PK | 4.83362G | 42.86 | 74.00 | -31.14 | -3.93 | 3 | Vertical | 164 | 1.01 | - |
| 2422MHz | Pass | AV | 4.83044G | 30.28 | 54.00 | -23.72 | -3.93 | 3 | Horizontal | 185 | 1.21 | - |
| 2422MHz | Pass | PK | 4.83464G | 43.20 | 74.00 | -30.80 | -3.93 | 3 | Horizontal | 185 | 1.21 | - |
| 2427MHz | Pass | AV | 2.3894G | 52.25 | 54.00 | -1.75 | 31.56 | 3 | Horizontal | 5 | 2.99 | - |
| 2427MHz | Pass | AV | 2.4234G | 93.72 | Inf | -Inf | 31.55 | 3 | Horizontal | 5 | 2.99 | - |
| 2427MHz | Pass | AV | 2.4835G | 45.56 | 54.00 | -8.44 | 31.58 | 3 | Horizontal | 5 | 2.99 | - |
| 2427MHz | Pass | PK | 2.387G | 67.36 | 74.00 | -6.64 | 31.57 | 3 | Horizontal | 5 | 2.99 | - |
| 2427MHz | Pass | PK | 2.4366G | 107.70 | Inf | -Inf | 31.55 | 3 | Horizontal | 5 | 2.99 | - |
| 2427MHz | Pass | PK | 2.4838G | 59.52 | 74.00 | -14.48 | 31.58 | 3 | Horizontal | 5 | 2.99 | - |
| 2427MHz | Pass | AV | 2.3898G | 48.39 | 54.00 | -5.61 | 31.56 | 3 | Horizontal | 297 | 1.50 | - |
| 2427MHz | Pass | AV | 2.4334G | 90.28 | Inf | -Inf | 31.55 | 3 | Horizontal | 297 | 1.50 | - |
| 2427MHz | Pass | AV | 2.4842G | 44.90 | 54.00 | -9.10 | 31.58 | 3 | Horizontal | 297 | 1.50 | - |
| 2427MHz | Pass | PK | 2.3894G | 63.15 | 74.00 | -10.85 | 31.56 | 3 | Horizontal | 297 | 1.50 | - |
| 2427MHz | Pass | PK | 2.4226G | 103.27 | Inf | -Inf | 31.55 | 3 | Horizontal | 297 | 1.50 | - |
| 2427MHz | Pass | PK | 2.4842G | 57.46 | 74.00 | -16.54 | 31.58 | 3 | Horizontal | 297 | 1.50 | - |
| 2437MHz | Pass | AV | 2.3898G | 48.86 | 54.00 | -5.14 | 31.56 | 3 | Vertical | 335 | 1.42 | - |
| 2437MHz | Pass | AV | 2.4438G | 93.62 | Inf | -Inf | 31.56 | 3 | Vertical | 335 | 1.42 | - |
| 2437MHz | Pass | AV | 2.4835G | 53.13 | 54.00 | -0.87 | 31.58 | 3 | Vertical | 335 | 1.42 | - |
| 2437MHz | Pass | PK | 2.3886G | 63.51 | 74.00 | -10.49 | 31.57 | 3 | Vertical | 335 | 1.42 | - |
| 2437MHz | Pass | PK | 2.4474G | 106.03 | Inf | -Inf | 31.55 | 3 | Vertical | 335 | 1.42 | - |
| 2437MHz | Pass | PK | 2.4835G | 67.21 | 74.00 | -6.79 | 31.58 | 3 | Vertical | 335 | 1.42 | - |
| 2437MHz | Pass | AV | 2.3898G | 49.25 | 54.00 | -4.75 | 31.56 | 3 | Horizontal | 65 | 1.93 | - |
| 2437MHz | Pass | AV | 2.435G | 92.25 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.93 | - |
| 2437MHz | Pass | AV | 2.4835G | 51.63 | 54.00 | -2.37 | 31.58 | 3 | Horizontal | 65 | 1.93 | - |
| 2437MHz | Pass | PK | 2.3898G | 62.92 | 74.00 | -11.08 | 31.56 | 3 | Horizontal | 65 | 1.93 | - |
| 2437MHz | Pass | PK | 2.4438G | 105.32 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.93 | - |
| 2437MHz | Pass | PK | 2.4838G | 65.90 | 74.00 | -8.10 | 31.58 | 3 | Horizontal | 65 | 1.93 | - |
| 2437MHz | Pass | AV | 4.874G | 29.90 | 54.00 | -24.10 | -3.91 | 3 | Vertical | 319 | 1.74 | - |
| 2437MHz | Pass | PK | 4.87364G | 42.83 | 74.00 | -31.17 | -3.91 | 3 | Vertical | 319 | 1.74 | - |
| 2437MHz | Pass | AV | 4.87406G | 29.96 | 54.00 | -24.04 | -3.91 | 3 | Horizontal | 22 | 1.93 | - |
| 2437MHz | Pass | PK | 4.87334G | 42.52 | 74.00 | -31.48 | -3.91 | 3 | Horizontal | 22 | 1.93 | - |
| 2447MHz | Pass | AV | 2.3898G | 44.95 | 54.00 | -9.05 | 31.56 | 3 | Vertical | 360 | 1.62 | - |
| 2447MHz | Pass | AV | 2.4442G | 93.79 | Inf | -Inf | 31.56 | 3 | Vertical | 360 | 1.62 | - |
| 2447MHz | Pass | AV | 2.4835G | 53.77 | 54.00 | -0.23 | 31.58 | 3 | Vertical | 360 | 1.62 | - |
| 2447MHz | Pass | PK | 2.3842G | 57.97 | 74.00 | -16.03 | 31.57 | 3 | Vertical | 360 | 1.62 | - |
| 2447MHz | Pass | PK | 2.4454G | 106.05 | Inf | -Inf | 31.55 | 3 | Vertical | 360 | 1.62 | - |
| 2447MHz | Pass | PK | 2.4835G | 67.58 | 74.00 | -6.42 | 31.58 | 3 | Vertical | 360 | 1.62 | - |
| 2447MHz | Pass | AV | 2.3894G | 43.92 | 54.00 | -10.08 | 31.56 | 3 | Horizontal | 295 | 2.99 | - |
| 2447MHz | Pass | AV | 2.4562G | 92.17 | Inf | -Inf | 31.56 | 3 | Horizontal | 295 | 2.99 | - |
| 2447MHz | Pass | AV | 2.4835G | 51.77 | 54.00 | -2.23 | 31.58 | 3 | Horizontal | 295 | 2.99 | - |
| 2447MHz | Pass | PK | 2.351G | 56.70 | 74.00 | -17.30 | 31.66 | 3 | Horizontal | 295 | 2.99 | - |
| 2447MHz | Pass | PK | 2.461G | 105.08 | Inf | -Inf | 31.56 | 3 | Horizontal | 295 | 2.99 | - |
| 2447MHz | Pass | PK | 2.4838G | 68.45 | 74.00 | -5.55 | 31.58 | 3 | Horizontal | 295 | 2.99 | - |
| 2452MHz | Pass | AV | 2.3864G | 44.32 | 54.00 | -9.68 | 31.56 | 3 | Vertical | 0 | 1.87 | - |
| 2452MHz | Pass | AV | 2.454G | 93.50 | Inf | -Inf | 31.56 | 3 | Vertical | 0 | 1.87 | - |
| 2452MHz | Pass | AV | 2.4835G | 51.32 | 54.00 | -2.68 | 31.58 | 3 | Vertical | 0 | 1.87 | - |
| 2452MHz | Pass | PK | 2.3888G | 57.06 | 74.00 | -16.94 | 31.56 | 3 | Vertical | 0 | 1.87 | - |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2452MHz | Pass | PK | 2.4632G | 106.56 | Inf | -Inf | 31.57 | 3 | Vertical | 0 | 1.87 | - |
| 2452MHz | Pass | PK | 2.484G | 72.67 | 74.00 | -1.33 | 31.58 | 3 | Vertical | 0 | 1.87 | - |
| 2452MHz | Pass | AV | 2.3548G | 43.75 | 54.00 | -10.25 | 31.65 | 3 | Horizontal | 65 | 1.50 | - |
| 2452MHz | Pass | AV | 2.4548G | 90.12 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.50 | - |
| 2452MHz | Pass | AV | 2.4848G | 49.92 | 54.00 | -4.08 | 31.58 | 3 | Horizontal | 65 | 1.50 | - |
| 2452MHz | Pass | PK | 2.3584G | 56.62 | 74.00 | -17.38 | 31.64 | 3 | Horizontal | 65 | 1.50 | - |
| 2452MHz | Pass | PK | 2.4532G | 102.81 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.50 | - |
| 2452MHz | Pass | PK | 2.4852G | 71.03 | 74.00 | -2.97 | 31.57 | 3 | Horizontal | 65 | 1.50 | - |
| 2452MHz | Pass | AV | 4.91702G | 29.35 | 54.00 | -24.65 | -3.81 | 3 | Vertical | 119 | 1.75 | - |
| 2452MHz | Pass | PK | 4.89506G | 42.92 | 74.00 | -31.08 | -3.90 | 3 | Vertical | 119 | 1.75 | - |
| 2452MHz | Pass | AV | 4.89212G | 29.26 | 54.00 | -24.74 | -3.90 | 3 | Horizontal | 24 | 1.67 | - |
| 2452MHz | Pass | PK | 4.91252G | 43.34 | 74.00 | -30.66 | -3.84 | 3 | Horizontal | 24 | 1.67 | - |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.3876G | 53.60 | 54.00 | -0.40 | 31.57 | 3 | Vertical | 359 | 2.95 | - |
| 2422MHz | Pass | AV | 2.4264G | 98.87 | Inf | -Inf | 31.54 | 3 | Vertical | 359 | 2.95 | - |
| 2422MHz | Pass | AV | 2.4852G | 46.17 | 54.00 | -7.83 | 31.57 | 3 | Vertical | 359 | 2.95 | - |
| 2422MHz | Pass | PK | 2.3868G | 73.20 | 74.00 | -0.80 | 31.56 | 3 | Vertical | 359 | 2.95 | - |
| 2422MHz | Pass | PK | 2.4272G | 111.00 | Inf | -Inf | 31.54 | 3 | Vertical | 359 | 2.95 | - |
| 2422MHz | Pass | PK | 2.4852G | 61.26 | 74.00 | -12.74 | 31.57 | 3 | Vertical | 359 | 2.95 | - |
| 2422MHz | Pass | AV | 2.3848G | 50.31 | 54.00 | -3.69 | 31.57 | 3 | Horizontal | 31 | 1.50 | - |
| 2422MHz | Pass | AV | 2.4332G | 96.60 | Inf | -Inf | 31.55 | 3 | Horizontal | 31 | 1.50 | - |
| 2422MHz | Pass | AV | 2.4835G | 45.99 | 54.00 | -8.01 | 31.58 | 3 | Horizontal | 31 | 1.50 | - |
| 2422MHz | Pass | PK | 2.3864G | 65.87 | 74.00 | -8.13 | 31.56 | 3 | Horizontal | 31 | 1.50 | - |
| 2422MHz | Pass | PK | 2.4232G | 108.80 | Inf | -Inf | 31.55 | 3 | Horizontal | 31 | 1.50 | - |
| 2422MHz | Pass | PK | 2.484G | 59.47 | 74.00 | -14.53 | 31.58 | 3 | Horizontal | 31 | 1.50 | - |
| 2422MHz | Pass | AV | 4.8323G | 30.15 | 54.00 | -23.85 | -3.93 | 3 | Vertical | 93 | 1.35 | - |
| 2422MHz | Pass | PK | 4.84502G | 43.22 | 74.00 | -30.78 | -3.92 | 3 | Vertical | 93 | 1.35 | - |
| 2422MHz | Pass | AV | 4.83074G | 30.18 | 54.00 | -23.82 | -3.93 | 3 | Horizontal | 255 | 1.82 | - |
| 2422MHz | Pass | PK | 4.85168G | 43.43 | 74.00 | -30.57 | -3.91 | 3 | Horizontal | 255 | 1.82 | - |
| 2427MHz | Pass | AV | 2.3846G | 52.13 | 54.00 | -1.87 | 31.57 | 3 | Vertical | 331 | 1.50 | - |
| 2427MHz | Pass | AV | 2.4342G | 97.01 | Inf | -Inf | 31.55 | 3 | Vertical | 331 | 1.50 | - |
| 2427MHz | Pass | AV | 2.4838G | 48.48 | 54.00 | -5.52 | 31.58 | 3 | Vertical | 331 | 1.50 | - |
| 2427MHz | Pass | PK | 2.3842G | 67.49 | 74.00 | -6.51 | 31.57 | 3 | Vertical | 331 | 1.50 | - |
| 2427MHz | Pass | PK | 2.4338G | 109.79 | Inf | -Inf | 31.55 | 3 | Vertical | 331 | 1.50 | - |
| 2427MHz | Pass | PK | 2.4838G | 63.15 | 74.00 | -10.85 | 31.58 | 3 | Vertical | 331 | 1.50 | - |
| 2427MHz | Pass | AV | 2.389G | 52.73 | 54.00 | -1.27 | 31.56 | 3 | Horizontal | 49 | 2.17 | - |
| 2427MHz | Pass | AV | 2.4182G | 97.54 | Inf | -Inf | 31.54 | 3 | Horizontal | 49 | 2.17 | - |
| 2427MHz | Pass | AV | 2.4886G | 46.45 | 54.00 | -7.55 | 31.57 | 3 | Horizontal | 49 | 2.17 | - |
| 2427MHz | Pass | PK | 2.3874G | 69.14 | 74.00 | -4.86 | 31.57 | 3 | Horizontal | 49 | 2.17 | - |
| 2427MHz | Pass | PK | 2.4178G | 109.99 | Inf | -Inf | 31.54 | 3 | Horizontal | 49 | 2.17 | - |
| 2427MHz | Pass | PK | 2.4898G | 59.60 | 74.00 | -14.40 | 31.58 | 3 | Horizontal | 49 | 2.17 | - |
| 2437MHz | Pass | AV | 2.3898G | 50.76 | 54.00 | -3.24 | 31.56 | 3 | Vertical | 357 | 2.97 | - |
| 2437MHz | Pass | AV | 2.4414G | 99.62 | Inf | -Inf | 31.55 | 3 | Vertical | 357 | 2.97 | - |
| 2437MHz | Pass | AV | 2.4835G | 51.64 | 54.00 | -2.36 | 31.58 | 3 | Vertical | 357 | 2.97 | - |
| 2437MHz | Pass | PK | 2.3894G | 66.94 | 74.00 | -7.06 | 31.56 | 3 | Vertical | 357 | 2.97 | - |
| 2437MHz | Pass | PK | 2.4322G | 112.41 | Inf | -Inf | 31.55 | 3 | Vertical | 357 | 2.97 | - |
| 2437MHz | Pass | PK | 2.4838G | 65.39 | 74.00 | -8.61 | 31.58 | 3 | Vertical | 357 | 2.97 | - |
| 2437MHz | Pass | AV | 2.3898G | 49.86 | 54.00 | -4.14 | 31.56 | 3 | Horizontal | 31 | 1.50 | - |
| 2437MHz | Pass | AV | 2.4386G | 97.69 | Inf | -Inf | 31.55 | 3 | Horizontal | 31 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | AV | 2.4886G | 49.66 | 54.00 | -4.34 | 31.57 | 3 | Horizontal | 31 | 1.50 | - |
| 2437MHz | Pass | PK | 2.3894G | 64.93 | 74.00 | -9.07 | 31.56 | 3 | Horizontal | 31 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4482G | 110.13 | Inf | -Inf | 31.55 | 3 | Horizontal | 31 | 1.50 | - |
| 2437MHz | Pass | PK | 2.4882G | 64.59 | 74.00 | -9.41 | 31.57 | 3 | Horizontal | 31 | 1.50 | - |
| 2437MHz | Pass | AV | 4.87406G | 29.91 | 54.00 | -24.09 | -3.91 | 3 | Vertical | 54 | 2.31 | - |
| 2437MHz | Pass | PK | 4.8593G | 42.80 | 74.00 | -31.20 | -3.91 | 3 | Vertical | 54 | 2.31 | - |
| 2437MHz | Pass | AV | 4.87394G | 29.89 | 54.00 | -24.11 | -3.91 | 3 | Horizontal | 218 | 1.19 | - |
| 2437MHz | Pass | PK | 4.87418G | 42.75 | 74.00 | -31.25 | -3.91 | 3 | Horizontal | 218 | 1.19 | - |
| 2447MHz | Pass | AV | 2.3898G | 45.35 | 54.00 | -8.65 | 31.56 | 3 | Vertical | 357 | 2.63 | - |
| 2447MHz | Pass | AV | 2.4522G | 98.34 | Inf | -Inf | 31.56 | 3 | Vertical | 357 | 2.63 | - |
| 2447MHz | Pass | AV | 2.4835G | 53.18 | 54.00 | -0.82 | 31.58 | 3 | Vertical | 357 | 2.63 | - |
| 2447MHz | Pass | PK | 2.381G | 58.56 | 74.00 | -15.44 | 31.59 | 3 | Vertical | 357 | 2.63 | - |
| 2447MHz | Pass | PK | 2.4514G | 110.73 | Inf | -Inf | 31.56 | 3 | Vertical | 357 | 2.63 | - |
| 2447MHz | Pass | PK | 2.4842G | 70.68 | 74.00 | -3.32 | 31.58 | 3 | Vertical | 357 | 2.63 | - |
| 2447MHz | Pass | AV | 2.3886G | 45.48 | 54.00 | -8.52 | 31.57 | 3 | Horizontal | 49 | 1.49 | - |
| 2447MHz | Pass | AV | 2.4482G | 96.80 | Inf | -Inf | 31.55 | 3 | Horizontal | 49 | 1.49 | - |
| 2447MHz | Pass | AV | 2.4878G | 50.30 | 54.00 | -3.70 | 31.57 | 3 | Horizontal | 49 | 1.49 | - |
| 2447MHz | Pass | PK | 2.3882G | 59.08 | 74.00 | -14.92 | 31.57 | 3 | Horizontal | 49 | 1.49 | - |
| 2447MHz | Pass | PK | 2.4578G | 109.20 | Inf | -Inf | 31.56 | 3 | Horizontal | 49 | 1.49 | - |
| 2447MHz | Pass | PK | 2.4874G | 66.22 | 74.00 | -7.78 | 31.57 | 3 | Horizontal | 49 | 1.49 | - |
| 2452MHz | Pass | AV | 2.3884G | 44.54 | 54.00 | -9.46 | 31.57 | 3 | Vertical | 351 | 1.87 | - |
| 2452MHz | Pass | AV | 2.4572G | 97.66 | Inf | -Inf | 31.56 | 3 | Vertical | 351 | 1.87 | - |
| 2452MHz | Pass | AV | 2.4872G | 51.29 | 54.00 | -2.71 | 31.57 | 3 | Vertical | 351 | 1.87 | - |
| 2452MHz | Pass | PK | 2.3888G | 57.62 | 74.00 | -16.38 | 31.56 | 3 | Vertical | 351 | 1.87 | - |
| 2452MHz | Pass | PK | 2.458G | 110.67 | Inf | -Inf | 31.56 | 3 | Vertical | 351 | 1.87 | - |
| 2452MHz | Pass | PK | 2.4844G | 73.70 | 74.00 | -0.30 | 31.58 | 3 | Vertical | 351 | 1.87 | - |
| 2452MHz | Pass | AV | 2.3848G | 44.26 | 54.00 | -9.74 | 31.57 | 3 | Horizontal | 33 | 1.50 | - |
| 2452MHz | Pass | AV | 2.4536G | 96.19 | Inf | -Inf | 31.56 | 3 | Horizontal | 33 | 1.50 | - |
| 2452MHz | Pass | AV | 2.4835G | 50.83 | 54.00 | -3.17 | 31.58 | 3 | Horizontal | 33 | 1.50 | - |
| 2452MHz | Pass | PK | 2.3604G | 57.51 | 74.00 | -16.49 | 31.64 | 3 | Horizontal | 33 | 1.50 | - |
| 2452MHz | Pass | PK | 2.4628G | 108.60 | Inf | -Inf | 31.57 | 3 | Horizontal | 33 | 1.50 | - |
| 2452MHz | Pass | PK | 2.4835G | 70.74 | 74.00 | -3.26 | 31.58 | 3 | Horizontal | 33 | 1.50 | - |
| 2452MHz | Pass | AV | 4.91732G | 29.28 | 54.00 | -24.72 | -3.81 | 3 | Vertical | 48 | 2.36 | - |
| 2452MHz | Pass | PK | 4.91726G | 42.54 | 74.00 | -31.46 | -3.81 | 3 | Vertical | 48 | 2.36 | - |
| 2452MHz | Pass | AV | 4.88954G | 29.33 | 54.00 | -24.67 | -3.89 | 3 | Horizontal | 8 | 1.32 | - |
| 2452MHz | Pass | PK | 4.9109G | 42.54 | 74.00 | -31.46 | -3.85 | 3 | Horizontal | 8 | 1.32 | - |

802.11b_Nss1,(1Mbps)_1TX(Port1)


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3874G | 45.36 | 54.00 | -8.64 | 31.57 | 3 | Vertical | 44 | 1.50 | - | 13.79 | 27.65 | 3.92 | - |
| AV | 2.411G | 102.40 | Inf | -Inf | 31.54 | 3 | Vertical | 44 | 1.50 | - | 70.86 | 27.59 | 3.95 | - |
| PK | 2.3794G | 56.92 | 74.00 | -17.08 | 31.58 | 3 | Vertical | 44 | 1.50 | - | 25.34 | 27.68 | 3.90 | - |
| PK | 2.4128G | 104.20 | Inf | -Inf | 31.54 | 3 | Vertical | 44 | 1.50 | - | 72.66 | 27.59 | 3.95 | - |


802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX


802.11b_Nss1,(1Mbps)_1TX(Port1)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3518G | 45.12 | 54.00 | -8.88 | 31.65 | 3 | Vertical | 327 | 2.94 | - | 13.47 | 27.79 | 3.86 | - |
| AV | 2.4362G | 105.47 | Inf | -Inf | 31.55 | 3 | Vertical | 327 | 2.94 | - | 73.92 | 27.56 | 3.99 | - |
| AV | 2.4842G | 45.39 | 54.00 | -8.61 | 31.58 | 3 | Vertical | 327 | 2.94 | - | 13.81 | 27.52 | 4.06 | - |
| PK | 2.3602G | 56.97 | 74.00 | -17.03 | 31.64 | 3 | Vertical | 327 | 2.94 | - | 25.33 | 27.76 | 3.88 | - |
| PK | 2.4362G | 107.53 | Inf | -Inf | 31.55 | 3 | Vertical | 327 | 2.94 | - | 75.98 | 27.56 | 3.99 | - |
| PK | 2.4894G | 57.63 | 74.00 | -16.37 | 31.57 | 3 | Vertical | 327 | 2.94 | - | 26.06 | 27.51 | 4.06 | - |

802.11b_Nss1,(1Mbps)_1TX(Port1)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3542G | 45.28 | 54.00 | -8.72 | 31.65 | 3 | Horizontal | 39 | 1.49 | - | 13.63 | 27.78 | 3.87 | - |
| AV | 2.4362G | 105.00 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.49 | - | 73.45 | 27.56 | 3.99 | - |
| AV | 2.4862G | 45.49 | 54.00 | -8.51 | 31.57 | 3 | Horizontal | 39 | 1.49 | - | 13.92 | 27.51 | 4.06 | - |
| PK | 2.3774G | 56.80 | 74.00 | -17.20 | 31.59 | 3 | Horizontal | 39 | 1.49 | - | 25.21 | 27.69 | 3.90 | - |
| PK | 2.4362G | 107.05 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.49 | - | 75.50 | 27.56 | 3.99 | - |
| PK | 2.4962G | 57.10 | 74.00 | -16.90 | 31.57 | 3 | Horizontal | 39 | 1.49 | - | 25.53 | 27.50 | 4.07 | - |


802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX


802.11b_Nss1,(1Mbps)_1TX(Port1)


21/06/2019

2462MHz_TX


802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|--------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4612G | 104.35 | Inf | -Inf | 31.56 | 3 | Horizontal | 40 | 1.50 | - | 72.79 | 27.54 | 4.02 | - |
| AV | 2.4918G | 45.91 | 54.00 | -8.09 | 31.58 | 3 | Horizontal | 40 | 1.50 | - | 14.33 | 27.51 | 4.07 | - |
| PK | 2.4628G | 106.46 | Inf | -Inf | 31.57 | 3 | Horizontal | 40 | 1.50 | - | 74.89 | 27.54 | 4.03 | - |
| PK | 2.4962G | 57.62 | 74.00 | -16.38 | 31.57 | 3 | Horizontal | 40 | 1.50 | - | 26.05 | 27.50 | 4.07 | - |


802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX


802.11b_Nss1,(1Mbps)_1TX(Port2)


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.386G | 45.21 | 54.00 | -8.79 | 31.57 | 3 | Vertical | 12 | 1.04 | - | 13.64 | 27.66 | 3.91 | - |
| AV | 2.4112G | 104.93 | Inf | -Inf | 31.54 | 3 | Vertical | 12 | 1.04 | - | 73.39 | 27.59 | 3.95 | - |
| PK | 2.389G | 57.41 | 74.00 | -16.59 | 31.56 | 3 | Vertical | 12 | 1.04 | - | 25.85 | 27.64 | 3.92 | - |
| PK | 2.4128G | 106.92 | Inf | -Inf | 31.54 | 3 | Vertical | 12 | 1.04 | - | 75.38 | 27.59 | 3.95 | - |

802.11b_Nss1,(1Mbps)_1TX(Port2)


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3644G | 45.23 | 54.00 | -8.77 | 31.62 | 3 | Horizontal | 289 | 1.56 | - | 13.61 | 27.74 | 3.88 | - |
| AV | 2.4112G | 103.72 | Inf | -Inf | 31.54 | 3 | Horizontal | 289 | 1.56 | - | 72.18 | 27.59 | 3.95 | - |
| PK | 2.3714G | 57.05 | 74.00 | -16.95 | 31.60 | 3 | Horizontal | 289 | 1.56 | - | 25.45 | 27.71 | 3.89 | - |
| PK | 2.4128G | 105.61 | Inf | -Inf | 31.54 | 3 | Horizontal | 289 | 1.56 | - | 74.07 | 27.59 | 3.95 | - |


802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX


802.11b_Nss1,(1Mbps)_1TX(Port2)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.3374G | 45.45 | 54.00 | -8.55 | 31.69 | 3 | Vertical | 17 | 2.97 | - | 13.76 | 27.85 | 3.84 | - |
| AV | 2.4362G | 106.60 | Inf | -Inf | 31.55 | 3 | Vertical | 17 | 2.97 | - | 75.05 | 27.56 | 3.99 | - |
| AV | 2.4998G | 45.47 | 54.00 | -8.53 | 31.58 | 3 | Vertical | 17 | 2.97 | - | 13.89 | 27.50 | 4.08 | - |
| PK | 2.3558G | 57.24 | 74.00 | -16.76 | 31.65 | 3 | Vertical | 17 | 2.97 | - | 25.59 | 27.78 | 3.87 | - |
| PK | 2.4362G | 108.59 | Inf | -Inf | 31.55 | 3 | Vertical | 17 | 2.97 | - | 77.04 | 27.56 | 3.99 | - |
| PK | 2.4958G | 56.86 | 74.00 | -17.14 | 31.57 | 3 | Vertical | 17 | 2.97 | - | 25.29 | 27.50 | 4.07 | - |

802.11b_Nss1,(1Mbps)_1TX(Port2)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.381GHz | 45.77 | 54.00 | -8.23 | 31.59 | 3 | Horizontal | 288 | 1.50 | - | 14.18 | 27.68 | 3.91 | - |
| AV | 2.4362GHz | 103.09 | Inf | -Inf | 31.55 | 3 | Horizontal | 288 | 1.50 | - | 71.54 | 27.56 | 3.99 | - |
| AV | 2.4902GHz | 45.45 | 54.00 | -8.55 | 31.58 | 3 | Horizontal | 288 | 1.50 | - | 13.87 | 27.51 | 4.07 | - |
| PK | 2.3378GHz | 56.66 | 74.00 | -17.34 | 31.69 | 3 | Horizontal | 288 | 1.50 | - | 24.97 | 27.85 | 3.84 | - |
| PK | 2.4378GHz | 105.08 | Inf | -Inf | 31.55 | 3 | Horizontal | 288 | 1.50 | - | 73.53 | 27.56 | 3.99 | - |
| PK | 2.4926GHz | 56.68 | 74.00 | -17.32 | 31.58 | 3 | Horizontal | 288 | 1.50 | - | 25.10 | 27.51 | 4.07 | - |


802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX



802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX



802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX


802.11b_Nss1,(1Mbps)_2TX


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3872G | 45.68 | 54.00 | -8.32 | 31.57 | 3 | Horizontal | 64 | 1.33 | - | 14.11 | 27.65 | 3.92 | - |
| AV | 2.413G | 108.64 | Inf | -Inf | 31.54 | 3 | Horizontal | 64 | 1.33 | - | 77.10 | 27.59 | 3.95 | - |
| PK | 2.3896G | 57.13 | 74.00 | -16.87 | 31.56 | 3 | Horizontal | 64 | 1.33 | - | 25.57 | 27.64 | 3.92 | - |
| PK | 2.4128G | 110.38 | Inf | -Inf | 31.54 | 3 | Horizontal | 64 | 1.33 | - | 78.84 | 27.59 | 3.95 | - |


802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX



802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX


802.11b_Nss1,(1Mbps)_2TX


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3646G | 45.34 | 54.00 | -8.66 | 31.62 | 3 | Vertical | 321 | 1.92 | - | 13.72 | 27.74 | 3.88 | - |
| AV | 2.4378G | 105.66 | Inf | -Inf | 31.55 | 3 | Vertical | 321 | 1.92 | - | 74.11 | 27.56 | 3.99 | - |
| AV | 2.4842G | 45.54 | 54.00 | -8.46 | 31.58 | 3 | Vertical | 321 | 1.92 | - | 13.96 | 27.52 | 4.06 | - |
| PK | 2.3586G | 57.07 | 74.00 | -16.93 | 31.64 | 3 | Vertical | 321 | 1.92 | - | 25.43 | 27.77 | 3.87 | - |
| PK | 2.4378G | 107.64 | Inf | -Inf | 31.55 | 3 | Vertical | 321 | 1.92 | - | 76.09 | 27.56 | 3.99 | - |
| PK | 2.497G | 56.66 | 74.00 | -17.34 | 31.58 | 3 | Vertical | 321 | 1.92 | - | 25.08 | 27.50 | 4.08 | - |

802.11b_Nss1,(1Mbps)_2TX


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.3786G | 45.27 | 54.00 | -8.73 | 31.59 | 3 | Horizontal | 34 | 1.50 | - | 13.68 | 27.69 | 3.90 | - |
| AV | 2.4362G | 108.72 | Inf | -Inf | 31.55 | 3 | Horizontal | 34 | 1.50 | - | 77.17 | 27.56 | 3.99 | - |
| AV | 2.4934G | 45.42 | 54.00 | -8.58 | 31.58 | 3 | Horizontal | 34 | 1.50 | - | 13.84 | 27.51 | 4.07 | - |
| PK | 2.371G | 56.93 | 74.00 | -17.07 | 31.61 | 3 | Horizontal | 34 | 1.50 | - | 25.32 | 27.72 | 3.89 | - |
| PK | 2.4362G | 110.60 | Inf | -Inf | 31.55 | 3 | Horizontal | 34 | 1.50 | - | 79.05 | 27.56 | 3.99 | - |
| PK | 2.4854G | 56.63 | 74.00 | -17.37 | 31.57 | 3 | Horizontal | 34 | 1.50 | - | 25.06 | 27.51 | 4.06 | - |


802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2437MHz_TX



802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2437MHz_TX



802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX


802.11b_Nss1,(1Mbps)_2TX


21/06/2019

2462MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|--------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4612G | 108.42 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.50 | - | 76.86 | 27.54 | 4.02 | - |
| AV | 2.484G | 45.70 | 54.00 | -8.30 | 31.58 | 3 | Horizontal | 65 | 1.50 | - | 14.12 | 27.52 | 4.06 | - |
| PK | 2.4628G | 110.38 | Inf | -Inf | 31.57 | 3 | Horizontal | 65 | 1.50 | - | 78.81 | 27.54 | 4.03 | - |
| PK | 2.488G | 58.50 | 74.00 | -15.50 | 31.57 | 3 | Horizontal | 65 | 1.50 | - | 26.93 | 27.51 | 4.06 | - |


802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX



802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 52.55 | 54.00 | -1.45 | 31.56 | 3 | Vertical | 45 | 1.45 | - | 20.99 | 27.64 | 3.92 | - |
| AV | 2.4152G | 95.47 | Inf | -Inf | 31.54 | 3 | Vertical | 45 | 1.45 | - | 63.93 | 27.58 | 3.96 | - |
| PK | 2.39G | 66.35 | 74.00 | -7.65 | 31.56 | 3 | Vertical | 45 | 1.45 | - | 34.79 | 27.64 | 3.92 | - |
| PK | 2.4138G | 105.07 | Inf | -Inf | 31.54 | 3 | Vertical | 45 | 1.45 | - | 73.53 | 27.59 | 3.95 | - |

802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 53.24 | 54.00 | -0.76 | 31.56 | 3 | Horizontal | 37 | 1.29 | - | 21.68 | 27.64 | 3.92 | - |
| AV | 2.4152G | 97.59 | Inf | -Inf | 31.54 | 3 | Horizontal | 37 | 1.29 | - | 66.05 | 27.58 | 3.96 | - |
| PK | 2.39G | 67.02 | 74.00 | -6.98 | 31.56 | 3 | Horizontal | 37 | 1.29 | - | 35.46 | 27.64 | 3.92 | - |
| PK | 2.4138G | 107.16 | Inf | -Inf | 31.54 | 3 | Horizontal | 37 | 1.29 | - | 75.62 | 27.59 | 3.95 | - |


802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2417MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 53.43 | 54.00 | -0.57 | 31.56 | 3 | Horizontal | 31 | 1.50 | - | 21.87 | 27.64 | 3.92 | - |
| AV | 2.4194G | 99.15 | Inf | -Inf | 31.54 | 3 | Horizontal | 31 | 1.50 | - | 67.61 | 27.58 | 3.96 | - |
| PK | 2.3898G | 69.24 | 74.00 | -4.76 | 31.56 | 3 | Horizontal | 31 | 1.50 | - | 37.68 | 27.64 | 3.92 | - |
| PK | 2.4224G | 108.46 | Inf | -Inf | 31.55 | 3 | Horizontal | 31 | 1.50 | - | 76.91 | 27.58 | 3.97 | - |

802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3874G | 44.72 | 54.00 | -9.28 | 31.57 | 3 | Vertical | 347 | 1.91 | - | 13.15 | 27.65 | 3.92 | - |
| AV | 2.4402G | 98.47 | Inf | -Inf | 31.55 | 3 | Vertical | 347 | 1.91 | - | 66.92 | 27.56 | 3.99 | - |
| AV | 2.4835G | 46.26 | 54.00 | -7.74 | 31.58 | 3 | Vertical | 347 | 1.91 | - | 14.68 | 27.52 | 4.06 | - |
| PK | 2.339G | 57.02 | 74.00 | -16.98 | 31.68 | 3 | Vertical | 347 | 1.91 | - | 25.34 | 27.84 | 3.84 | - |
| PK | 2.4394G | 107.23 | Inf | -Inf | 31.55 | 3 | Vertical | 347 | 1.91 | - | 75.68 | 27.56 | 3.99 | - |
| PK | 2.4846G | 58.10 | 74.00 | -15.90 | 31.58 | 3 | Vertical | 347 | 1.91 | - | 26.52 | 27.52 | 4.06 | - |

802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3862G | 45.01 | 54.00 | -8.99 | 31.57 | 3 | Horizontal | 39 | 1.10 | - | 13.44 | 27.66 | 3.91 | - |
| AV | 2.4394G | 99.50 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.10 | - | 67.95 | 27.56 | 3.99 | - |
| AV | 2.4838G | 45.91 | 54.00 | -8.09 | 31.58 | 3 | Horizontal | 39 | 1.10 | - | 14.33 | 27.52 | 4.06 | - |
| PK | 2.3482G | 57.33 | 74.00 | -16.67 | 31.67 | 3 | Horizontal | 39 | 1.10 | - | 25.66 | 27.81 | 3.86 | - |
| PK | 2.441G | 108.48 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.10 | - | 76.93 | 27.56 | 3.99 | - |
| PK | 2.4898G | 59.18 | 74.00 | -14.82 | 31.58 | 3 | Horizontal | 39 | 1.10 | - | 27.60 | 27.51 | 4.07 | - |


802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|--------|----------|-----------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4538G | 97.69 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.47 | - | 66.13 | 27.55 | 4.01 | - |
| AV | 2.4842G | 52.30 | 54.00 | -1.70 | 31.58 | 3 | Vertical | 338 | 1.47 | - | 20.72 | 27.52 | 4.06 | - |
| PK | 2.4536G | 107.72 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.47 | - | 76.16 | 27.55 | 4.01 | - |
| PK | 2.4848G | 68.34 | 74.00 | -5.66 | 31.58 | 3 | Vertical | 338 | 1.47 | - | 36.76 | 27.52 | 4.06 | - |

802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|--------|----------|------------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4596G | 98.50 | Inf | -Inf | 31.56 | 3 | Horizontal | 45 | 1.93 | - | 66.94 | 27.54 | 4.02 | - |
| AV | 2.4835G | 53.25 | 54.00 | -0.75 | 31.58 | 3 | Horizontal | 45 | 1.93 | - | 21.67 | 27.52 | 4.06 | - |
| PK | 2.4584G | 107.68 | Inf | -Inf | 31.56 | 3 | Horizontal | 45 | 1.93 | - | 76.12 | 27.54 | 4.02 | - |
| PK | 2.4846G | 69.08 | 74.00 | -4.92 | 31.58 | 3 | Horizontal | 45 | 1.93 | - | 37.50 | 27.52 | 4.06 | - |


802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port1)


21/06/2019

2462MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019


2412MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 52.67 | 54.00 | -1.33 | 31.56 | 3 | Vertical | 27 | 1.98 | - | 21.11 | 27.64 | 3.92 | - |
| AV | 2.4142G | 97.40 | Inf | -Inf | 31.54 | 3 | Vertical | 27 | 1.98 | - | 65.86 | 27.59 | 3.95 | - |
| PK | 2.39G | 65.91 | 74.00 | -8.09 | 31.56 | 3 | Vertical | 27 | 1.98 | - | 34.35 | 27.64 | 3.92 | - |
| PK | 2.412G | 107.41 | Inf | -Inf | 31.54 | 3 | Vertical | 27 | 1.98 | - | 75.87 | 27.59 | 3.95 | - |

802.11g_Nss1,(6Mbps)_1TX(Port2)


21/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 51.10 | 54.00 | -2.90 | 31.56 | 3 | Horizontal | 284 | 1.78 | - | 19.54 | 27.64 | 3.92 | - |
| AV | 2.4152G | 95.78 | Inf | -Inf | 31.54 | 3 | Horizontal | 284 | 1.78 | - | 64.24 | 27.58 | 3.96 | - |
| PK | 2.3892G | 64.05 | 74.00 | -9.95 | 31.56 | 3 | Horizontal | 284 | 1.78 | - | 32.49 | 27.64 | 3.92 | - |
| PK | 2.4158G | 105.59 | Inf | -Inf | 31.54 | 3 | Horizontal | 284 | 1.78 | - | 74.05 | 27.58 | 3.96 | - |


802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port2)


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.39G | 53.18 | 54.00 | -0.82 | 31.56 | 3 | Vertical | 343 | 1.05 | - | 21.62 | 27.64 | 3.92 | - |
| AV | 2.4196G | 99.36 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 1.05 | - | 67.82 | 27.58 | 3.96 | - |
| PK | 2.3896G | 68.71 | 74.00 | -5.29 | 31.56 | 3 | Vertical | 343 | 1.05 | - | 37.15 | 27.64 | 3.92 | - |
| PK | 2.413G | 108.69 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 1.05 | - | 77.15 | 27.59 | 3.95 | - |

802.11g_Nss1,(6Mbps)_1TX(Port2)


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 52.00 | 54.00 | -2.00 | 31.56 | 3 | Horizontal | 318 | 1.98 | - | 20.44 | 27.64 | 3.92 | - |
| AV | 2.419G | 99.99 | Inf | -Inf | 31.54 | 3 | Horizontal | 318 | 1.98 | - | 68.45 | 27.58 | 3.96 | - |
| PK | 2.3896G | 68.21 | 74.00 | -5.79 | 31.56 | 3 | Horizontal | 318 | 1.98 | - | 36.65 | 27.64 | 3.92 | - |
| PK | 2.4182G | 109.83 | Inf | -Inf | 31.54 | 3 | Horizontal | 318 | 1.98 | - | 78.29 | 27.58 | 3.96 | - |

802.11g_Nss1,(6Mbps)_1TX(Port2)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 45.63 | 54.00 | -8.37 | 31.56 | 3 | Vertical | 14 | 2.99 | - | 14.07 | 27.64 | 3.92 | - |
| AV | 2.4338G | 101.34 | Inf | -Inf | 31.55 | 3 | Vertical | 14 | 2.99 | - | 69.79 | 27.57 | 3.98 | - |
| AV | 2.4835G | 45.94 | 54.00 | -8.06 | 31.58 | 3 | Vertical | 14 | 2.99 | - | 14.36 | 27.52 | 4.06 | - |
| PK | 2.3894G | 58.18 | 74.00 | -15.82 | 31.56 | 3 | Vertical | 14 | 2.99 | - | 26.62 | 27.64 | 3.92 | - |
| PK | 2.4398G | 111.10 | Inf | -Inf | 31.55 | 3 | Vertical | 14 | 2.99 | - | 79.55 | 27.56 | 3.99 | - |
| PK | 2.485G | 59.21 | 74.00 | -14.79 | 31.58 | 3 | Vertical | 14 | 2.99 | - | 27.63 | 27.52 | 4.06 | - |

802.11g_Nss1,(6Mbps)_1TX(Port2)


21/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|--------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.387G | 44.60 | 54.00 | -9.40 | 31.57 | 3 | Horizontal | 284 | 1.51 | - | 13.03 | 27.65 | 3.92 | - |
| AV | 2.4402G | 97.81 | Inf | -Inf | 31.55 | 3 | Horizontal | 284 | 1.51 | - | 66.26 | 27.56 | 3.99 | - |
| AV | 2.4835G | 45.17 | 54.00 | -8.83 | 31.58 | 3 | Horizontal | 284 | 1.51 | - | 13.59 | 27.52 | 4.06 | - |
| PK | 2.3798G | 57.78 | 74.00 | -16.22 | 31.58 | 3 | Horizontal | 284 | 1.51 | - | 26.20 | 27.68 | 3.90 | - |
| PK | 2.437G | 107.38 | Inf | -Inf | 31.55 | 3 | Horizontal | 284 | 1.51 | - | 75.83 | 27.56 | 3.99 | - |
| PK | 2.4862G | 57.43 | 74.00 | -16.57 | 31.57 | 3 | Horizontal | 284 | 1.51 | - | 25.86 | 27.51 | 4.06 | - |


802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port2)


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|--------|----------|-----------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4596G | 99.43 | Inf | -Inf | 31.56 | 3 | Vertical | 5 | 1.86 | - | 67.87 | 27.54 | 4.02 | - |
| AV | 2.4835G | 53.51 | 54.00 | -0.49 | 31.58 | 3 | Vertical | 5 | 1.86 | - | 21.93 | 27.52 | 4.06 | - |
| PK | 2.4542G | 108.66 | Inf | -Inf | 31.56 | 3 | Vertical | 5 | 1.86 | - | 77.10 | 27.55 | 4.01 | - |
| PK | 2.4842G | 67.85 | 74.00 | -6.15 | 31.58 | 3 | Vertical | 5 | 1.86 | - | 36.27 | 27.52 | 4.06 | - |


802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2457MHz_TX


802.11g_Nss1,(6Mbps)_1TX(Port2)


22/06/2019

2462MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4652G | 97.84 | Inf | -Inf | 31.56 | 3 | Vertical | 351 | 1.87 | - | 66.28 | 27.53 | 4.03 | - |
| AV | 2.4835G | 53.42 | 54.00 | -0.58 | 31.58 | 3 | Vertical | 351 | 1.87 | - | 21.84 | 27.52 | 4.06 | - |
| PK | 2.4634G | 107.67 | Inf | -Inf | 31.57 | 3 | Vertical | 351 | 1.87 | - | 76.10 | 27.54 | 4.03 | - |
| PK | 2.4835G | 68.01 | 74.00 | -5.99 | 31.58 | 3 | Vertical | 351 | 1.87 | - | 36.43 | 27.52 | 4.06 | - |


802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

2462MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

2462MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

2462MHz_TX


802.11g_Nss1,(6Mbps)_2TX


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 52.54 | 54.00 | -1.46 | 31.56 | 3 | Vertical | 356 | 2.99 | - | 20.98 | 27.64 | 3.92 | - |
| AV | 2.4146G | 101.84 | Inf | -Inf | 31.55 | 3 | Vertical | 356 | 2.99 | - | 70.29 | 27.59 | 3.96 | - |
| PK | 2.39G | 69.05 | 74.00 | -4.95 | 31.56 | 3 | Vertical | 356 | 2.99 | - | 37.49 | 27.64 | 3.92 | - |
| PK | 2.4146G | 110.73 | Inf | -Inf | 31.55 | 3 | Vertical | 356 | 2.99 | - | 79.18 | 27.59 | 3.96 | - |

802.11g_Nss1,(6Mbps)_2TX


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3878G | 48.83 | 54.00 | -5.17 | 31.57 | 3 | Horizontal | 63 | 1.50 | - | 17.26 | 27.65 | 3.92 | - |
| AV | 2.4172G | 98.74 | Inf | -Inf | 31.54 | 3 | Horizontal | 63 | 1.50 | - | 67.20 | 27.58 | 3.96 | - |
| PK | 2.3876G | 63.04 | 74.00 | -10.96 | 31.57 | 3 | Horizontal | 63 | 1.50 | - | 31.47 | 27.65 | 3.92 | - |
| PK | 2.4072G | 107.69 | Inf | -Inf | 31.53 | 3 | Horizontal | 63 | 1.50 | - | 76.16 | 27.59 | 3.94 | - |

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2412MHz_TX



802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2412MHz_TX


802.11g_Nss1,(6Mbps)_2TX


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 53.24 | 54.00 | -0.76 | 31.56 | 3 | Vertical | 342 | 1.50 | - | 21.68 | 27.64 | 3.92 | - |
| AV | 2.4204G | 101.35 | Inf | -Inf | 31.54 | 3 | Vertical | 342 | 1.50 | - | 69.81 | 27.58 | 3.96 | - |
| PK | 2.3896G | 66.34 | 74.00 | -7.66 | 31.56 | 3 | Vertical | 342 | 1.50 | - | 34.78 | 27.64 | 3.92 | - |
| PK | 2.42G | 109.67 | Inf | -Inf | 31.54 | 3 | Vertical | 342 | 1.50 | - | 78.13 | 27.58 | 3.96 | - |

802.11g_Nss1,(6Mbps)_2TX


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.3882G | 50.91 | 54.00 | -3.09 | 31.57 | 3 | Horizontal | 57 | 2.17 | - | 19.34 | 27.65 | 3.92 | - |
| AV | 2.4178G | 102.25 | Inf | -Inf | 31.54 | 3 | Horizontal | 57 | 2.17 | - | 70.71 | 27.58 | 3.96 | - |
| PK | 2.3888G | 66.64 | 74.00 | -7.36 | 31.56 | 3 | Horizontal | 57 | 2.17 | - | 35.08 | 27.64 | 3.92 | - |
| PK | 2.418G | 111.13 | Inf | -Inf | 31.54 | 3 | Horizontal | 57 | 2.17 | - | 79.59 | 27.58 | 3.96 | - |

802.11g_Nss1,(6Mbps)_2TX


22/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.389G | 46.04 | 54.00 | -7.96 | 31.56 | 3 | Vertical | 0 | 2.95 | - | 14.48 | 27.64 | 3.92 | - |
| AV | 2.439G | 105.71 | Inf | -Inf | 31.55 | 3 | Vertical | 0 | 2.95 | - | 74.16 | 27.56 | 3.99 | - |
| AV | 2.4842G | 46.87 | 54.00 | -7.13 | 31.58 | 3 | Vertical | 0 | 2.95 | - | 15.29 | 27.52 | 4.06 | - |
| PK | 2.3826G | 58.05 | 74.00 | -15.95 | 31.58 | 3 | Vertical | 0 | 2.95 | - | 26.47 | 27.67 | 3.91 | - |
| PK | 2.4346G | 114.89 | Inf | -Inf | 31.55 | 3 | Vertical | 0 | 2.95 | - | 83.34 | 27.57 | 3.98 | - |
| PK | 2.4846G | 60.43 | 74.00 | -13.57 | 31.58 | 3 | Vertical | 0 | 2.95 | - | 28.85 | 27.52 | 4.06 | - |

802.11g_Nss1,(6Mbps)_2TX


22/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3886G | 45.74 | 54.00 | -8.26 | 31.57 | 3 | Horizontal | 35 | 1.50 | - | 14.17 | 27.65 | 3.92 | - |
| AV | 2.4382G | 103.27 | Inf | -Inf | 31.55 | 3 | Horizontal | 35 | 1.50 | - | 71.72 | 27.56 | 3.99 | - |
| AV | 2.4835G | 46.75 | 54.00 | -7.25 | 31.58 | 3 | Horizontal | 35 | 1.50 | - | 15.17 | 27.52 | 4.06 | - |
| PK | 2.3886G | 59.09 | 74.00 | -14.91 | 31.57 | 3 | Horizontal | 35 | 1.50 | - | 27.52 | 27.65 | 3.92 | - |
| PK | 2.4378G | 111.95 | Inf | -Inf | 31.55 | 3 | Horizontal | 35 | 1.50 | - | 80.40 | 27.56 | 3.99 | - |
| PK | 2.4838G | 59.76 | 74.00 | -14.24 | 31.58 | 3 | Horizontal | 35 | 1.50 | - | 28.18 | 27.52 | 4.06 | - |


802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2437MHz_TX



802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2437MHz_TX


802.11g_Nss1,(6Mbps)_2TX


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4596G | 103.70 | Inf | -Inf | 31.56 | 3 | Vertical | 0 | 2.89 | - | 72.14 | 27.54 | 4.02 | - |
| AV | 2.484G | 53.24 | 54.00 | -0.76 | 31.58 | 3 | Vertical | 0 | 2.89 | - | 21.66 | 27.52 | 4.06 | - |
| PK | 2.4544G | 112.91 | Inf | -Inf | 31.56 | 3 | Vertical | 0 | 2.89 | - | 81.35 | 27.55 | 4.01 | - |
| PK | 2.4846G | 68.56 | 74.00 | -5.44 | 31.58 | 3 | Vertical | 0 | 2.89 | - | 36.98 | 27.52 | 4.06 | - |

802.11g_Nss1,(6Mbps)_2TX


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|--------|----------|------------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4578G | 101.33 | Inf | -Inf | 31.56 | 3 | Horizontal | 50 | 1.50 | - | 69.77 | 27.54 | 4.02 | - |
| AV | 2.4835G | 51.12 | 54.00 | -2.88 | 31.58 | 3 | Horizontal | 50 | 1.50 | - | 19.54 | 27.52 | 4.06 | - |
| PK | 2.4578G | 110.81 | Inf | -Inf | 31.56 | 3 | Horizontal | 50 | 1.50 | - | 79.25 | 27.54 | 4.02 | - |
| PK | 2.4835G | 66.82 | 74.00 | -7.18 | 31.58 | 3 | Horizontal | 50 | 1.50 | - | 35.24 | 27.52 | 4.06 | - |

802.11g_Nss1,(6Mbps)_2TX

22/06/2019


2462MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4648G | 102.15 | Inf | -Inf | 31.57 | 3 | Vertical | 348 | 1.86 | - | 70.58 | 27.54 | 4.03 | - |
| AV | 2.4846G | 51.31 | 54.00 | -2.69 | 31.58 | 3 | Vertical | 348 | 1.86 | - | 19.73 | 27.52 | 4.06 | - |
| PK | 2.4596G | 111.54 | Inf | -Inf | 31.56 | 3 | Vertical | 348 | 1.86 | - | 79.98 | 27.54 | 4.02 | - |
| PK | 2.4862G | 66.03 | 74.00 | -7.97 | 31.57 | 3 | Vertical | 348 | 1.86 | - | 34.46 | 27.51 | 4.06 | - |

802.11g_Nss1,(6Mbps)_2TX

22/06/2019


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4632G | 100.15 | Inf | -Inf | 31.57 | 3 | Horizontal | 36 | 1.50 | - | 68.58 | 27.54 | 4.03 | - |
| AV | 2.4835G | 51.06 | 54.00 | -2.94 | 31.58 | 3 | Horizontal | 36 | 1.50 | - | 19.48 | 27.52 | 4.06 | - |
| PK | 2.463G | 108.80 | Inf | -Inf | 31.57 | 3 | Horizontal | 36 | 1.50 | - | 77.23 | 27.54 | 4.03 | - |
| PK | 2.4835G | 65.57 | 74.00 | -8.43 | 31.58 | 3 | Horizontal | 36 | 1.50 | - | 33.99 | 27.52 | 4.06 | - |


802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2462MHz_TX



802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 53.12 | 54.00 | -0.88 | 31.56 | 3 | Horizontal | 35 | 1.33 | - | 21.56 | 27.64 | 3.92 | - |
| AV | 2.4088G | 96.77 | Inf | -Inf | 31.54 | 3 | Horizontal | 35 | 1.33 | - | 65.23 | 27.59 | 3.95 | - |
| PK | 2.3888G | 69.09 | 74.00 | -4.91 | 31.56 | 3 | Horizontal | 35 | 1.33 | - | 37.53 | 27.64 | 3.92 | - |
| PK | 2.4136G | 109.81 | Inf | -Inf | 31.54 | 3 | Horizontal | 35 | 1.33 | - | 78.27 | 27.59 | 3.95 | - |


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 53.14 | 54.00 | -0.86 | 31.56 | 3 | Vertical | 343 | 2.96 | - | 21.58 | 27.64 | 3.92 | - |
| AV | 2.4208G | 97.25 | Inf | -Inf | 31.54 | 3 | Vertical | 343 | 2.96 | - | 65.71 | 27.58 | 3.96 | - |
| PK | 2.3866G | 66.92 | 74.00 | -7.08 | 31.56 | 3 | Vertical | 343 | 2.96 | - | 35.36 | 27.65 | 3.91 | - |
| PK | 2.4236G | 110.48 | Inf | -Inf | 31.55 | 3 | Vertical | 343 | 2.96 | - | 78.93 | 27.58 | 3.97 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.39G | 53.65 | 54.00 | -0.35 | 31.56 | 3 | Horizontal | 52 | 1.22 | - | 22.09 | 27.64 | 3.92 | - |
| AV | 2.4212G | 97.80 | Inf | -Inf | 31.54 | 3 | Horizontal | 52 | 1.22 | - | 66.26 | 27.58 | 3.96 | - |
| PK | 2.388G | 67.93 | 74.00 | -6.07 | 31.57 | 3 | Horizontal | 52 | 1.22 | - | 36.36 | 27.65 | 3.92 | - |
| PK | 2.4186G | 110.77 | Inf | -Inf | 31.54 | 3 | Horizontal | 52 | 1.22 | - | 79.23 | 27.58 | 3.96 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


22/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 45.44 | 54.00 | -8.56 | 31.56 | 3 | Vertical | 360 | 2.96 | - | 13.88 | 27.64 | 3.92 | - |
| AV | 2.4358G | 99.72 | Inf | -Inf | 31.55 | 3 | Vertical | 360 | 2.96 | - | 68.17 | 27.56 | 3.99 | - |
| AV | 2.4835G | 45.63 | 54.00 | -8.37 | 31.58 | 3 | Vertical | 360 | 2.96 | - | 14.05 | 27.52 | 4.06 | - |
| PK | 2.3898G | 58.62 | 74.00 | -15.38 | 31.56 | 3 | Vertical | 360 | 2.96 | - | 27.06 | 27.64 | 3.92 | - |
| PK | 2.4322G | 112.64 | Inf | -Inf | 31.55 | 3 | Vertical | 360 | 2.96 | - | 81.09 | 27.57 | 3.98 | - |
| PK | 2.4846G | 58.40 | 74.00 | -15.60 | 31.58 | 3 | Vertical | 360 | 2.96 | - | 26.82 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


22/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 45.54 | 54.00 | -8.46 | 31.56 | 3 | Horizontal | 39 | 1.50 | - | 13.98 | 27.64 | 3.92 | - |
| AV | 2.4346G | 100.05 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.50 | - | 68.50 | 27.57 | 3.98 | - |
| AV | 2.4838G | 46.54 | 54.00 | -7.46 | 31.58 | 3 | Horizontal | 39 | 1.50 | - | 14.96 | 27.52 | 4.06 | - |
| PK | 2.3898G | 61.07 | 74.00 | -12.93 | 31.56 | 3 | Horizontal | 39 | 1.50 | - | 29.51 | 27.64 | 3.92 | - |
| PK | 2.4318G | 112.56 | Inf | -Inf | 31.55 | 3 | Horizontal | 39 | 1.50 | - | 81.01 | 27.57 | 3.98 | - |
| PK | 2.4838G | 60.72 | 74.00 | -13.28 | 31.58 | 3 | Horizontal | 39 | 1.50 | - | 29.14 | 27.52 | 4.06 | - |


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2437MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2437MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4546G | 96.76 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.50 | - | 65.20 | 27.55 | 4.01 | - |
| AV | 2.4835G | 53.49 | 54.00 | -0.51 | 31.58 | 3 | Vertical | 338 | 1.50 | - | 21.91 | 27.52 | 4.06 | - |
| PK | 2.45G | 109.41 | Inf | -Inf | 31.56 | 3 | Vertical | 338 | 1.50 | - | 77.85 | 27.55 | 4.01 | - |
| PK | 2.4836G | 69.34 | 74.00 | -4.66 | 31.58 | 3 | Vertical | 338 | 1.50 | - | 37.76 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

21/06/2019


2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|--------|----------|------------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4616G | 96.12 | Inf | -Inf | 31.56 | 3 | Horizontal | 48 | 1.04 | - | 64.56 | 27.54 | 4.02 | - |
| AV | 2.4835G | 53.62 | 54.00 | -0.38 | 31.58 | 3 | Horizontal | 48 | 1.04 | - | 22.04 | 27.52 | 4.06 | - |
| PK | 2.4622G | 109.09 | Inf | -Inf | 31.56 | 3 | Horizontal | 48 | 1.04 | - | 77.53 | 27.54 | 4.02 | - |
| PK | 2.4835G | 67.45 | 74.00 | -6.55 | 31.58 | 3 | Horizontal | 48 | 1.04 | - | 35.87 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


22/06/2019

2462MHz_TX




802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 52.29 | 54.00 | -1.71 | 31.56 | 3 | Vertical | 23 | 1.98 | - | 20.73 | 27.64 | 3.92 | - |
| AV | 2.4132G | 96.48 | Inf | -Inf | 31.54 | 3 | Vertical | 23 | 1.98 | - | 64.94 | 27.59 | 3.95 | - |
| PK | 2.3898G | 69.13 | 74.00 | -4.87 | 31.56 | 3 | Vertical | 23 | 1.98 | - | 37.57 | 27.64 | 3.92 | - |
| PK | 2.4094G | 109.56 | Inf | -Inf | 31.54 | 3 | Vertical | 23 | 1.98 | - | 78.02 | 27.59 | 3.95 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 50.07 | 54.00 | -3.93 | 31.56 | 3 | Horizontal | 285 | 1.78 | - | 18.51 | 27.64 | 3.92 | - |
| AV | 2.4148G | 94.26 | Inf | -Inf | 31.55 | 3 | Horizontal | 285 | 1.78 | - | 62.71 | 27.59 | 3.96 | - |
| PK | 2.389G | 64.77 | 74.00 | -9.23 | 31.56 | 3 | Horizontal | 285 | 1.78 | - | 33.21 | 27.64 | 3.92 | - |
| PK | 2.416G | 106.81 | Inf | -Inf | 31.54 | 3 | Horizontal | 285 | 1.78 | - | 75.27 | 27.58 | 3.96 | - |


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2412MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2412MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2417MHz_TX


21/06/2019



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 53.54 | 54.00 | -0.46 | 31.56 | 3 | Vertical | 339 | 1.04 | - | 21.98 | 27.64 | 3.92 | - |
| AV | 2.4154G | 97.07 | Inf | -Inf | 31.54 | 3 | Vertical | 339 | 1.04 | - | 65.53 | 27.58 | 3.96 | - |
| PK | 2.3894G | 69.26 | 74.00 | -4.74 | 31.56 | 3 | Vertical | 339 | 1.04 | - | 37.70 | 27.64 | 3.92 | - |
| PK | 2.4216G | 109.72 | Inf | -Inf | 31.55 | 3 | Vertical | 339 | 1.04 | - | 78.17 | 27.58 | 3.97 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 52.38 | 54.00 | -1.62 | 31.56 | 3 | Horizontal | 305 | 1.60 | - | 20.82 | 27.64 | 3.92 | - |
| AV | 2.4134G | 96.12 | Inf | -Inf | 31.54 | 3 | Horizontal | 305 | 1.60 | - | 64.58 | 27.59 | 3.95 | - |
| PK | 2.39G | 66.08 | 74.00 | -7.92 | 31.56 | 3 | Horizontal | 305 | 1.60 | - | 34.52 | 27.64 | 3.92 | - |
| PK | 2.419G | 109.16 | Inf | -Inf | 31.54 | 3 | Horizontal | 305 | 1.60 | - | 77.62 | 27.58 | 3.96 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


22/06/2019

2437MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 46.13 | 54.00 | -7.87 | 31.56 | 3 | Vertical | 12 | 2.99 | - | 14.57 | 27.64 | 3.92 | - |
| AV | 2.4342G | 100.71 | Inf | -Inf | 31.55 | 3 | Vertical | 12 | 2.99 | - | 69.16 | 27.57 | 3.98 | - |
| AV | 2.4842G | 46.29 | 54.00 | -7.71 | 31.58 | 3 | Vertical | 12 | 2.99 | - | 14.71 | 27.52 | 4.06 | - |
| PK | 2.3898G | 63.07 | 74.00 | -10.93 | 31.56 | 3 | Vertical | 12 | 2.99 | - | 31.51 | 27.64 | 3.92 | - |
| PK | 2.4362G | 113.14 | Inf | -Inf | 31.55 | 3 | Vertical | 12 | 2.99 | - | 81.59 | 27.56 | 3.99 | - |
| PK | 2.4842G | 59.81 | 74.00 | -14.19 | 31.58 | 3 | Vertical | 12 | 2.99 | - | 28.23 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019


2437MHz_TX


| | |
|--------|--|
| Lim.PK | |
| PK | |
| Lim.AV | |
| AV | |

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3866G | 44.02 | 54.00 | -9.98 | 31.56 | 3 | Horizontal | 65 | 1.49 | - | 12.46 | 27.65 | 3.91 | - |
| AV | 2.4406G | 96.80 | Inf | -Inf | 31.55 | 3 | Horizontal | 65 | 1.49 | - | 65.25 | 27.56 | 3.99 | - |
| AV | 2.4835G | 45.42 | 54.00 | -8.58 | 31.58 | 3 | Horizontal | 65 | 1.49 | - | 13.84 | 27.52 | 4.06 | - |
| PK | 2.3818G | 56.74 | 74.00 | -17.26 | 31.58 | 3 | Horizontal | 65 | 1.49 | - | 25.16 | 27.67 | 3.91 | - |
| PK | 2.4418G | 109.31 | Inf | -Inf | 31.56 | 3 | Horizontal | 65 | 1.49 | - | 77.75 | 27.56 | 4.00 | - |
| PK | 2.4878G | 58.21 | 74.00 | -15.79 | 31.57 | 3 | Horizontal | 65 | 1.49 | - | 26.64 | 27.51 | 4.06 | - |


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2437MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2437MHz_TX


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4554G | 98.48 | Inf | -Inf | 31.55 | 3 | Vertical | 358 | 2.64 | - | 66.93 | 27.54 | 4.01 | - |
| AV | 2.4835G | 53.10 | 54.00 | -0.90 | 31.58 | 3 | Vertical | 358 | 2.64 | - | 21.52 | 27.52 | 4.06 | - |
| PK | 2.4564G | 111.01 | Inf | -Inf | 31.56 | 3 | Vertical | 358 | 2.64 | - | 79.45 | 27.54 | 4.02 | - |
| PK | 2.484G | 67.02 | 74.00 | -6.98 | 31.58 | 3 | Vertical | 358 | 2.64 | - | 35.44 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

21/06/2019


2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|--------------|-------------------|-------------------|----------------|--------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|----|
| AV | 2.4548G | 94.58 | Inf | -Inf | 31.56 | 3 | Horizontal | 56 | 1.50 | - | 63.02 | 27.55 | 4.01 | - |
| AV | 2.4835G | 49.69 | 54.00 | -4.31 | 31.58 | 3 | Horizontal | 56 | 1.50 | - | 18.11 | 27.52 | 4.06 | - |
| PK | 2.4532G | 107.51 | Inf | -Inf | 31.56 | 3 | Horizontal | 56 | 1.50 | - | 75.95 | 27.55 | 4.01 | - |
| PK | 2.4836G | 63.53 | 74.00 | -10.47 | 31.58 | 3 | Horizontal | 56 | 1.50 | - | 31.95 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019


2462MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|--------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4636G | 96.86 | Inf | -Inf | 31.57 | 3 | Vertical | 347 | 1.86 | - | 65.29 | 27.54 | 4.03 | - |
| AV | 2.4835G | 53.17 | 54.00 | -0.83 | 31.58 | 3 | Vertical | 347 | 1.86 | - | 21.59 | 27.52 | 4.06 | - |
| PK | 2.4676G | 109.62 | Inf | -Inf | 31.56 | 3 | Vertical | 347 | 1.86 | - | 78.06 | 27.53 | 4.03 | - |
| PK | 2.4835G | 71.25 | 74.00 | -2.75 | 31.58 | 3 | Vertical | 347 | 1.86 | - | 39.67 | 27.52 | 4.06 | - |


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX


802.11ax HEW20_Nss1,(MCS0)_2TX


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.388G | 53.44 | 54.00 | -0.56 | 31.57 | 3 | Vertical | 356 | 2.99 | - | 21.87 | 27.65 | 3.92 | - |
| AV | 2.417G | 101.52 | Inf | -Inf | 31.54 | 3 | Vertical | 356 | 2.99 | - | 69.98 | 27.58 | 3.96 | - |
| PK | 2.3896G | 69.44 | 74.00 | -4.56 | 31.56 | 3 | Vertical | 356 | 2.99 | - | 37.88 | 27.64 | 3.92 | - |
| PK | 2.417G | 114.11 | Inf | -Inf | 31.54 | 3 | Vertical | 356 | 2.99 | - | 82.57 | 27.58 | 3.96 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX


22/06/2019

2412MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 51.52 | 54.00 | -2.48 | 31.56 | 3 | Horizontal | 63 | 1.50 | - | 19.96 | 27.64 | 3.92 | - |
| AV | 2.413G | 98.86 | Inf | -Inf | 31.54 | 3 | Horizontal | 63 | 1.50 | - | 67.32 | 27.59 | 3.95 | - |
| PK | 2.3898G | 65.93 | 74.00 | -8.07 | 31.56 | 3 | Horizontal | 63 | 1.50 | - | 34.37 | 27.64 | 3.92 | - |
| PK | 2.4132G | 111.56 | Inf | -Inf | 31.54 | 3 | Horizontal | 63 | 1.50 | - | 80.02 | 27.59 | 3.95 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX
2412MHz_TX


22/06/2019



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 4.80918G | 30.22 | 54.00 | -23.78 | -3.94 | 3 | Vertical | 174 | 1.42 | - | 34.16 | 31.10 | 6.51 | 41.55 |
| PK | 4.82154G | 43.08 | 74.00 | -30.92 | -3.93 | 3 | Vertical | 174 | 1.42 | - | 47.01 | 31.10 | 6.52 | 41.55 |


802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2412MHz_TX


802.11ax HEW20_Nss1,(MCS0)_2TX
2417MHz_TX


21/06/2019



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.39G | 52.31 | 54.00 | -1.69 | 31.56 | 3 | Vertical | 349 | 2.99 | - | 20.75 | 27.64 | 3.92 | - |
| AV | 2.4226G | 102.48 | Inf | -Inf | 31.55 | 3 | Vertical | 349 | 2.99 | - | 70.93 | 27.58 | 3.97 | - |
| PK | 2.3832G | 66.46 | 74.00 | -7.54 | 31.58 | 3 | Vertical | 349 | 2.99 | - | 34.88 | 27.67 | 3.91 | - |
| PK | 2.422G | 115.98 | Inf | -Inf | 31.55 | 3 | Vertical | 349 | 2.99 | - | 84.43 | 27.58 | 3.97 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX


21/06/2019

2417MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3896G | 53.80 | 54.00 | -0.20 | 31.56 | 3 | Horizontal | 47 | 1.98 | - | 22.24 | 27.64 | 3.92 | - |
| AV | 2.4186G | 101.72 | Inf | -Inf | 31.54 | 3 | Horizontal | 47 | 1.98 | - | 70.18 | 27.58 | 3.96 | - |
| PK | 2.3878G | 70.49 | 74.00 | -3.51 | 31.57 | 3 | Horizontal | 47 | 1.98 | - | 38.92 | 27.65 | 3.92 | - |
| PK | 2.4188G | 114.88 | Inf | -Inf | 31.54 | 3 | Horizontal | 47 | 1.98 | - | 83.34 | 27.58 | 3.96 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX
2437MHz_TX

22/06/2019




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 46.42 | 54.00 | -7.58 | 31.56 | 3 | Vertical | 358 | 2.97 | - | 14.86 | 27.64 | 3.92 | - |
| AV | 2.4414G | 104.47 | Inf | -Inf | 31.55 | 3 | Vertical | 358 | 2.97 | - | 72.92 | 27.56 | 3.99 | - |
| AV | 2.4835G | 47.49 | 54.00 | -6.51 | 31.58 | 3 | Vertical | 358 | 2.97 | - | 15.91 | 27.52 | 4.06 | - |
| PK | 2.3894G | 61.33 | 74.00 | -12.67 | 31.56 | 3 | Vertical | 358 | 2.97 | - | 29.77 | 27.64 | 3.92 | - |
| PK | 2.4406G | 116.68 | Inf | -Inf | 31.55 | 3 | Vertical | 358 | 2.97 | - | 85.13 | 27.56 | 3.99 | - |
| PK | 2.4835G | 59.78 | 74.00 | -14.22 | 31.58 | 3 | Vertical | 358 | 2.97 | - | 28.20 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX


22/06/2019



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3898G | 46.29 | 54.00 | -7.71 | 31.56 | 3 | Horizontal | 32 | 1.50 | - | 14.73 | 27.64 | 3.92 | - |
| AV | 2.439G | 102.75 | Inf | -Inf | 31.55 | 3 | Horizontal | 32 | 1.50 | - | 71.20 | 27.56 | 3.99 | - |
| AV | 2.487G | 46.20 | 54.00 | -7.80 | 31.57 | 3 | Horizontal | 32 | 1.50 | - | 14.63 | 27.51 | 4.06 | - |
| PK | 2.3886G | 60.52 | 74.00 | -13.48 | 31.57 | 3 | Horizontal | 32 | 1.50 | - | 28.95 | 27.65 | 3.92 | - |
| PK | 2.4386G | 115.08 | Inf | -Inf | 31.55 | 3 | Horizontal | 32 | 1.50 | - | 83.53 | 27.56 | 3.99 | - |
| PK | 2.489G | 59.50 | 74.00 | -14.50 | 31.57 | 3 | Horizontal | 32 | 1.50 | - | 27.93 | 27.51 | 4.06 | - |


802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2437MHz_TX


802.11ax HEW20_Nss1,(MCS0)_2TX


22/06/2019

2437MHz_TX


802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX


21/06/2019



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.4538G | 100.40 | Inf | -Inf | 31.56 | 3 | Vertical | 333 | 1.50 | - | 68.84 | 27.55 | 4.01 | - |
| AV | 2.4835G | 53.51 | 54.00 | -0.49 | 31.58 | 3 | Vertical | 333 | 1.50 | - | 21.93 | 27.52 | 4.06 | - |
| PK | 2.4548G | 113.26 | Inf | -Inf | 31.56 | 3 | Vertical | 333 | 1.50 | - | 81.70 | 27.55 | 4.01 | - |
| PK | 2.484G | 69.47 | 74.00 | -4.53 | 31.58 | 3 | Vertical | 333 | 1.50 | - | 37.89 | 27.52 | 4.06 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX


21/06/2019

2457MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA |
|------|-----------|----------------|----------------|-------------|--------|----------|------------|-------------|------------|---------|------------|---------|---------|----|
| AV | 2.4582G | 99.60 | Inf | -Inf | 31.56 | 3 | Horizontal | 53 | 1.50 | - | 68.04 | 27.54 | 4.02 | - |
| AV | 2.4874G | 49.29 | 54.00 | -4.71 | 31.57 | 3 | Horizontal | 53 | 1.50 | - | 17.72 | 27.51 | 4.06 | - |
| PK | 2.4584G | 112.23 | Inf | -Inf | 31.56 | 3 | Horizontal | 53 | 1.50 | - | 80.67 | 27.54 | 4.02 | - |
| PK | 2.4886G | 66.12 | 74.00 | -7.88 | 31.57 | 3 | Horizontal | 53 | 1.50 | - | 34.55 | 27.51 | 4.06 | - |


802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


22/06/2019

2422MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3892G | 52.86 | 54.00 | -1.14 | 31.56 | 3 | Vertical | 336 | 2.94 | - | 21.30 | 27.64 | 3.92 | - |
| AV | 2.4232G | 94.69 | Inf | -Inf | 31.55 | 3 | Vertical | 336 | 2.94 | - | 63.14 | 27.58 | 3.97 | - |
| AV | 2.4835G | 45.66 | 54.00 | -8.34 | 31.58 | 3 | Vertical | 336 | 2.94 | - | 14.08 | 27.52 | 4.06 | - |
| PK | 2.3864G | 71.28 | 74.00 | -2.72 | 31.56 | 3 | Vertical | 336 | 2.94 | - | 39.72 | 27.65 | 3.91 | - |
| PK | 2.4232G | 107.68 | Inf | -Inf | 31.55 | 3 | Vertical | 336 | 2.94 | - | 76.13 | 27.58 | 3.97 | - |
| PK | 2.4872G | 57.93 | 74.00 | -16.07 | 31.57 | 3 | Vertical | 336 | 2.94 | - | 26.36 | 27.51 | 4.06 | - |

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2422MHz_TX


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 2.3892G | 53.31 | 54.00 | -0.69 | 31.56 | 3 | Horizontal | 36 | 1.26 | - | 21.75 | 27.64 | 3.92 | - |
| AV | 2.4232G | 94.58 | Inf | -Inf | 31.55 | 3 | Horizontal | 36 | 1.26 | - | 63.03 | 27.58 | 3.97 | - |
| AV | 2.4848G | 46.62 | 54.00 | -7.38 | 31.58 | 3 | Horizontal | 36 | 1.26 | - | 15.04 | 27.52 | 4.06 | - |
| PK | 2.3892G | 71.20 | 74.00 | -2.80 | 31.56 | 3 | Horizontal | 36 | 1.26 | - | 39.64 | 27.64 | 3.92 | - |
| PK | 2.43G | 106.79 | Inf | -Inf | 31.55 | 3 | Horizontal | 36 | 1.26 | - | 75.24 | 27.57 | 3.98 | - |
| PK | 2.4864G | 60.23 | 74.00 | -13.77 | 31.57 | 3 | Horizontal | 36 | 1.26 | - | 28.66 | 27.51 | 4.06 | - |