




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947025



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	300 MHz	32.69	-13.32	
1 Quasi Peak	380.72 MHz	26.92	-19.10	
1 Quasi Peak	399.96 MHz	28.40	-17.61	
1 Quasi Peak	468.16 MHz	28.49	-17.52	
1 Quasi Peak	492.04 MHz	29.08	-16.93	
1 Quasi Peak	607.64 MHz	32.24	-13.77	
1 Quasi Peak	663.6 MHz	32.21	-13.80	
1 Quasi Peak	734.04 MHz	33.21	-12.80	
1 Quasi Peak	886.24 MHz	36.44	-9.58	
1 Quasi Peak	931 MHz	36.39	-9.62	
1 Quasi Peak	956.12 MHz	35.92	-10.10	

Bertezzolo 180947025

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947026



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA LIMIT dB
1	Quasi Peak	323.72 MHz	25.99	-20.03
1	Quasi Peak	381.12 MHz	28.32	-17.70
1	Quasi Peak	418.72 MHz	27.49	-18.52
1	Quasi Peak	483.04 MHz	29.39	-16.62
1	Quasi Peak	500 MHz	33.52	-12.49
1	Quasi Peak	595.36 MHz	31.47	-14.54
1	Quasi Peak	665.28 MHz	32.22	-13.79
1	Quasi Peak	759.16 MHz	33.77	-12.24
1	Quasi Peak	873.56 MHz	35.88	-10.13
1	Quasi Peak	965.88 MHz	36.02	-17.95

Bertezzolo 180947026

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947027



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	336 MHz	28.78	-17.23	
1 Quasi Peak	380.96 MHz	29.52	-16.49	
1 Quasi Peak	400.2 MHz	27.87	-18.15	
1 Quasi Peak	477 MHz	29.29	-16.72	
1 Quasi Peak	531.76 MHz	29.66	-16.35	
1 Quasi Peak	603.24 MHz	32.27	-13.74	
1 Quasi Peak	632.6 MHz	32.29	-13.72	
1 Quasi Peak	769.6 MHz	33.90	-12.11	
1 Quasi Peak	882.92 MHz	36.02	-9.99	
1 Quasi Peak	937 MHz	35.58	-10.43	
1 Quasi Peak	947.48 MHz	35.68	-10.33	

Bertezzolo 180947027

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947028



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	FCC209B				
Trace2:	---				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1	Quasi Peak	300 MHz	32.42	-13.59	
1	Quasi Peak	380.64 MHz	26.94	-19.07	
1	Quasi Peak	420.52 MHz	27.14	-18.87	
1	Quasi Peak	467.24 MHz	28.56	-17.45	
1	Quasi Peak	517.4 MHz	29.44	-16.57	
1	Quasi Peak	616 MHz	32.37	-13.64	
1	Quasi Peak	666.72 MHz	33.12	-12.89	
1	Quasi Peak	774.32 MHz	33.94	-12.07	
1	Quasi Peak	883.76 MHz	36.34	-9.68	
1	Quasi Peak	946.68 MHz	35.89	-10.12	

Bertezzolo 180947028

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947029



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	302.04 MHz	28.33	-17.68	
1 Quasi Peak	371.8 MHz	26.75	-19.26	
1 Quasi Peak	387.52 MHz	26.50	-19.51	
1 Quasi Peak	482.32 MHz	28.94	-17.08	
1 Quasi Peak	526.44 MHz	29.58	-16.43	
1 Quasi Peak	595.6 MHz	31.61	-14.40	
1 Quasi Peak	649.96 MHz	33.94	-12.07	
1 Quasi Peak	781.24 MHz	33.94	-12.07	
1 Quasi Peak	873.68 MHz	36.21	-9.80	
1 Quasi Peak	932.8 MHz	38.45	-7.56	
1 Quasi Peak	943.04 MHz	36.63	-9.38	
1 Quasi Peak	959.84 MHz	36.70	-9.31	

Bertezzolo 180947029

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947030



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	FCC209B				
Trace2:	---				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1	Quasi Peak	338.36 MHz	26.89	-19.12	
1	Quasi Peak	381.32 MHz	27.91	-18.10	
1	Quasi Peak	400.24 MHz	28.87	-17.15	
1	Quasi Peak	483.32 MHz	29.08	-16.93	
1	Quasi Peak	500 MHz	34.16	-11.85	
1	Quasi Peak	615.36 MHz	32.37	-13.64	
1	Quasi Peak	631.92 MHz	32.32	-13.69	
1	Quasi Peak	779.24 MHz	33.94	-12.07	
1	Quasi Peak	886.32 MHz	36.82	-9.19	
1	Quasi Peak	931.52 MHz	39.15	-6.86	
1	Quasi Peak	946.84 MHz	35.96	-10.05	
1	Quasi Peak	965.4 MHz	35.95	-18.02	

Bertezzolo 180947030

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947031



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	336 MHz	31.13	-14.88	
1 Quasi Peak	362 MHz	27.05	-18.96	
1 Quasi Peak	380.76 MHz	29.78	-16.23	
1 Quasi Peak	399.84 MHz	29.35	-16.66	
1 Quasi Peak	438.2 MHz	27.75	-18.26	
1 Quasi Peak	500.04 MHz	32.81	-13.20	
1 Quasi Peak	612.36 MHz	32.23	-13.78	
1 Quasi Peak	684.92 MHz	32.56	-13.45	
1 Quasi Peak	760.28 MHz	33.82	-12.19	
1 Quasi Peak	886.12 MHz	36.52	-9.49	
1 Quasi Peak	888.24 MHz	36.89	-9.12	
1 Quasi Peak	922.44 MHz	39.05	-6.97	
1 Quasi Peak	934.4 MHz	36.71	-9.30	
1 Quasi Peak	953.88 MHz	35.98	-10.03	

Bertezzolo 180947031




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947032



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA LIMIT dB
1	Quasi Peak	300 MHz	32.68	-13.33
1	Quasi Peak	361.84 MHz	26.62	-19.39
1	Quasi Peak	423.24 MHz	27.16	-18.85
1	Quasi Peak	460 MHz	28.19	-17.82
1	Quasi Peak	512.68 MHz	29.46	-16.55
1	Quasi Peak	602.36 MHz	32.18	-13.83
1	Quasi Peak	694.92 MHz	32.94	-13.07
1	Quasi Peak	744.12 MHz	33.48	-12.53
1	Quasi Peak	879.16 MHz	36.22	-9.79
1	Quasi Peak	928.76 MHz	37.32	-8.69
1	Quasi Peak	934.56 MHz	36.86	-9.15
1	Quasi Peak	959.32 MHz	36.57	-9.44

Bertezzolo 180947032

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947033



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	300 MHz	32.61	-13.40	
1 Quasi Peak	355.12 MHz	26.64	-19.37	
1 Quasi Peak	419.08 MHz	27.41	-18.60	
1 Quasi Peak	484.56 MHz	28.88	-17.13	
1 Quasi Peak	498.6 MHz	29.28	-16.73	
1 Quasi Peak	610.56 MHz	32.30	-13.71	
1 Quasi Peak	674.24 MHz	32.44	-13.58	
1 Quasi Peak	769.28 MHz	33.91	-12.10	
1 Quasi Peak	881.76 MHz	36.26	-9.75	
1 Quasi Peak	909.64 MHz	38.46	-7.55	
1 Quasi Peak	921.48 MHz	37.32	-8.69	
1 Quasi Peak	944.96 MHz	36.26	-9.75	

Bertezzolo 180947033

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 180947034



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	331.6 MHz	26.60	-19.41	
1 Quasi Peak	380.6 MHz	27.71	-18.30	
1 Quasi Peak	419.16 MHz	28.60	-17.41	
1 Quasi Peak	437.88 MHz	27.60	-18.42	
1 Quasi Peak	500 MHz	34.16	-11.85	
1 Quasi Peak	605.92 MHz	32.28	-13.73	
1 Quasi Peak	643.36 MHz	32.08	-13.93	
1 Quasi Peak	785.84 MHz	33.88	-12.13	
1 Quasi Peak	885.76 MHz	36.50	-9.51	
1 Quasi Peak	910.84 MHz	37.92	-8.09	
1 Quasi Peak	922.56 MHz	38.08	-7.93	
1 Quasi Peak	949.88 MHz	35.84	-10.17	

Bertezzolo 180947034

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144701



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	30.12 MHz	22.44	-17.55	
1 Quasi Peak	41 MHz	20.04	-19.95	
1 Quasi Peak	54.44 MHz	18.48	-21.51	
1 Quasi Peak	73.04 MHz	19.09	-20.90	
1 Quasi Peak	138.2 MHz	22.40	-21.11	
1 Quasi Peak	142.44 MHz	22.69	-20.82	
1 Quasi Peak	185.36 MHz	23.42	-20.09	
1 Quasi Peak	227.28 MHz	26.00	-20.01	
1 Quasi Peak	278.84 MHz	28.21	-17.80	
1 Quasi Peak	298.32 MHz	29.64	-16.37	

Bertezzolo 18144701

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144702



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	30.04 MHz	22.45	-17.54	
1 Quasi Peak	44.24 MHz	19.42	-20.57	
1 Quasi Peak	69.6 MHz	21.71	-18.28	
1 Quasi Peak	74.92 MHz	26.51	-13.48	
1 Quasi Peak	108 MHz	28.66	-14.85	
1 Quasi Peak	126.24 MHz	30.28	-13.23	
1 Quasi Peak	139.24 MHz	31.46	-12.06	
1 Quasi Peak	143.8 MHz	31.87	-11.64	
1 Quasi Peak	186.52 MHz	25.65	-17.86	
1 Quasi Peak	221.2 MHz	27.52	-18.49	
1 Quasi Peak	279.6 MHz	28.27	-17.74	
1 Quasi Peak	298.96 MHz	30.12	-15.89	

Bertezzolo 18144702

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144703



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	306.36 MHz	24.74	-21.27	
1 Quasi Peak	341 MHz	26.35	-19.66	
1 Quasi Peak	352.64 MHz	26.49	-19.52	
1 Quasi Peak	361.64 MHz	26.12	-19.89	
1 Quasi Peak	399.28 MHz	27.21	-18.80	
1 Quasi Peak	437.68 MHz	27.57	-18.44	
1 Quasi Peak	479.88 MHz	29.05	-16.96	
1 Quasi Peak	528.28 MHz	29.67	-16.34	
1 Quasi Peak	606.08 MHz	32.35	-13.66	
1 Quasi Peak	652.48 MHz	32.04	-13.97	
1 Quasi Peak	699.08 MHz	32.96	-13.05	
1 Quasi Peak	737.12 MHz	33.42	-12.60	
1 Quasi Peak	782.8 MHz	33.94	-12.07	
1 Quasi Peak	840.32 MHz	34.87	-11.14	
1 Quasi Peak	922.4 MHz	35.81	-10.20	
1 Quasi Peak	934.04 MHz	35.66	-10.36	
1 Quasi Peak	996.4 MHz	36.30	-17.67	

Bertezzolo 18144703

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144704



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	325.48 MHz	24.97	-21.04	
1 Quasi Peak	343.32 MHz	25.71	-20.30	
1 Quasi Peak	423.68 MHz	27.32	-18.69	
1 Quasi Peak	454 MHz	28.14	-17.88	
1 Quasi Peak	509.64 MHz	29.51	-16.50	
1 Quasi Peak	610.72 MHz	32.45	-13.56	
1 Quasi Peak	719.72 MHz	33.28	-12.73	
1 Quasi Peak	787.68 MHz	33.93	-12.08	
1 Quasi Peak	850.4 MHz	34.97	-11.04	
1 Quasi Peak	863.52 MHz	35.27	-10.74	
1 Quasi Peak	924.56 MHz	35.78	-10.23	
1 Quasi Peak	934.08 MHz	35.60	-10.41	
1 Quasi Peak	979.52 MHz	36.22	-17.75	

Bertezzolo 18144704

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144705



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	320.24 MHz	25.96	-20.05	
1 Quasi Peak	351.68 MHz	26.78	-19.23	
1 Quasi Peak	372.28 MHz	28.67	-17.34	
1 Quasi Peak	432 MHz	31.30	-14.71	
1 Quasi Peak	470 MHz	29.22	-16.79	
1 Quasi Peak	519.68 MHz	29.87	-16.14	
1 Quasi Peak	606.28 MHz	32.33	-13.68	
1 Quasi Peak	659.84 MHz	32.16	-13.85	
1 Quasi Peak	722.2 MHz	33.16	-12.86	
1 Quasi Peak	782.84 MHz	33.91	-12.10	
1 Quasi Peak	911.96 MHz	35.94	-10.07	
1 Quasi Peak	914.52 MHz	35.91	-10.10	
1 Quasi Peak	979.44 MHz	36.19	-17.78	

Bertezzolo 18144705

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144706



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA LIMIT dB
1	Quasi Peak	315.72 MHz	25.56	-20.45
1	Quasi Peak	347.96 MHz	26.96	-19.05
1	Quasi Peak	386.2 MHz	27.15	-18.87
1	Quasi Peak	413.88 MHz	27.39	-18.62
1	Quasi Peak	494.72 MHz	29.17	-16.84
1	Quasi Peak	563.76 MHz	30.13	-15.88
1	Quasi Peak	620.24 MHz	32.41	-13.60
1	Quasi Peak	666.84 MHz	32.36	-13.65
1	Quasi Peak	697.04 MHz	32.90	-13.11
1	Quasi Peak	794.44 MHz	33.96	-12.05
1	Quasi Peak	909.84 MHz	35.99	-10.02
1	Quasi Peak	922.4 MHz	35.76	-10.25
1	Quasi Peak	940.96 MHz	35.74	-10.27
1	Quasi Peak	981.72 MHz	36.21	-17.76

Bertezzolo 18144706

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144707



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209B			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	315.64 MHz	25.69	-20.32	
1 Quasi Peak	345.76 MHz	27.12	-18.89	
1 Quasi Peak	395.8 MHz	28.18	-17.83	
1 Quasi Peak	436.84 MHz	27.91	-18.10	
1 Quasi Peak	477.88 MHz	29.43	-16.58	
1 Quasi Peak	529.16 MHz	29.89	-16.12	
1 Quasi Peak	591.48 MHz	31.48	-14.53	
1 Quasi Peak	641.88 MHz	32.14	-13.87	
1 Quasi Peak	721.6 MHz	33.15	-12.87	
1 Quasi Peak	809.68 MHz	34.09	-11.92	
1 Quasi Peak	869.2 MHz	35.30	-10.71	
1 Quasi Peak	989.24 MHz	36.26	-17.71	

Bertezzolo 18144707

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144708



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	FCC209B				
Trace2:	---				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1	Quasi Peak	328.04 MHz	26.47	-19.54	
1	Quasi Peak	336 MHz	30.09	-15.92	
1	Quasi Peak	366.4 MHz	30.51	-15.50	
1	Quasi Peak	372.28 MHz	33.20	-12.81	
1	Quasi Peak	417.6 MHz	27.69	-18.32	
1	Quasi Peak	477 MHz	29.31	-16.70	
1	Quasi Peak	581.48 MHz	31.10	-14.91	
1	Quasi Peak	639.32 MHz	32.21	-13.80	
1	Quasi Peak	719.84 MHz	33.27	-12.74	
1	Quasi Peak	762.68 MHz	33.85	-12.16	
1	Quasi Peak	799 MHz	34.04	-11.98	
1	Quasi Peak	846.12 MHz	34.93	-11.09	
1	Quasi Peak	916.12 MHz	35.96	-10.05	
1	Quasi Peak	927.24 MHz	98.25	52.23	
1	Quasi Peak	970.52 MHz	36.10	-17.87	

Bertezzolo 18144708

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144709



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	FCC209A			
Trace2:	---			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
1 Quasi Peak	510 kHz	8.66	-24.79	
1 Quasi Peak	842 kHz	7.67	-21.42	
1 Quasi Peak	1.362 MHz	7.32	-17.59	
1 Quasi Peak	1.642 MHz	7.22	-16.07	
1 Quasi Peak	3.498 MHz	7.37	-22.16	
1 Quasi Peak	7.326 MHz	8.47	-21.06	
1 Quasi Peak	7.794 MHz	8.43	-21.10	
1 Quasi Peak	12.262 MHz	9.28	-20.25	
1 Quasi Peak	21.874 MHz	8.32	-21.21	

Bertezzolo 18144709

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144710



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Prescan Results)				
Trace1:	FCCBHPK	LEVEL dB μ V/m	DELTA	LIMIT dB
Trace2:	FCCBHAV			
Trace3:	---			
	TRACE	FREQUENCY		
2	Average	1.2 GHz	34.89	-19.08
2	Average	1.8056 GHz	51.00	-2.97
1	Max Peak	1.8056 GHz	53.11	-20.86
1	Max Peak	2.7084 GHz	56.52	-17.45
2	Average	2.7084 GHz	53.27	-0.70
1	Max Peak	3.5256 GHz	60.63	-13.34
2	Average	3.6112 GHz	47.15	-6.82
1	Max Peak	3.6112 GHz	52.35	-21.62
1	Max Peak	4.5136 GHz	55.41	-18.56
2	Average	4.5136 GHz	52.73	-1.25
1	Max Peak	5.4164 GHz	55.96	-18.01
2	Average	5.4164 GHz	51.94	-2.03
1	Max Peak	9.9188 GHz	59.32	-14.65
2	Average	9.9448 GHz	48.10	-5.87

Bertezzolo 18144710




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144713



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Prescan Results)				
Trace1:	FCCBHPK	LEVEL dB μ V/m	DELTA	LIMIT dB
Trace2:	FCCBHAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
2 Average	1.8056 GHz	47.62	-6.35	
1 Max Peak	1.8056 GHz	51.16	-22.81	
1 Max Peak	2.708 GHz	53.72	-20.25	
2 Average	2.7084 GHz	49.53	-4.44	
1 Max Peak	3.0208 GHz	56.44	-17.53	
1 Max Peak	3.5828 GHz	60.51	-13.46	
2 Average	3.6112 GHz	45.39	-8.58	
1 Max Peak	3.6112 GHz	50.54	-23.44	
1 Max Peak	4.5136 GHz	54.34	-19.63	
2 Average	4.5136 GHz	49.84	-4.13	
1 Max Peak	5.4164 GHz	58.52	-15.45	
2 Average	5.4164 GHz	52.76	-1.21	
2 Average	6.3192 GHz	44.12	-9.85	
2 Average	7.222 GHz	48.04	-5.93	
1 Max Peak	9.9392 GHz	59.61	-14.36	

Bertezzolo 18144713




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144714



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Prescan Results)				
Trace1:	FCCBHPK	LEVEL dB μ V/m	DELTA	LIMIT dB
Trace2:	FCCBHAV			
Trace3:	---			
	TRACE	FREQUENCY		
2	Average	1.2 GHz	34.36	-19.62
2	Average	1.8296 GHz	44.56	-9.41
1	Max Peak	1.8296 GHz	49.16	-24.82
2	Average	1.8816 GHz	42.65	-11.32
1	Max Peak	1.8816 GHz	49.29	-24.68
2	Average	2.7444 GHz	51.35	-2.62
1	Max Peak	2.7444 GHz	54.76	-19.21
1	Max Peak	3.0436 GHz	55.52	-18.45
1	Max Peak	3.5256 GHz	60.98	-12.99
2	Average	3.5256 GHz	50.05	-3.92
1	Max Peak	3.6592 GHz	49.38	-24.59
2	Average	3.6592 GHz	41.96	-12.01
2	Average	4.5736 GHz	49.64	-4.33
1	Max Peak	4.574 GHz	54.46	-19.51
2	Average	5.4884 GHz	48.46	-5.51
1	Max Peak	6.6716 GHz	54.85	-19.12
1	Max Peak	9.9824 GHz	59.93	-14.04
2	Average	9.9984 GHz	48.16	-5.81

Bertezzolo 18144714

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144715



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Prescan Results)				
Trace1:	FCCBHPK	LEVEL dB μ V/m	DELTA	LIMIT dB
Trace2:	FCCBHAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
2 Average	1.8296 GHz	44.70	-9.27	
1 Max Peak	1.8296 GHz	48.54	-25.43	
2 Average	1.8812 GHz	39.62	-14.35	
1 Max Peak	1.8812 GHz	47.76	-26.21	
1 Max Peak	2.744 GHz	56.22	-17.75	
2 Average	2.7444 GHz	53.10	-0.87	
1 Max Peak	3.5648 GHz	61.10	-12.87	
2 Average	3.6592 GHz	43.71	-10.26	
1 Max Peak	4.5736 GHz	56.81	-17.16	
2 Average	4.5736 GHz	52.26	-1.71	
1 Max Peak	5.4884 GHz	56.05	-17.92	
2 Average	5.4884 GHz	51.57	-2.41	
1 Max Peak	9.4696 GHz	59.23	-14.74	
2 Average	9.8408 GHz	48.03	-5.94	

Bertezzolo 18144715

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144716



CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168

EDIT PEAK LIST (Prescan Results)				
Trace1:	FCCBHPK	LEVEL dB μ V/m	DELTA	LIMIT dB
Trace2:	FCCBHAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V/m	DELTA	LIMIT dB
2 Average	1.8544 GHz	40.62	-13.35	
1 Max Peak	1.8544 GHz	47.46	-26.51	
1 Max Peak	1.8816 GHz	48.09	-25.88	
1 Max Peak	2.782 GHz	55.99	-17.98	
2 Average	2.782 GHz	52.63	-1.34	
2 Average	3.5256 GHz	49.80	-4.17	
1 Max Peak	3.5908 GHz	60.94	-13.03	
2 Average	3.7088 GHz	45.58	-8.39	
1 Max Peak	3.7088 GHz	50.83	-23.14	
1 Max Peak	4.636 GHz	53.27	-20.70	
2 Average	4.6364 GHz	49.17	-4.81	
1 Max Peak	5.5636 GHz	53.24	-20.74	
2 Average	5.5636 GHz	49.84	-4.13	
1 Max Peak	6.7972 GHz	54.11	-19.86	
2 Average	7.418 GHz	48.32	-5.65	
1 Max Peak	9.8872 GHz	59.49	-14.48	

Bertezzolo 18144716

CMC Centro Misure Compatibilità S.r.l.




CMC
Centro Misure Compatibilità S.r.l.
Via della Fisica, 20
36016 Thiene (VI)



ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

LAB N° 0168



Bertezzolo 18144717



EDIT PEAK LIST (Prescan Results)				
Trace1:	FCCBHPK	LEVEL dB μ V/m	DELTA	LIMIT dB
Trace2:	FCCBHAV			
Trace3:	---			
	TRACE	FREQUENCY		
2	Average	1.2 GHz	36.22	-17.75
2	Average	1.8544 GHz	43.63	-10.34
1	Max Peak	1.8544 GHz	47.99	-25.98
1	Max Peak	2.7816 GHz	54.33	-19.64
2	Average	2.782 GHz	49.49	-4.48
1	Max Peak	3.1556 GHz	55.19	-18.78
2	Average	3.5256 GHz	49.97	-4.00
1	Max Peak	3.5496 GHz	60.55	-13.42
1	Max Peak	3.7088 GHz	50.37	-23.60
2	Average	3.7088 GHz	42.96	-11.02
1	Max Peak	4.6364 GHz	52.96	-21.01
2	Average	4.6364 GHz	47.35	-6.62
2	Average	5.5636 GHz	43.62	-10.35
1	Max Peak	6.8108 GHz	54.09	-19.88
2	Average	9.952 GHz	48.57	-5.40
1	Max Peak	9.9632 GHz	60.02	-13.96

Bertezzolo 18144717

Result: The requirements are met



11.2 Spurious Emission

Test set-up and execution

- FCC Rules and Regulation; Titles 47 Part. 15.209
- KDB 558074 D01 DTS Meas Guidance v04 cl. 11 and 12
- ANSI C63.10 cl. 6.4, 6.5 and 6.6
- Internal procedure PM001
- See clause 4 of this test report

EUT exercising

See clause 4 of this test report

Test configuration

Test site:
Semi-anechoic chamber

Auxiliary equipment:
See clause 4 of this test report

Test equipment used

CMC S164, CMC S241, CMC S251, CMC S290, CMC S298
Measurement uncertainty: See clause 7 of this test report

Test specification

Port: Enclosure

Antenna polarization: Horizontal (H) – Vertical (V)

EUT height about the floor: 150 cm

EUT – Antenna distance: 3 m

Detector AV + Peak

Environmental conditions

Temperature (°C)	Atmospheric pressure (kPa)	Relative humidity (%)
22	100	45

Acceptance limits

Acceptance limits for emissions in restricted frequency bands		
Frequency (MHz)	AV limits [dB(µV/m)]	Peak limits [dB(µV/m)]
> 1000	54	74



The restricted frequency bands are listed in the following table

MHz	MHz	MHz	GHz
0,09 – 0,110	16,42 – 16,423	399,9 – 410	4,5 – 5,15
0,495 – 0,505	16,69475 – 16,69525	608 – 614	5,35 – 5,46
2,1735 – 2,1905	16,80425 – 16,80475	960 – 1240	7,25 – 7,75
4,125 – 4,128	25,5 – 25,67	1300 – 1427	8,025 – 8,5
4,17725 – 4,17775	37,5 – 38,25	1435 – 1626,5	9,0 – 9,2
4,20725 – 4,20775	73 – 74,6	1645,5 – 1646,5	9,3 – 9,5
6,215 – 6,218	74,8 – 75,2	1660 – 1710	10,6 – 12,7
6,26775 – 6,26825	108 – 121,94	1718,8 – 1722,2	13,25 – 13,4
6,31175 – 6,31225	123 – 138	2200 – 2300	14,47 – 14,5
8,291 – 8,294	149,9 – 150,05	2310 – 2390	15,35 – 16,2
8,362 – 8,366	156,52475 – 156,52525	2483,5 – 2500	17,7 – 21,4
8,41425 – 8,41475	162,0125 – 167,17	3260 – 3267	23,6 – 24
12,29 – 12,293	167,72 – 173,2	3332 – 3339	31,2 – 31,8
12,57675 – 12,57725	322 – 335,4	3600 – 4400	Above 38,6
13,36 – 13,41			


Acceptance limits for emissions in non-restricted frequency bands

The DTS rules specify that in any 100 kHz bandwidth outside of the authorized frequency band, the power shall be attenuated according to the following conditions:


- If the maximum peak conducted output power procedure was used to demonstrate compliance as described in 9.1, then the peak output power measured in any 100 kHz bandwidth outside of the authorized frequency band shall be attenuated by at least 20 dB relative to the maximum in-band peak PSD level in 100 kHz
- If maximum conducted (average) output power was used to demonstrate compliance as described in 9.2, then the peak power in any 100 kHz bandwidth outside of the authorized frequency band shall be attenuated by at least 30 dB relative to the maximum in-band peak PSD level in 100 kHz.
- In either case, attenuation to levels below the 15.209 general radiated emissions limits is not required

Setup

Frequency \leq 1 GHz



Frequency $>$ 1 GHz





Result

AV detector - sample with integrated antenna WANT021XAUFL

Harmonic	Limits (dB μ V/m)	902,75 MHz channel	Level (dB μ V/m) 914,75 MHz channel	927,25 MHz channel	Results
II	54	51,00	51,20	49,40	Complies
III	54	45,70	45,20	42,60	Complies
IV	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
V	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VI	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VII	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VIII	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
IX	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
X	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies

Remarks: EUT was tested in 3 orthogonal planes. The results in this table show the highest values. No spurious other than harmonics have been found. The results have been extrapolated to the specified distance using an extrapolation factor.

The limit of 54 dB μ V/m has been applied either to emissions in restricted frequency bands and emissions in non-restricted frequency bands as a worst case.



Peak detector – sample with integrated antenna WANT021XAUFL

Harmonic	Limits (dB μ V/m)	902,75 MHz channel	Level (dB μ V/m) 914,75 MHz channel	927,25 MHz channel	Results
II	74	56,20	57,20	56,20	Complies
III	74	More than 20 dB below limit	55,60	54,10	Complies
IV	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
V	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VI	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VII	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VIII	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
IX	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
X	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies

Remarks: EUT was tested in 3 orthogonal planes. The results in this table show the highest values. No spurious other then harmonics have been found. The results have been extrapolated to the specified distance using an extrapolation factor.

The limit of 74 dB μ V/m has been applied either to emissions in restricted frequency bands and emissions in non-restricted frequency bands as a worst case.



AV detector - sample with external SMA antenna WANT021XASMA

Harmonic	Limits (dB μ V/m)	902,75 MHz channel	Level (dB μ V/m) 914,75 MHz channel	927,25 MHz channel	Results
II	54	49,30	50,40	49,40	Complies
III	54	46,00	45,20	42,60	Complies
IV	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
V	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VI	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VII	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VIII	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
IX	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
X	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies

Remarks: EUT was tested in 3 orthogonal planes. The results in this table show the highest values. No spurious other than harmonics have been found. The results have been extrapolated to the specified distance using an extrapolation factor.

The limit of 54 dB μ V/m has been applied either to emissions in restricted frequency bands and emissions in non-restricted frequency bands as a worst case.



Peak detector – sample with external SMA antenna WANT021XASMA

Harmonic	Limits (dB μ V/m)	Level (dB μ V/m)			Results
		902,75 MHz channel	914,75 MHz channel	927,25 MHz channel	
II	74	56,30	56,30	56,20	Complies
III	74	54,90	55,80	54,10	Complies
IV	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
V	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VI	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VII	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VIII	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
IX	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
X	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies

Remarks: EUT was tested in 3 orthogonal planes. The results in this table show the highest values. No spurious other then harmonics have been found. The results have been extrapolated to the specified distance using an extrapolation factor.

The limit of 74 dB μ V/m has been applied either to emissions in restricted frequency bands and emissions in non-restricted frequency bands as a worst case.



AV detector - sample with 7R1251IUNFAA antenna

Harmonic	Limits (dB μ V/m)	902,75 MHz channel	Level (dB μ V/m) 914,75 MHz channel	927,25 MHz channel	Results
II	54	51,00	44,70	43,63	Complies
III	54	53,27	53,10	52,63	Complies
IV	54	47,15	43,71	45,58	Complies
V	54	52,73	52,26	49,17	Complies
VI	54	More than 20 dB below limit	51,57	49,84	Complies
VII	54	44,12	More than 20 dB below limit	More than 20 dB below limit	Complies
VIII	54	48,04	More than 20 dB below limit	48,32	Complies
IX	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
X	54	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies

Remarks: EUT was tested in 3 orthogonal planes. The results in this table show the highest values. No spurious other than harmonics have been found. The results have been extrapolated to the specified distance using an extrapolation factor.
The limit of 54 dB μ V/m has been applied either to emissions in restricted frequency bands and emissions in non-restricted frequency bands as a worst case.



Peak detector – sample with 7R1251IUNFAA antenna

Harmonic	Limits (dB μ V/m)	902,75 MHz channel	Level (dB μ V/m) 914,75 MHz channel	927,25 MHz channel	Results
II	74	53,11	49,16	47,99	Complies
III	74	56,52	56,22	55,99	Complies
IV	74	52,35	61,10	50,83	Complies
V	74	55,41	56,81	53,27	Complies
VI	74	More than 20 dB below limit	56,05	53,24	Complies
VII	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
VIII	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
IX	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies
X	74	More than 20 dB below limit	More than 20 dB below limit	More than 20 dB below limit	Complies

Remarks: EUT was tested in 3 orthogonal planes. The results in this table show the highest values. No spurious other than harmonics have been found. The results have been extrapolated to the specified distance using an extrapolation factor.
The limit of 74 dB μ V/m has been applied either to emissions in restricted frequency bands and emissions in non-restricted frequency bands as a worst case.

Result: The requirements are met