



APPENDIX E - BANDWIDTH

Report No.: BTL-FCCP-2-1711C142 Page 176 of 264






## Test Mode: UNII-1/TX A Mode\_CH36/CH40/CH48

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.35	16.70
CH40	5200	26.65	16.80
CH48	5240	24.10	16.70

#### **TX CH36**




Date: 5.DEC.2017 10:03:30


Report No.: BTL-FCCP-2-1711C142 Page 177 of 264







Date: 5.DEC.2017 10:04:55



Date: 5.DEC.2017 10:05:45

Report No.: BTL-FCCP-2-1711C142 Page 178 of 264






## Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH36	5180	20.99	17.60
CH40	5200	38.85	19.10
CH48	5240	27.65	17.80

#### **TX CH36**




Date: 5.DEC.2017 10:10:12


Report No.: BTL-FCCP-2-1711C142 Page 179 of 264







Date: 5.DEC.2017 10:10:55



Date: 5.DEC.2017 10:16:51






# Test Mode: UNII-1/TX N40 Mode\_CH38/CH46

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH38	5190	43.00	36.60
CH46	5230	64.50	37.20


Report No.: BTL-FCCP-2-1711C142 Page 181 of 264











Date: 5.DEC.2017 10:38:33

Report No.: BTL-FCCP-2-1711C142 Page 182 of 264






#### Test Mode: UNII-3/ TX A Mode\_CH149/CH157/CH165

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
	(MHz)	(MHz)	(MHz)	(kHz)
CH149	5745	16.45	16.60	>=500
CH157	5785	16.45	17.20	>=500
CH165	5825	16.60	16.60	>=500

#### **TX CH 149**




Date: 5.DEC.2017 10:07:07

Report No.: BTL-FCCP-2-1711C142 Page 183 of 264










Date: 5.DEC.2017 10:07:50

#### **TX CH 165**



Date: 5.DEC.2017 10:08:36

Report No.: BTL-FCCP-2-1711C142 Page 184 of 264






## Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165

Channel Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit	
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.60	>=500

#### **TX CH 149**




Date: 5.DEC.2017 10:17:39


Report No.: BTL-FCCP-2-1711C142 Page 185 of 264











Date: 5.DEC.2017 10:19:20





# Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159


Channel Frequence (MHz)	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
	(MHz)	(MHz)	(MHz)	(kHz)
CH151	5755	36.19	36.60	>=500
CH159	5795	36.50	36.40	>=500

Report No.: BTL-FCCP-2-1711C142 Page 187 of 264










Date: 5.DEC.2017 10:39:41

#### **TX CH 159**



Date: 5.DEC.2017 10:41:37

Report No.: BTL-FCCP-2-1711C142 Page 188 of 264






## Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH36	5180	21.05	17.80
CH40	5200	23.19	17.80
CH48	5240	22.40	17.80

#### **TX CH36**




Date: 5.DEC.2017 10:31:41


Report No.: BTL-FCCP-2-1711C142 Page 189 of 264







Date: 5.DEC.2017 10:32:41



Date: 5.DEC.2017 10:33:22

Report No.: BTL-FCCP-2-1711C142 Page 190 of 264






# Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH38	5190	43.30	36.60
CH46	5230	64.31	37.20


Report No.: BTL-FCCP-2-1711C142 Page 191 of 264







Date: 5.DEC.2017 10:57:55



Date: 5.DEC.2017 10:58:56






## Test Mode: UNII-1/TX AC80 Mode\_CH42

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH42	5210	82.00	75.20

#### TX CH42



Date: 5.DEC.2017 11:02:32

Report No.: BTL-FCCP-2-1711C142 Page 193 of 264






## Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
	(MHz)	(MHz)	(MHz)	(kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.60	>=500

#### **TX CH 149**




Date: 5.DEC.2017 10:34:15


Report No.: BTL-FCCP-2-1711C142 Page 194 of 264











Date: 5.DEC.2017 10:36:02





## Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159


Channel		6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH151	5755	36.40	36.60	>=500
CH159	5795	36.50	37.00	>=500

Report No.: BTL-FCCP-2-1711C142 Page 196 of 264










Date: 5.DEC.2017 10:59:57

#### **TX CH 159**



Date: 5.DEC.2017 11:01:01

Report No.: BTL-FCCP-2-1711C142 Page 197 of 264






## Test Mode: UNII-3/ TX AC80 Mode\_CH155

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH155	5775	75.40	76.40	>=500

#### **TX CH 155**



Date: 5.DEC.2017 11:03:35

Report No.: BTL-FCCP-2-1711C142 Page 198 of 264





APPENDIX F - MAXIMUM OUTPUT POWER

Report No.: BTL-FCCP-2-1711C142 Page 199 of 264





## **Test Mode: UNII-1/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.59	0.00	18.59	30.00	1.00
CH40	5200	18.71	0.00	18.71	30.00	1.00
CH48	5240	17.75	0.00	17.75	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 200 of 264





## Test Mode: UNII-1/TX N20 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.86	0.00	17.86	30.00	1.00
CH40	5200	20.85	0.00	20.85	30.00	1.00
CH48	5240	18.94	0.00	18.94	30.00	1.00

## Test Mode: UNII-1/TX N20 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.18	0.00	17.18	30.00	1.00
CH40	5200	18.92	0.00	18.92	30.00	1.00
CH48	5240	18.61	0.00	18.61	30.00	1.00

## Test Mode: UNII-1/TX N20 Mode \_Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	20.54	30.00	1.00
CH40	5200	23.00	30.00	1.00
CH48	5240	21.79	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 201 of 264





## Test Mode: UNII-1/TX N40 Mode\_ANT 1

Chani	nel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH3	8	5190	14.75	0.00	14.75	30.00	1.00
CH4	6	5230	18.86	0.00	18.86	30.00	1.00

## Test Mode: UNII-1/TX N40 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.68	0.00	14.68	30.00	1.00
CH46	5230	19.67	0.00	19.67	30.00	1.00

## Test Mode: UNII-1/TX N40 Mode \_Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	17.73	30.00	1.00
CH46	5230	22.29	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 202 of 264





#### **Test Mode: UNII-3/ TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.77	0.00	19.77	30.00	1.00
CH157	5785	21.32	0.00	21.32	30.00	1.00
CH165	5825	20.54	0.00	20.54	30.00	1.00

## Test Mode: UNII-3/TX N20 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.15	0.00	18.15	30.00	1.00
CH157	5785	19.21	0.00	19.21	30.00	1.00
CH165	5825	19.05	0.00	19.05	30.00	1.00

# Test Mode: UNII-3/TX N20 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.84	0.00	18.84	30.00	1.00
CH157	5785	19.53	0.00	19.53	30.00	1.00
CH165	5825	18.87	0.00	18.87	30.00	1.00

## Test Mode: UNII-3/TX N20 Mode\_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH149	5745	21.52	30.00	1.00
CH157	5785	22.38	30.00	1.00
CH165	5825	21.97	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 203 of 264





## Test Mode: UNII-3/ TX N40 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.96	0.00	19.96	30.00	1.00
CH159	5795	21.03	0.00	21.03	30.00	1.00

## Test Mode: UNII-3/ TX N40 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.62	0.00	20.62	30.00	1.00
CH159	5795	21.16	0.00	21.16	30.00	1.00

## Test Mode: UNII-3/ TX N40 Mode\_Total

Channel	Frequency	Output Power	Limit	Limit
	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	23.31	30.00	1.00
CH159	5795	24.11	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 204 of 264





## Test Mode: UNII-1/TX AC20 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.92	0.00	16.92	30.00	1.00
CH40	5200	18.28	0.00	18.28	30.00	1.00
CH48	5240	17.77	0.00	17.77	30.00	1.00

## Test Mode: UNII-1/TX AC20 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.67	0.00	16.67	30.00	1.00
CH40	5200	18.37	0.00	18.37	30.00	1.00
CH48	5240	18.92	0.00	18.92	30.00	1.00

### Test Mode: UNII-1/TX AC20 Mode \_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	19.81	30.00	1.00
CH40	5200	21.34	30.00	1.00
CH48	5240	21.39	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 205 of 264





## Test Mode: UNII-1/TX AC40 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.13	0.00	14.13	30.00	1.00
CH46	5230	19.04	0.00	19.04	30.00	1.00

## Test Mode: UNII-1/TX AC40 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.09	0.00	14.09	30.00	1.00
CH46	5230	19.76	0.00	19.76	30.00	1.00

## Test Mode: UNII-1/TX AC40 Mode\_Total

Channel	Frequency	Output Power	Limit	Limit
	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	17.12	30.00	1.00
CH46	5230	22.43	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 206 of 264





## Test Mode: UNII-1/TX AC80 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.39	0.00	10.39	30.00	1.00

# Test Mode: UNII-1/TX AC80 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.88	0.00	10.88	30.00	1.00

## Test Mode: UNII-1/TX AC80 Mode\_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.65	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 207 of 264





## Test Mode: UNII-3/TX AC20 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.06	0.00	18.06	30.00	1.00
CH157	5785	19.75	0.00	19.75	30.00	1.00
CH165	5825	19.27	0.00	19.27	30.00	1.00

## Test Mode: UNII-3/TX AC20 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.77	0.00	18.77	30.00	1.00
CH157	5785	20.12	0.00	20.12	30.00	1.00
CH165	5825	19.15	0.00	19.15	30.00	1.00

#### Test Mode: UNII-3/TX AC20 Mode\_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH149	5745	21.44	30.00	1.00
CH157	5785	22.95	30.00	1.00
CH165	5825	22.22	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 208 of 264





## Test Mode: UNII-3/TX AC40 Mode\_ANT 1

	Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
	CH151	5755	19.83	0.00	19.83	30.00	1.00
Ī	CH159	5795	20.91	0.00	20.91	30.00	1.00

## Test Mode: UNII-3/TX AC40 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.58	0.00	20.58	30.00	1.00
CH159	5795	20.66	0.00	20.66	30.00	1.00

## Test Mode: UNII-3/TX AC40 Mode\_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	23.23	30.00	1.00
CH159	5795	23.80	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 209 of 264





## Test Mode: UNII-3/TX AC80 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.91	0.00	18.91	30.00	1.00

# Test Mode: UNII-3/TX AC80 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.33	0.00	19.33	30.00	1.00

## Test Mode: UNII-3/TX AC80 Mode\_Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH155	5775	22.14	30.00	1.00

Report No.: BTL-FCCP-2-1711C142 Page 210 of 264





APPENDIX G - POWER SPECTRAL DENSITY

Report No.: BTL-FCCP-2-1711C142 Page 211 of 264






## Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.14	0.00	8.14	17.00
CH40	5200	8.23	0.00	8.23	17.00
CH48	5240	7.54	0.00	7.54	17.00

#### **CH36**




Date: 5.DEC.2017 10:01:13

Report No.: BTL-FCCP-2-1711C142 Page 212 of 264







Date: 5.DEC.2017 10:05:03



Date: 5.DEC.2017 10:05:54






#### Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.15	0.00	6.15	17.00
CH40	5200	10.22	0.00	10.22	17.00
CH48	5240	8.15	0.00	8.15	17.00

# **CH36**




Date: 5.DEC.2017 10:10:20


Report No.: BTL-FCCP-2-1711C142 Page 214 of 264







Date: 5.DEC.2017 10:11:04



Date: 5.DEC.2017 10:16:59

Report No.: BTL-FCCP-2-1711C142





## Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.08	0.00	6.08	17.00
CH40	5200	7.41	0.00	7.41	17.00
CH48	5240	7.22	0.00	7.22	17.00

#### **CH36**




Date: 5.DEC.2017 10:20:40

Report No.: BTL-FCCP-2-1711C142 Page 216 of 264







Date: 5.DEC.2017 10:21:39



Date: 5.DEC.2017 10:22:30





## Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.13	17.00
CH40	5200	12.05	17.00
CH48	5240	10.72	17.00

Report No.: BTL-FCCP-2-1711C142 Page 218 of 264






## Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.93	0.00	0.93	17.00
CH46	5230	5.69	0.00	5.69	17.00

Report No.: BTL-FCCP-2-1711C142 Page 219 of 264







Date: 5.DEC.2017 10:37:47



Date: 5.DEC.2017 10:38:46





## Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.84	0.00	0.84	17.00
CH46	5230	5.57	0.00	5.57	17.00

Report No.: BTL-FCCP-2-1711C142 Page 221 of 264







Date: 5.DEC.2017 10:42:57



Date: 5.DEC.2017 10:43:45





## Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.90	17.00
CH46	5230	8.64	17.00

Report No.: BTL-FCCP-2-1711C142 Page 223 of 264





## Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.58	0.00	5.58	30.00
CH157	5785	6.42	0.00	6.42	30.00
CH165	5825	5.30	0.00	5.30	30.00

#### **TX CH149**



Date: 5.DEC.2017 10:06:42

Report No.: BTL-FCCP-2-1711C142 Page 224 of 264









Date: 5.DEC.2017 10:07:58

#### **TX CH165**



Date: 5.DEC.2017 10:08:45

Report No.: BTL-FCCP-2-1711C142 Page 225 of 264





## Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.85	0.00	3.85	30.00
CH157	5785	4.46	0.00	4.46	30.00
CH165	5825	3.66	0.00	3.66	30.00

#### **TX CH149**




Date: 5.DEC.2017 10:17:48

Report No.: BTL-FCCP-2-1711C142 Page 226 of 264







Date: 5.DEC.2017 10:18:39



Date: 5.DEC.2017 10:19:28

Report No.: BTL-FCCP-2-1711C142






## Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.58	0.00	3.58	30.00
CH157	5785	4.85	0.00	4.85	30.00
CH165	5825	4.20	0.00	4.20	30.00

#### **TX CH149**




Date: 5.DEC.2017 10:23:18


Report No.: BTL-FCCP-2-1711C142 Page 228 of 264







Date: 5.DEC.2017 10:24:13



Date: 5.DEC.2017 10:25:04





## Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.73	30.00
CH157	5785	7.67	30.00
CH165	5825	6.95	30.00

Report No.: BTL-FCCP-2-1711C142 Page 230 of 264






## Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.79	0.00	2.79	30.00
CH159	5795	3.12	0.00	3.12	30.00


Report No.: BTL-FCCP-2-1711C142 Page 231 of 264







Date: 5.DEC.2017 10:39:52



Date: 5.DEC.2017 10:41:48






## Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.70	0.00	2.70	30.00
CH159	5795	3.51	0.00	3.51	30.00


Report No.: BTL-FCCP-2-1711C142 Page 233 of 264







Date: 5.DEC.2017 10:44:43



Date: 5.DEC.2017 10:45:48





## Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.76	30.00
CH159	5795	6.33	30.00

Report No.: BTL-FCCP-2-1711C142 Page 235 of 264






## Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.93	0.00	5.93	17.00
CH40	5200	7.37	0.00	7.37	17.00
CH48	5240	7.48	0.00	7.48	17.00

#### **CH36**




Date: 5.DEC.2017 10:31:50


Report No.: BTL-FCCP-2-1711C142 Page 236 of 264







Date: 5.DEC.2017 10:32:50



Date: 5.DEC.2017 10:33:30






## Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.97	0.00	5.97	17.00
CH40	5200	7.53	0.00	7.53	17.00
CH48	5240	7.55	0.00	7.55	17.00

#### **CH36**




Date: 5.DEC.2017 10:26:42


Report No.: BTL-FCCP-2-1711C142 Page 238 of 264







Date: 5.DEC.2017 10:27:31



Date: 5.DEC.2017 10:28:18

Report No.: BTL-FCCP-2-1711C142 Page 239 of 264





## Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.96	17.00
CH40	5200	10.46	17.00
CH48	5240	10.53	17.00

Report No.: BTL-FCCP-2-1711C142 Page 240 of 264






## Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.60	0.00	0.60	17.00
CH46	5230	5.96	0.00	5.96	17.00


Report No.: BTL-FCCP-2-1711C142 Page 241 of 264







Date: 5.DEC.2017 10:58:07



Date: 5.DEC.2017 10:59:08






## Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.54	0.00	0.54	17.00
CH46	5230	5.83	0.00	5.83	17.00


Report No.: BTL-FCCP-2-1711C142 Page 243 of 264







Date: 5.DEC.2017 10:53:17



Date: 5.DEC.2017 10:54:19





## Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.58	17.00
CH46	5230	8.91	17.00

Report No.: BTL-FCCP-2-1711C142 Page 245 of 264






## Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.52	0.00	-4.52	17.00

#### CH42



Date: 5.DEC.2017 11:02:44

Report No.: BTL-FCCP-2-1711C142 Page 246 of 264






## Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.64	0.00	-3.64	17.00

## CH42



Date: 5.DEC.2017 12:44:25

Report No.: BTL-FCCP-2-1711C142 Page 247 of 264





## Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	-1.05	17.00

Report No.: BTL-FCCP-2-1711C142 Page 248 of 264





### Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.72	0.00	3.72	30.00
CH157	5785	4.79	0.00	4.79	30.00
CH165	5825	3.93	0.00	3.93	30.00

#### **TX CH149**




Date: 5.DEC.2017 10:34:24


Report No.: BTL-FCCP-2-1711C142 Page 249 of 264







Date: 5.DEC.2017 10:35:18



Date: 5.DEC.2017 10:36:11






### Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.60	0.00	3.60	30.00
CH157	5785	5.21	0.00	5.21	30.00
CH165	5825	4.53	0.00	4.53	30.00

#### **TX CH149**




Date: 5.DEC.2017 10:29:08


Report No.: BTL-FCCP-2-1711C142 Page 251 of 264







Date: 5.DEC.2017 10:29:59



Date: 5.DEC.2017 10:30:44





## Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.67	30.00
CH157	5785	8.02	30.00
CH165	5825	7.25	30.00

Report No.: BTL-FCCP-2-1711C142 Page 253 of 264






## Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.80	0.00	2.80	30.00
CH159	5795	3.27	0.00	3.27	30.00


Report No.: BTL-FCCP-2-1711C142 Page 254 of 264







Date: 5.DEC.2017 11:00:09



Date: 5.DEC.2017 11:01:13






## Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.83	0.00	2.83	30.00
CH159	5795	2.99	0.00	2.99	30.00


Report No.: BTL-FCCP-2-1711C142 Page 256 of 264







Date: 5.DEC.2017 10:55:24



Date: 5.DEC.2017 10:56:46





## Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.83	30.00
CH159	5795	6.14	30.00

Report No.: BTL-FCCP-2-1711C142 Page 258 of 264






### Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.25	0.00	-0.25	30.00

#### **TX CH155**



Date: 5.DEC.2017 11:03:47

Report No.: BTL-FCCP-2-1711C142 Page 259 of 264






### Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.43	0.00	-0.43	30.00

#### **TX CH155**



Date: 5.DEC.2017 12:45:51

Report No.: BTL-FCCP-2-1711C142 Page 260 of 264





## Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/500kHz)	(dBm/500kHz)
CH155	5775	2.67	30.00

Report No.: BTL-FCCP-2-1711C142 Page 261 of 264





APPENDIX H - FREQUENCY STABILITY

Report No.: BTL-FCCP-2-1711C142 Page 262 of 264





Test Mode: UNII-1

## Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9720
120	5179.9720
108	5179.9716
Max. Deviation (MHz)	0.0284
Max. Deviation (ppm)	5.4826

## Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9716
5	5179.9716
15	5179.9716
25	5179.9712
35	5179.9712
45	5179.9712
50	5179.9712
Max. Deviation (MHz)	0.0288
Max. Deviation (ppm)	5.5598

Report No.: BTL-FCCP-2-1711C142 Page 263 of 264





Test Mode: UNII-3

## Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9688
120	5744.9684
108	5744.9680
Max. Deviation (MHz)	0.0320
Max. Deviation (ppm)	5.5701

# Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9680
5	5744.9680
15	5744.9676
25	5744.9672
35	5744.9676
45	5744.9676
50	5744.9672
Max. Deviation (MHz)	0.0328
Max. Deviation (ppm)	5.7093

Report No.: BTL-FCCP-2-1711C142 Page 264 of 264