


Test Mode UNII-3\_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.75	500	Complies
157	5785	17.69	500	Complies
165	5825	17.80	500	Complies




Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	20.90	Complies
157	5785	23.60	Complies
165	5825	21.30	Complies





Test Mode UNII-3\_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	500	Complies
159	5795	36.50	500	Complies



	Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
	151	5755	41.40	Complies
l	159	5795	44.20	Complies






Test Mode UNII-3\_TX AC (VHT80)

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	77.20	500	Complies






Date: 9.SEP.2019 16:12:39

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	108.80	Complies

### CH155



Date: 9.SEP.2019 17:18:57



## APPENDIX F - CONDUCTED OUTPUT POWER



### Non-Beamforming

Test Mode L	JNII-1_TX	A Mode
-------------	-----------	--------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	22.76	0.00	22.76	30.00	1.00	Complies
40	5200	24.37	0.00	24.37	30.00	1.00	Complies
48	5240	24.14	0.00	24.14	30.00	1.00	Complies

### Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	20.89	0.00	20.89	27.99	0.63	Complies
40	5200	20.95	0.00	20.95	27.99	0.63	Complies
48	5240	19.97	0.00	19.97	27.99	0.63	Complies

### Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	20.99	0.00	20.99	27.99	0.63	Complies
40	5200	21.15	0.00	21.15	27.99	0.63	Complies
48	5240	20.01	0.00	20.01	27.99	0.63	Complies

### Test Mode UNII-1\_TX N (HT20) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.95	27.99	0.63	Complies
40	5200	24.06	27.99	0.63	Complies
48	5240	23.00	27.99	0.63	Complies



### Test Mode UNII-1\_TX N (HT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	19.45	0.00	19.45	27.99	0.63	Complies
46	5230	22.69	0.00	22.69	27.99	0.63	Complies

### Test Mode UNII-1\_TX N (HT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	18.61	0.00	18.61	27.99	0.63	Complies
46	5230	22.11	0.00	22.11	27.99	0.63	Complies

### Test Mode UNII-1\_TX N (HT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.06	27.99	0.63	Complies
46	5230	25.42	27.99	0.63	Complies



### Test Mode UNII-3\_TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	23.09	0.00	23.09	30.00	1.00	Complies
157	5785	22.53	0.00	22.53	30.00	1.00	Complies
165	5825	23.01	0.00	23.01	30.00	1.00	Complies

### Test Mode UNII-3\_TX N (HT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	21.23	0.00	21.23	27.99	0.63	Complies
157	5785	21.47	0.00	21.47	27.99	0.63	Complies
165	5825	21.38	0.00	21.38	27.99	0.63	Complies

### Test Mode UNII-3\_TX N (HT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	21.45	0.00	21.45	27.99	0.63	Complies
157	5785	21.41	0.00	21.41	27.99	0.63	Complies
165	5825	21.15	0.00	21.15	27.99	0.63	Complies

### Test Mode UNII-3\_TX N (HT20) Mode\_Total

	Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
	149	5745	24.35	27.99	0.63	Complies
l	157	5785	24.45	27.99	0.63	Complies
	165	5825	24.28	27.99	0.63	Complies



### Test Mode UNII-3\_TX N (HT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	20.77	0.00	20.77	27.99	0.63	Complies
159	5795	20.82	0.00	20.82	27.99	0.63	Complies

### Test Mode UNII-3\_TX N (HT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	20.59	0.00	20.59	27.99	0.63	Complies
159	5795	20.87	0.00	20.87	27.99	0.63	Complies

### Test Mode UNII-3\_TX N (HT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.69	27.99	0.63	Complies
159	5795	23.86	27.99	0.63	Complies



### Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	21.94	0.00	21.94	27.99	0.63	Complies
40	5200	21.43	0.00	21.43	27.99	0.63	Complies
48	5240	20.58	0.00	20.58	27.99	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	21.53	0.00	21.53	27.99	0.63	Complies
40	5200	20.87	0.00	20.87	27.99	0.63	Complies
48	5240	20.43	0.00	20.43	27.99	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.75	27.99	0.63	Complies
40	5200	24.17	27.99	0.63	Complies
48	5240	23.52	27.99	0.63	Complies



### Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	-	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	20.59	0.00	20.59	27.99	0.63	Complies
46	5230	23.27	0.00	23.27	27.99	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	19.26	0.00	19.26	27.99	0.63	Complies
46	5230	21.67	0.00	21.67	27.99	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.99	27.99	0.63	Complies
46	5230	25.55	27.99	0.63	Complies



### Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
42	5210	18.65	0.00	18.65	27.99	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
42	5210	17.86	0.00	17.86	27.99	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT80) Mode\_Total

C	hannel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
	42	5210	21.28	27.99	0.63	Complies



### Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	21.25	0.00	21.25	27.99	0.63	Complies
157	5785	21.31	0.00	21.31	27.99	0.63	Complies
165	5825	21.67	0.00	21.67	27.99	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	-	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	21.64	0.00	21.64	27.99	0.63	Complies
157	5785	21.71	0.00	21.71	27.99	0.63	Complies
165	5825	21.35	0.00	21.35	27.99	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.46	27.99	0.63	Complies
157	5785	24.52	27.99	0.63	Complies
165	5825	24.52	27.99	0.63	Complies



### Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	21.68	0.00	21.68	27.99	0.63	Complies
159	5795	22.02	0.00	22.02	27.99	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	21.11	0.00	21.11	27.99	0.63	Complies
159	5795	21.32	0.00	21.32	27.99	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.41	27.99	0.63	Complies
159	5795	24.69	27.99	0.63	Complies



### Test Mode UNII-3\_TX AC (VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
155	5775	21.94	0.00	21.94	27.99	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
155	5775	19.23	0.00	19.23	27.99	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Conducted Output Power (dBm)  Max. Limit (dBm) (W)		
155	5775	23.80	27.99	0.63	Complies



### Beamforming

Test Mode	UNII-1 TX N	(HT20)	Mode	Ant.	1

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	20.22	0.00	20.22	28.00	0.63	Complies
40	5200	20.63	0.00	20.63	28.00	0.63	Complies
48	5240	19.29	0.00	19.29	28.00	0.63	Complies

### Test Mode UNII-1\_TX N (HT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	20.36	0.00	20.36	28.00	0.63	Complies
40	5200	20.53	0.00	20.53	28.00	0.63	Complies
48	5240	19.31	0.00	19.31	28.00	0.63	Complies

### Test Mode UNII-1\_TX N (HT20) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.30	28.00	0.63	Complies
40	5200	23.59	28.00	0.63	Complies
48	5240	22.31	28.00	0.63	Complies



### Test Mode UNII-1\_TX N (HT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	-	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	18.75	0.00	18.75	28.00	0.63	Complies
46	5230	22.09	0.00	22.09	28.00	0.63	Complies

### Test Mode UNII-1\_TX N (HT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	18.01	0.00	18.01	28.00	0.63	Complies
46	5230	21.76	0.00	21.76	28.00	0.63	Complies

### Test Mode UNII-1\_TX N (HT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.41	28.00	0.63	Complies
46	5230	24.94	28.00	0.63	Complies



### Test Mode UNII-3\_TX N (HT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	20.86	0.00	20.86	28.00	0.63	Complies
157	5785	20.69	0.00	20.69	28.00	0.63	Complies
165	5825	20.86	0.00	20.86	28.00	0.63	Complies

### Test Mode UNII-3\_TX N (HT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	20.99	0.00	20.99	28.00	0.63	Complies
157	5785	20.89	0.00	20.89	28.00	0.63	Complies
165	5825	20.76	0.00	20.76	28.00	0.63	Complies

### Test Mode UNII-3\_TX N (HT20) Mode\_Total

Ch	annel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
•	149	5745	23.94	28.00	0.63	Complies
•	157	5785	23.80	28.00	0.63	Complies
•	165	5825	23.82	28.00	0.63	Complies



### Test Mode UNII-3\_TX N (HT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	20.19	0.00	20.19	28.00	0.63	Complies
159	5795	20.16	0.00	20.16	28.00	0.63	Complies

### Test Mode UNII-3\_TX N (HT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	19.89	0.00	19.89	28.00	0.63	Complies
159	5795	20.23	0.00	20.23	28.00	0.63	Complies

### Test Mode UNII-3\_TX N (HT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.05	28.00	0.63	Complies
159	5795	23.21	28.00	0.63	Complies



### Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	21.36	0.00	21.36	28.00	0.63	Complies
40	5200	19.76	0.00	19.76	28.00	0.63	Complies
48	5240	19.91	0.00	19.91	28.00	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
36	5180	20.81	0.00	20.81	28.00	0.63	Complies
40	5200	19.23	0.00	19.23	28.00	0.63	Complies
48	5240	19.78	0.00	19.78	28.00	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.10	28.00	0.63	Complies
40	5200	22.51	28.00	0.63	Complies
48	5240	22.86	28.00	0.63	Complies



### Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	-	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	19.95	0.00	19.95	28.00	0.63	Complies
46	5230	22.57	0.00	22.57	28.00	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
38	5190	18.71	0.00	18.71	28.00	0.63	Complies
46	5230	21.02	0.00	21.02	28.00	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.38	28.00	0.63	Complies
46	5230	24.87	28.00	0.63	Complies



### Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
42	5210	18.06	0.00	18.06	28.00	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
42	5210	17.16	0.00	17.16	28.00	0.63	Complies

### Test Mode UNII-1\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.64	28.00	0.63	Complies



### Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)		Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	20.45	0.00	20.45	28.00	0.63	Complies
157	5785	20.56	0.00	20.56	28.00	0.63	Complies
165	5825	21.01	0.00	21.01	28.00	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	,	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
149	5745	20.59	0.00	20.59	28.00	0.63	Complies
157	5785	20.89	0.00	20.89	28.00	0.63	Complies
165	5825	20.55	0.00	20.55	28.00	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.53	28.00	0.63	Complies
157	5785	23.74	28.00	0.63	Complies
165	5825	23.80	28.00	0.63	Complies



### Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	20.96	0.00	20.96	28.00	0.63	Complies
159	5795	21.46	0.00	21.46	28.00	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	_	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
151	5755	20.51	0.00	20.51	28.00	0.63	Complies
159	5795	20.61	0.00	20.61	28.00	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	7 Conducted Output Power (dRm)		Max. Limit (W)	Result
151	5755	23.75	28.00	0.63	Complies
159	5795	24.07	28.00	0.63	Complies



Test Mode	UNII-3	TX AC	(VHT80)	) Mode	Ant.	1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
155	5775	21.31	0.00	21.31	28.00	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	•	Conducted Output Power + Duty Factor (dBm)		Max. Limit (W)	Result
155	5775	18.59	0.00	18.59	28.00	0.63	Complies

### Test Mode UNII-3\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.17	28.00	0.63	Complies




## APPENDIX G - POWER SPECTRAL DENSITY



Test Mode UNII-1\_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.29	0.00	12.29	17.00	Complies
40	5200	12.76	0.00	12.76	17.00	Complies
48	5240	12.96	0.00	12.96	17.00	Complies






Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.03	0.00	11.03	14.99	Complies
40	5200	10.78	0.00	10.78	14.99	Complies
48	5240	10.58	0.00	10.58	14.99	Complies



Test Mode	UNII-1_TX AC	(VHT20) Mode	_Ant. 2
-----------	--------------	--------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.63	0.00	10.63	14.99	Complies
40	5200	8.44	0.00	8.44	14.99	Complies
48	5240	7.62	0.00	7.62	14.99	Complies






Test Mode UNII-1\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.84	14.99	Complies
40	5200	12.78	14.99	Complies
48	5240	12.36	14.99	Complies




### Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.35	0.00	6.35	14.99	Complies
46	5230	8.15	0.00	8.15	14.99	Complies



### Test Mode UNII-1\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.70	0.00	5.70	14.99	Complies
46	5230	7.38	0.00	7.38	14.99	Complies



### Test Mode UNII-1\_TX AC (VHT40) Mode\_Total


(	Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
	38	5190	9.05	14.99	Complies
	46	5230	10.79	14.99	Complies



### Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.71	0.00	2.71	14.99	Complies

### **CH42**




Date: 9.SEP.2019 16:10:18

### Test Mode UNII-1\_TX AC (VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.23	0.00	0.23	14.99	Complies

### **CH42**



Date: 9.SEP.2019 16:50:19

### Test Mode UNII-1\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.65	14.99	Complies



Test Mode UNII-3\_TX A Mode

Channel	FIGUIDANCY	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.23	0.00	10.23	30.00	Complies
157	5785	9.75	0.00	9.75	30.00	Complies
165	5825	9.60	0.00	9.60	30.00	Complies





Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1

Channel	(MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.64	0.00	7.64	27.99	Complies
157	5785	6.84	0.00	6.84	27.99	Complies
165	5825	6.39	0.00	6.39	27.99	Complies



Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2

Channel		Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.45	0.00	7.45	27.99	Complies
157	5785	6.68	0.00	6.68	27.99	Complies
165	5825	6.70	0.00	6.70	27.99	Complies






Test Mode UNII-3\_TX AC (VHT20) Mode\_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.56	27.99	Complies
157	5785	9.77	27.99	Complies
165	5825	9.56	27.99	Complies



### Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.68	0.00	5.68	27.99	Complies
159	5795	4.85	0.00	4.85	27.99	Complies





Date: 9.SEP.2019 16:05:16

### Test Mode UNII-3\_TX AC (VHT40) Mode\_Ant. 2

Channel	I Francianci	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.37	0.00	4.37	27.99	Complies
159	5795	4.14	0.00	4.14	27.99	Complies





Test Mode UNII-3\_TX AC (VHT40) Mode\_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.08	27.99	Complies
159	5795	7.52	27.99	Complies



### Test Mode UNII-3\_TX AC (VHT80) Mode\_Ant. 1

Channel	Freduency	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.40	0.00	2.40	27.99	Complies

### CH155




Date: 9.SEP.2019 16:11:57

### Test Mode UNII-3\_TX AC (VHT80) Mode\_Ant. 2

Channel	Franciancy	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.38	0.00	1.38	27.99	Complies

### CH155



Date: 9.SEP.2019 16:51:33

### Test Mode UNII-3\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.93	27.99	Complies



# **APPENDIX H - FREQUENCY STABILITY**



Test Mode	UNI	I_1
I COL IVIOUC	UIVI	I – I

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)	
(V)	5180.0000	
132	5179.9948	
120	5179.9950	
108	5180.0150	
Maximum Deviation (MHz)	0.0150	
Maximum Deviation (ppm)	2.8982	

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9999
10	5179.9950
20	5179.9948
30	5179.9999
40	5180.0000
Maximum Deviation (MHz)	0.0052
Maximum Deviation (ppm)	1.0014



Test Mode	UNII-3

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9750
120	5744.9750
108	5744.9999
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3516

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0000
10	5745.0000
20	5744.9748
30	5744.9950
40	5744.9902
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.3864

**End of Test Report**