

# FCC RF EXPOSURE REPORT

**FCC ID: VIXSP446**

**Project No. : 1706133**  
**Equipment : WIRELESS SPEAKER**  
**Test Model : SP446**  
**Series Model : N/A**  
**Applicant : Voxx Accessories Corp.**  
**Address : 3502 Woodview Trace, Suite 220 Indianapolis,  
IN 46268 USA**

**According: : FCC Guidelines for Human Exposure IEEE  
C95.1**

**Technical Manager**

:

  
(Herbert Liu)

**B T L I N C .**

B1, No. 37, Lane 365, Yang-Guang St.,  
Nei-Hu District, Taipei City 114, Taiwan.  
TEL: +886-2-2657-3299    FAX: +886-2-2657-3331

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connecto	Gain(dBi)
1	AIROHA	pcbmonoA1	PCB	N/A	0

## TEST RESULTS

Test Mode :	TX Mode _1Mbps
-------------	----------------

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm <sup>2</sup> )	Limit of Power Density (S) (mW/cm <sup>2</sup> )	Test Result
0	1.0000	9.86	9.6828	0.00192730	1	Complies
0	1.0000	10.03	10.0693	0.00200424	1	Complies
0	1.0000	10.04	10.0925	0.00200886	1	Complies

Test Mode :	TX Mode _3Mbps
-------------	----------------

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm <sup>2</sup> )	Limit of Power Density (S) (mW/cm <sup>2</sup> )	Test Result
0	1.0000	11.37	13.7088	0.00272867	1	Complies
0	1.0000	11.43	13.8995	0.00276663	1	Complies
0	1.0000	11.47	14.0281	0.00279222	1	Complies

**Conclusion: No SAR evaluation required since transmitter power is below FCC threshold.**