



Report No.: HK08110839-1
Model No.: L402
Talk Mode

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	379.5 kHz	38.07	N gnd	-20.21
1 Quasi Peak	559.5 kHz	38.23	N gnd	-17.76
1 Quasi Peak	726 kHz	40.41	N gnd	-15.58
1 Quasi Peak	942 kHz	40.71	N gnd	-15.28
1 Quasi Peak	1.257 MHz	40.08	N gnd	-15.91
1 Quasi Peak	1.653 MHz	39.09	N gnd	-16.91
1 Quasi Peak	2.2155 MHz	37.35	N gnd	-18.64
1 Quasi Peak	3.012 MHz	34.54	N gnd	-21.45
1 Quasi Peak	4.7175 MHz	34.22	L1 gnd	-21.77
1 Quasi Peak	7.431 MHz	34.51	N gnd	-25.48
1 Quasi Peak	8.007 MHz	32.97	L1 gnd	-27.03

Ctrl No.: N/A




Report No.: HK08110839-1
Model: L302
Talk Mode
AC Mains "N"

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08110839-1
Model: L302
Talk Mode
AC Mains "N"

Scan Settings (1 Range)
|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB
Final Measurement Results:

no Results