

Date: 13.APR.2011 19:42:36




Report no.: HK11030297-1
Answer Machine Recording
SIL adaptor
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
1 Quasi Peak	402 kHz	43.70	N	-14.11
2 CISPR Average	402 kHz	35.84	L1	-11.97
1 Quasi Peak	406.5 kHz	42.05	N	-15.66
2 CISPR Average	406.5 kHz	33.88	L1	-13.83
1 Quasi Peak	577.5 kHz	33.23	N	-22.76
1 Quasi Peak	4.983 MHz	33.73	N	-22.26
1 Quasi Peak	7.341 MHz	38.78	N	-21.21
2 CISPR Average	7.4805 MHz	31.53	L1	-18.47
2 CISPR Average	8.313 MHz	30.63	L1	-19.36
1 Quasi Peak	8.358 MHz	36.93	N	-23.06

Date: 13.APR.2011 19:42:28

Ctrl No.: N/A



Date: 13.APR.2011 19:55:12




Report no.: HK11030297-1
Handset Ringing & Charging in
Base
SIL Adaptor
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB	
1 Quasi Peak	402 kHz	43.14	N	-14.66	
2 CISPR Average	402 kHz	35.41	L1	-12.40	
1 Quasi Peak	406.5 kHz	41.18	N	-16.53	
2 CISPR Average	406.5 kHz	33.86	L1	-13.85	
1 Quasi Peak	2.2335 MHz	28.83	N	-27.16	
1 Quasi Peak	3.8355 MHz	30.10	N	-25.89	
1 Quasi Peak	4.83 MHz	32.27	N	-23.72	
2 CISPR Average	7.4985 MHz	31.98	N	-18.01	
1 Quasi Peak	7.602 MHz	38.35	N	-21.64	
2 CISPR Average	8.061 MHz	31.96	N	-18.03	
1 Quasi Peak	8.079 MHz	37.75	N	-22.24	

Date: 13.APR.2011 19:55:03

Ctrl No.: N/A



Date: 13.APR.2011 19:48:49




Report no.: HK11030297-1
Handset Talking & Charging in
Base
SIL adaptor
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
1 Quasi Peak	397.5 kHz	43.33	N	-14.57	
2 CISPR Average	402 kHz	35.23	L1	-12.57	
1 Quasi Peak	406.5 kHz	41.55	N	-16.16	
2 CISPR Average	406.5 kHz	34.46	L1	-13.25	
1 Quasi Peak	4.9695 MHz	32.13	N	-23.86	
1 Quasi Peak	7.566 MHz	37.88	N	-22.11	
2 CISPR Average	7.8495 MHz	31.37	N	-18.62	
2 CISPR Average	8.034 MHz	32.15	N	-17.84	
1 Quasi Peak	9.3885 MHz	36.11	L1	-23.88	

Date: 13.APR.2011 19:48:41

Ctrl No.: N/A



Date: 13.APR.2011 19:58:50



Report no.: HK11030297-1
Handset Charging In Base
SIL Adaptor
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA LIMIT dB
1 Quasi Peak	397.5 kHz	41.37	N	-16.53
2 CISPR Average	397.5 kHz	34.19	L1	-13.71
1 Quasi Peak	406.5 kHz	40.85	N	-16.86
2 CISPR Average	406.5 kHz	33.28	N	-14.43
1 Quasi Peak	7.7235 MHz	38.65	N	-21.34
2 CISPR Average	7.908 MHz	31.67	N	-18.32
2 CISPR Average	7.9845 MHz	30.82	L1	-19.17

Date: 13.APR.2011 19:58:42

Ctrl No.: N/A