

Date: 5.MAY.2010 18:11:36



Report no.: HK10041640-1
Handset Charging with Base
Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
2	CISPR Average	204 kHz	39.53	L1 gnd	-13.91
1	Quasi Peak	208.5 kHz	42.73	L1 gnd	-20.52
2	CISPR Average	253.5 kHz	39.28	L1 gnd	-12.35
1	Quasi Peak	258 kHz	43.19	L1 gnd	-18.30
2	CISPR Average	357 kHz	44.65	L1 gnd	-4.14
1	Quasi Peak	366 kHz	50.89	L1 gnd	-7.69
1	Quasi Peak	505.5 kHz	47.81	L1 gnd	-8.18
2	CISPR Average	505.5 kHz	38.59	L1 gnd	-7.40
2	CISPR Average	618 kHz	32.27	L1 gnd	-13.73
1	Quasi Peak	748.5 kHz	44.48	L1 gnd	-11.51
2	CISPR Average	802.5 kHz	32.45	L1 gnd	-13.54
1	Quasi Peak	1.0905 MHz	45.42	L1 gnd	-10.57
2	CISPR Average	1.1445 MHz	34.24	L1 gnd	-11.75
1	Quasi Peak	1.4505 MHz	45.29	L1 gnd	-10.70
1	Quasi Peak	1.977 MHz	44.93	N gnd	-11.06
2	CISPR Average	2.0805 MHz	33.62	L1 gnd	-12.37
2	CISPR Average	2.868 MHz	34.62	L1 gnd	-11.37
1	Quasi Peak	2.9175 MHz	48.19	N gnd	-7.80
2	CISPR Average	4.0065 MHz	36.68	L1 gnd	-9.31
1	Quasi Peak	4.056 MHz	51.83	N gnd	-4.16

Date: 5.MAY.2010 18:11:19

Ctrl No.: N/A



Report no.: HK10041640-1
Handset Charging with Base
Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V		DELTA LIMIT dB
2 CISPR Average	4.6455 MHz	38.37	L1	gnd	-7.62
1 Quasi Peak	4.992 MHz	55.78	N	gnd	-0.21
2 CISPR Average	5.73 MHz	40.14	N	gnd	-9.85
1 Quasi Peak	5.7345 MHz	58.72	N	gnd	-1.27
2 CISPR Average	7.9845 MHz	31.26	N	gnd	-18.73
1 Quasi Peak	8.061 MHz	42.22	N	gnd	-17.77
1 Quasi Peak	11.1795 MHz	33.65	L1	gnd	-26.34


Date: 5.MAY.2010 18:11:28

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2010 18:49:29



Report no.: HK10041640-1
Speakerphone On Line
Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB	
1 Quasi Peak	199.5 kHz	41.88	L1 gnd	-21.75	
2 CISPR Average	204 kHz	38.72	L1 gnd	-14.72	
2 CISPR Average	249 kHz	37.91	L1 gnd	-13.87	
1 Quasi Peak	289.5 kHz	35.43	L1 gnd	-25.10	
1 Quasi Peak	393 kHz	51.12	L1 gnd	-6.87	
2 CISPR Average	397.5 kHz	42.65	L1 gnd	-5.24	
2 CISPR Average	406.5 kHz	41.32	L1 gnd	-6.39	
1 Quasi Peak	415.5 kHz	47.26	L1 gnd	-10.27	
1 Quasi Peak	735 kHz	42.59	L1 gnd	-13.40	
2 CISPR Average	748.5 kHz	32.05	L1 gnd	-13.94	
1 Quasi Peak	1.0815 MHz	45.08	L1 gnd	-10.91	
2 CISPR Average	1.0815 MHz	32.74	L1 gnd	-13.26	
2 CISPR Average	1.131 MHz	33.87	L1 gnd	-12.12	
1 Quasi Peak	1.4955 MHz	44.29	L1 gnd	-11.70	
2 CISPR Average	2.067 MHz	33.87	L1 gnd	-12.12	
1 Quasi Peak	2.094 MHz	44.71	L1 gnd	-11.28	
2 CISPR Average	2.8455 MHz	33.54	L1 gnd	-12.45	
1 Quasi Peak	2.8905 MHz	46.45	N gnd	-9.54	
1 Quasi Peak	3.9345 MHz	52.57	N gnd	-3.42	
2 CISPR Average	4.0245 MHz	36.34	L1 gnd	-9.65	

Date: 5.MAY.2010 18:48:49

Ctrl No.: N/A



Report no.: HK10041640-1
Speakerphone On Line
Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
2 CISPR Average	4.7085 MHz	37.77	L1 gnd	-8.22	
1 Quasi Peak	5.6445 MHz	57.27	N gnd	-2.72	
1 Quasi Peak	5.7795 MHz	58.04	N gnd	-1.95	
2 CISPR Average	5.901 MHz	39.90	N gnd	-10.09	
1 Quasi Peak	8.0745 MHz	42.51	N gnd	-17.49	
2 CISPR Average	8.088 MHz	30.71	N gnd	-19.28	
1 Quasi Peak	11.1705 MHz	33.32	L1 gnd	-26.67	

Date: 5.MAY.2010 18:49:08

Ctrl No.: N/A