Test report No. : 10124906H-A-R1

Page : 37 of 39

Issued date : January 24, 2014
Revised date : January 28, 2014
FCC ID : VPYLBYD

APPENDIX 3: Photographs of test setup

Conducted Emission




Photo 1




Photo 2

UL Japan, Inc.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999 Facsimile : +81 596 24 8124

Test report No. : 10124906H-A-R1

Page : 38 of 39

Issued date : January 24, 2014
Revised date : January 28, 2014
FCC ID : VPYLBYD

Radiated Spurious Emission



Photo 1



Photo 2

UL Japan, Inc. Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999 Facsimile : +81 596 24 8124

Test report No. : 10124906H-A-R1

Page : 39 of 39


Issued date : January 24, 2014
Revised date : January 28, 2014
FCC ID : VPYLBYD

Worst Case Position

Below 1GHz (Horizontal: Z-axis/ Vertical: Z-axis) Above 1GHz (Horizontal: Y-axis/ Vertical: Z-axis)









*Jig board was shaped as shown above so that it does not shield the rear side of the EUT.

End of Report

UL Japan, Inc. Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999 Facsimile : +81 596 24 8124