



FCRN: 0017145996  
FCC-ID: VT8-PSENSLP  
IC-ID: 7482A-PSENSLP

May 12, 2016





Page 1 of 6







## Attestation letter





We, Pilz GmbH & Co. KG hereby declare, that the test report of CETECOM laboratory are also to be cover the following products:




Kind of product:	<b>Operating Mode Selector</b>
Product Series:	<b>PSEN slock</b>
Product Name: (Family Approval)	<b>PSEN sl-1.Xp</b>
CETECOM Testreport No.:	<b>Test report No.: 1-8548/14-01-08</b>
Model Name	Product Label
<b>PSEN sl-1.0p 1.1</b> (570610)	
	<p>This was the <b>DUT</b> (Device under Test) of Test report No.: <b>Cetecom 1-8548/14-01-08</b></p> <ul style="list-style-type: none"> <li>- coding: coded</li> <li>- connector: 8 pin</li> <li>- magnetic holding force: 1.0 kN</li> <li>- SW Variant: standard</li> </ul>
<b>PSEN sl-0.5p 1.1</b> (570510)	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- magnetic holding force: 0.5 kN</li> </ul>

the spirit of safety

<p><b>PSEN sl-0.5p 2.1</b> (570511)</p>	
	<p><u>Difference to DUT:</u>  - coding: fully coded  - magnetic holding force: 0.5 kN</p>
<p><b>PSEN sl-0.5p 2.2</b> (570512)</p>	
	<p><u>Difference to DUT:</u>  - coding: uniquely coded  - magnetic holding force: 0.5 kN</p>
<p><b>PSEN sl-0.5p 3.1</b> (570577)</p>	
	<p><u>Difference to DUT:</u>  - magnetic holding force: 0.5 kN  - SW Variant: decoupled actuator and magnetic lock</p>
<p><b>PSEN sl-0.5p 4.1</b> (570578)</p>	

	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: fully coded</li> <li>- magnetic holding force: 0.5 kN</li> <li>- SW Variant: decoupled actuator and magnetic lock</li> </ul>
<p><b>PSEN sl-0.5p 4.2</b> (570579)</p>	<div>   </div> <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: uniquely coded</li> <li>- magnetic holding force: 0.5 kN</li> <li>- SW Variant: decoupled actuator and magnetic lock</li> </ul>
<p><b>PSEN sl-0.5p 5.1</b> (570587)</p>	<div>   </div> <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- magnetic holding force: 0.5 kN</li> <li>- SW Variant: changed informative output behaviour</li> </ul>
<p><b>PSEN sl-0.5p 6.1</b> (570588)</p>	<div>   </div> <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: fully coded</li> <li>- magnetic holding force: 0.5 kN</li> <li>- SW Variant: changed informative output behavior</li> </ul>

<p><b>PSEN sl-0.5p 6.2</b> (570589)</p>	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: uniquely coded</li> <li>- magnetic holding force: 0.5 kN</li> <li>- SW Variant: changed informative output behaviour</li> </ul>
<p><b>PSEN sl-1.0p 2.1</b> (570611)</p>	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: fully coded</li> </ul>
<p><b>PSEN sl-1.0p 2.2</b> (570612)</p>	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: uniquely coded</li> </ul>
<p><b>PSEN sl-1.0p 1.1 VA</b> (570640)</p>	

	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- stainless steel variant</li> </ul>
<p><b>PSEN sI-1.0p 3.1</b> (570677)</p>	 <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- SW Variant: decoupled actuator and magnetic lock</li> </ul>
<p><b>PSEN sI-1.0p 4.1</b> (570678)</p>	 <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: fully coded</li> <li>- SW Variant: decoupled actuator and magnetic lock</li> </ul>
<p><b>PSEN sI-1.0p 4.2</b> (570679)</p>	 <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: uniquely coded</li> <li>- SW Variant: decoupled actuator and magnetic lock</li> </ul>

<p><b>PSEN sl-1.0p 5.1</b> (570687)</p>	<div data-bbox="534 197 769 577"> </div> <div data-bbox="916 197 1150 577"> </div> <p><u>Difference to DUT:</u>          - SW Variant: changed informative output behaviour</p>
<p><b>PSEN sl-1.0p 6.1</b> (570688)</p>	<div data-bbox="534 674 769 1055"> </div> <div data-bbox="916 674 1150 1055"> </div> <p><u>Difference to DUT:</u>          - coding: fully coded          - SW Variant: changed informative output behaviour</p>
<p><b>PSEN sl-1.0p 6.2</b> (570689)</p>	<div data-bbox="534 1182 769 1563"> </div> <div data-bbox="916 1182 1150 1563"> </div> <p><u>Difference to DUT:</u>          - coding: uniquely coded          - SW Variant: changed informative output behaviour</p>

Authorized Signature:  
 Print Name & Title:  
 Date:

Jürgen Kitzing, Approval Manager  
 07. December 2015